

**AMENDMENT TO CONTRACT
Skid Steer Loader Rentals
Bid No. 16-271
Lancaster County
Additional Equipment
Murphy Tractor & Equipment**

This Amendment is hereby entered into by and between Murphy Tractor & Equipment Co., Inc., 6100 Arbor Road, Lincoln, NE 68517 (hereinafter "Contractor") and Lancaster County (hereinafter "County"), for the purpose of amending the Contract dated January 31, 2017, executed under County Contract No. C-17-0033, for Skid Steer Loader Rentals, Bid No. 16-271, which is made a part hereof by this reference.

WHEREAS, the parties wish to amend the contract to add a Skid Steer Loader - 2015 John Deere 326E, Serial #IT0326EKLFJ280922 and VIRNIG Pallet Fork, Serial #119542 for County Corrections, as per Attachment A; and.

WHEREAS, the estimated expenditure for this service is \$4,213.00 for the remainder of the current term; and

WHEREAS, the revised contract total with the additional equipment is estimated to be \$8,713.00; and

NOW, THEREFORE, IN CONSIDERATION of the mutual covenants contained in the County Contract No. C-17-0033 and stated herein the parties agree as follows:

- 1) The parties wish to amend the contract to add a Skid Steer Loader - 2015 John Deere 326E, Serial #IT0326EKLFJ280922 and VIRNIG Pallet Fork, Serial #119542 for County Corrections, as per Attachment A.
- 2) The estimated expenditure for this service is \$4,213.00 for the remainder of the current term.
- 3) The revised contract total with the additional equipment is estimated to be \$8,713.00.
- 4) All other terms of the Contract, not in conflict with this Amendment, shall remain in full force and effect.

The Parties do hereby agree to all the terms and conditions of this Amendment. This Amendment shall be binding upon the parties, their heirs, administrators, executors, legal and personal representatives, successors, and assigns.

IN WITNESS WHEREOF, the Parties do hereby execute this Amendment upon completion of signatures on:

Vendor Signature Page
Lancaster County Signature Page

Vendor Signature Page

**AMENDMENT TO CONTRACT
Skid Steer Loader Rentals
Bid No. 16-271
Lancaster County
Additional Equipment
Murphy Tractor & Equipment**

Please sign, date and return within 5 days of receipt.

Mail to: City/County Purchasing
Attn: Debbie Winkler
440 So. 8th Street, Suite 200
Lincoln, NE 68508
Or email to: dwinkler@lincoln.ne.gov

Company Name:	Murphy Tractor & Equipment Co.
By: (Please Sign)	<i>Greg Kozisek</i>
By: (Please Print)	Greg Kozisek
Title:	Area Sales Manager
Company Address:	6100 Arbor Road
Company Phone & Fax:	P: 402-467-1300 F: 402-467-1927
E-Mail Address:	gkozisek@murphytractor.com
Date:	May 9, 2017
Contact Person for: Orders or Service	Kirk Bender
Contact Phone Number:	402-853-4869

Lancaster County Signature Page

**AMENDMENT TO CONTRACT
Skid Steer Loader Rentals
Bid No. 16-271
Lancaster County
Additional Equipment
Murphy Tractor & Equipment**

EXECUTION BY LANCASTER COUNTY, NEBRASKA

Contract Approved as to Form:

The Board of County Commissioners of
Lancaster, Nebraska

Deputy Lancaster County Attorney

dated _____

Quote Summary

Prepared For:

LANCASTER COUNTY CORRECTIONS
 3801 W 'o' St
 Lincoln, NE 68528
 Business: 402-441-1972
 Mobile: 402-450-5671

*Purchase
Price*

Prepared By:

KIRK BENDER
 Murphy Tractor & Equipment
 6100 Arbor Road
 Lincoln, NE 68517
 Phone: 402-467-1300
 Mobile: 402-853-4869
 kbender@murphytractor.com

Agreement for this 326E will run concurrently with the 332G that Lancaster County is currently leasing. It will run from 5/17 thru 1/31/18.
 Pricing & Provision followed under contract for Bid# 16-271

Quote Id: 15145816
Created On: 17 April 2017
Last Modified On: 02 May 2017
Expiration Date: 31 May 2017

Equipment Summary

2015 JOHN DEERE 326E SKID
 STEER - 1T0326EKLFJ280922

Selling Price	Qty	Extended
\$ 64,721.84 X	1 =	\$ 64,721.84

VIRNIG Pallet Forks - 119542

\$ 793.33 X	1 =	\$ 793.33
-------------	-----	-----------

~~84" Pick Up Broom - 104450~~

\$ 5,673.13 X	1 =	\$ 5,673.13
--------------------------	----------------	------------------------

Equipment Total

\$ 71,188.30

Quote Summary

Equipment Total	\$ 71,188.30
SubTotal	\$ 71,188.30
Total	\$ 71,188.30
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 71,188.30

Salesperson : X _____

Accepted By : X _____



Finance Options

Valid through May 31, 2017
Created On April 17, 2017

New 2015 JOHN DEERE 326E SKID STEER

Serial # 1T0326EKLFJ280922

1 hours

	Lease	
Term in Months	12	
Annual Hrs for Term	250	
Payment	\$ 4,000.00	<i>yes</i>
	Annual	
Add'l Advanced Payment	---	
Trade-Ins	---	
Physical Damage Insurance	---	
Preventive Maintenance	---	
Extended Warranty	---	
Filing / Origination Fees	---	
Total Lease Amount	\$ 64,721.84	
Total Payments	\$ 4,000.00	

Subject to approval by John Deere Financial. Taxes, freight, setup, and delivery charges, and optional charges for other services, could increase lease payment. Lease payments are in advance and may vary based upon the end of lease term purchase option price. Not available for Consumer use. See your John Deere Dealer for complete details and other financing options. Available only at participating dealers.



Finance Options

Valid through May 31, 2017
Created On April 17, 2017

New VIRNIG Pallet Forks

Serial # 119542

	Lease
Term in Months	12
Annual Hrs for Term	0
Payment	\$ 213.00 Annual

yes

Add'l Advanced Payment	---
Trade-Ins	---
Physical Damage Insurance	---
Preventive Maintenance	---
Extended Warranty	---
Filing / Origination Fees	---
Total Lease Amount	\$ 793.33
Total Payments	\$ 213.00

Subject to approval by John Deere Financial. Taxes, freight, setup, and delivery charges, and optional charges for other services, could increase lease payment. Lease payments are in advance and may vary based upon the end of lease term purchase option price. Not available for Consumer use. See your John Deere Dealer for complete details and other financing options. Available only at participating dealers.

326E Skid Steer

51.4 kW (69 net hp)



JOHN DEERE

FEATURES

The 326E has a vertical lift path with 3.18 m (10 ft. 5 in.) of lift height to hinge pin and excellent reach at full height for efficient loading of high sidewall dump trucks.

Enhanced operator station's flat floor provides 33-percent more foot room and allows easier entrance and exit.

With the ride-control option, boom cylinders function like shock absorbers, cushioning the load for better material retention and a more comfortable ride.

Choose from four control styles: ISO joystick; H joystick; industry-exclusive EH boom/bucket foot controls with directional joysticks; and industry-exclusive EH switchable ISO, H, or foot-operated modes.

Enhanced EH Joystick Performance option includes attachment controls, switchable control patterns, boom/bucket speed settings, shift on-the-fly creeper mode, and selectable propel rates.



Engine		326E
Manufacturer and Model	Yanmar 4TNV98CT standard	
Non-Road Emission Standard	EPA Final Tier 4/EU Stage IV	
Cylinders	4	
Net Peak Power (SAE J1349 / ISO 9249)	51.4 kW (69 hp) at 2,500 rpm	
Gross Rated Power (ISO 14396)	53.7 kW (72 hp) at 2,500 rpm	
Peak Torque	280 Nm (207 lb.-ft.) at 1,625 rpm	
Displacement	3.3 L (203 cu. in.)	
Rated Engine Speed	2,500 rpm	
Torque Rise	36% at 1,625 rpm	
Engine Bore and Stroke	98 x 110 mm (3.86 x 4.33 in.)	
Air Cleaner	Dry dual element	
Cooling		
Fan Type	Variable-speed hydraulic drive	
Engine Coolant Rating	-37 deg. C. (-34 deg. F)	
Engine Radiator	10 fins per in. (water to air)	
Powertrain		
Type	Hydrostatic-manual or electrohydraulic; 4 - 100 heavy-duty continuous-loop chain	
Speeds		
Single Speed	11.3 km/h (7.0 mph)	
2 Speed, High	17.7 km/h (11.0 mph)	
System High-Pressure Relief	36 197 kPa (5,250 psi)	
Axles		
Maximum Axle Torque	7725 Nm (5,680 lb.-ft.)	
Final Drive		
	High-strength, adjustment-free chains	
Brakes		
	Spring applied, hydraulically released, wet-disc park brake	

Hydraulics **326E**

Pump Flow	
Standard	80 L/m (21 gpm)
Total with High-Flow Option	125 L/m (33 gpm)
System Pressure at Coupler	23 787 kPa (3,450 psi)
Hydraulic Horsepower Flow (calculated)	
Standard	31 kW (42 hp)
High	47 kW (63 hp)

Cylinders	
Type	John Deere heat-treated, chrome-plated polished cylinder rods, hardened steel (replaceable bushings) pivot pins

Electrical	
Voltage	12 volt
Battery Capacity	925 CCA
Alternator Rating	70 amp
Lights	Halogen, 2 front and 1 rear

Operator's Station	
ROPS (ISO 3471) / FOPS (ISO 3449) structure with quick pivot	

Tires/Wheels	
Standard Tire Size	12 x 16.5 10 PR Extra Wall

Serviceability	
Refill Capacity	
Fuel Tank	92.0 L (24.3 gal.)

Operating Weight	
Base Machine	3723 kg (8,200 lb.)

Machine Dimensions	
A Length without Bucket	3.05 m (120 in.) (10 ft. 0 in.)
B Length	
With Foundry Bucket	3.66 m (144 in.) (12 ft. 0 in.)
With Construction Bucket	3.93 m (154.8 in.) (12 ft. 11 in.)
C Width without Bucket	1.84 m (72.6 in.) (6 ft. 1 in.)
D Height to ROPS	2.12 m (83.3 in.) (6 ft. 11 in.)
E Height to Hinge Pin	3.18 m (125.4 in.) (10 ft. 5 in.)
F Dump Height with Foundry Bucket	2.54 m (99.9 in.) (8 ft. 4 in.)
G Dump Reach	
With Foundry Bucket	0.84 m (33 in.)
With Construction Bucket	1.02 m (40.1 in.) (3 ft. 4 in.)
H Wheelbase	1.23 m (48.3 in.) (4 ft. 0 in.)
I Ground Clearance	0.25 m (9.7 in.)
J Angle of Departure	26 deg.
K Front Turn Radius with Foundry Bucket	2.17 m (85.5 in.) (7 ft. 1 in.)
L Dump Angle (full lift height)	45 deg.
M Bucket Rollback (ground level)	35 deg.

Loader Performance	
Tipping Load	2452 kg (5,400 lb.)
Rated Operating Capacity	
SAE	1226 kg (2,700 lb.)
With Counterweight	1294 kg (2,850 lb.)
Boom Breakout Force	2270 kg (5,000 lb.)
Bucket Breakout Force	3519 kg (7,750 lb.)

