C-17-0920 Tracking No. 17100193

AMENDMENT TO CONTRACT Unit Price Contract

Electronic Video Surveillance Equipment and Installation Lincoln Public Schools Contract No. IPDG No. 2013 3932 City of Lincoln, Lancaster County and City of Lincoln-Lancaster County Public Building Commission Renewal

Audio Marketing Solutions, Inc. dba Americom Communications Corporation

This Amendment is hereby entered into by and between Audio Marketing Solutions, Inc. dba Americom Communications Corporation, 307 P St., Lincoln, NE 68508 (hereinafter "Contractor") and the City of Lincoln, Lancaster County and the City of Lincoln-Lancaster County Public Building Commission (hereinafter "Owners"), for the purpose of amending the Contract dated January 22, 2016 executed under City Executive Order No. 88992, and County Contract C-16-0031 dated January 12, 2016, and executed by the City of Lincoln-Lancaster County Public Building Commission, on January 19, 2016, for Unit Price Electronic Video Surveillance Equipment and Installation, Lincoln Public Schools Contract No. IPDG No. 2013 3932, which is made a part of this amendment by this reference.

WHEREAS, the original term of the Contract is January 22, 2016 through November 30, 2016, with the option to renew for up to four (4) additional one (1) year terms (as long as the LPS contract remains in effect) upon written mutual consent by all parties; and

WHEREAS, the Contract was amended by City Executive Order No. 090174, executed by the City on December 12, 2016, and County Contract C-16-0689 executed by the County Board on October 29, 2016, and executed by the City of Lincoln-Lancaster County Public Building Commission on December 13, 2016, to renew the Contract for an additional one (1) year term from December 1, 2016 through November 30, 2017; and

WHEREAS, the parties hereby renew the Contract for an additional one (1) year term beginning December 1, 2017 through November 30, 2018; and

WHEREAS, the estimated expenditures for the City of Lincoln for the term of this renewal shall not exceed \$125,000.00 without approval by the City of Lincoln; and

WHEREAS, the estimated expenditures for Lancaster County for the term of this renewal shall not exceed \$45,000.00 without approval by the Lancaster County Board; and

WHEREAS, the estimated expenditures for the City of Lincoln-Lancaster County Public Building Commission for the term of this renewal shall not exceed \$60,000.00 without approval by the Public Building Commission; and

NOW, THEREFORE, IN CONSIDERATION of the mutual covenants contained in the Contract under City E.O. 88992 and County Contract C-16-0031, all amendments thereto, and as stated herein, the parties agree as follows:

- 1) The parties hereby renew the Contract for an additional one (1) year term beginning December 1, 2017 through November 30, 2018.
- 2) The estimated expenditures for the City of Lincoln for the term of this renewal shall not exceed \$125,000.00 without approval by the City of Lincoln.
- 3) The estimated expenditures for Lancaster County for the term of this renewal shall not exceed \$45,000.00 without approval by the Lancaster County Board.
- 4) The estimated expenditures for the City of Lincoln-Lancaster County Public Building Commission for the term of this renewal shall not exceed \$60,000.00 without approval by the Public Building Commission.
- 5) All other terms of the Contract, not in conflict with this Amendment, shall remain in force and effect.

The Parties do hereby agree to all the terms and conditions of this Amendment. This Amendment shall be binding upon the parties, their heirs, administrators, executors, legal and personal representatives, successors, and assigns.

IN WITNESS WHEREOF, the Parties do hereby execute this Amendment upon completion of signatures on:

Vendor Signature Page
City of Lincoln Signature Page
Lancaster County Signature Page
City of Lincoln-Lancaster County Public Building Commission Signature Page

Americom 2013 3932 III 2

Vendor Signature Page

AMENDMENT TO CONTRACT

Unit Price Contract

Electronic Video Surveillance Equipment and Installation Lincoln Public Schools Contract No. IPDG No. 2013 3932 City of Lincoln, Lancaster County and City of Lincoln-Lancaster County Public Building Commission Renewal

Audio Marketing Solutions, Inc. dba Americom Communications Corporation

Please sign, date and return within 5 days of receipt.

Mail to: City/County Purchasing
Attn: Lori Irons
440 So. 8th St., Ste. 200
Lincoln, NE 68508
Or email to: Ilirons@lincoln.ne.gov

Company Name:	American
By: (Please Sign)	
By: (Please Print)	Corey Odvody
Title:	fresident
Company Address:	307 PS4. (md, NE 68508
Company Phone & Fax:	402-489-9700 402-489-9771
E-Mail Address:	Coney @ Olnop. com. b. z
Date:	11-16-17
Contact Person for Orders or Service	Trever Killnett-Orders Zach Killing-Service
Contact Phone Number:	402-489-9700

Americom 2013 3932 IIi 3

Tracking No. 17100193

Lancaster County Signature Page

AMENDMENT TO CONTRACT

Unit Price Contract

Electronic Video Surveillance Equipment and Installation
Lincoln Public Schools Contract No. IPDG No. 2013 3932
City of Lincoln, Lancaster County and
City of Lincoln-Lancaster County Public Building Commission
Renewal

Audio Marketing Solutions, Inc. dba Americom Communications Corporation

EXECUTION BY LANCASTER COUNTY, NEBRASKA

Contract Approved as to Form:	The Board of County Commissioners of Lancaster, Nebraska
Deputy Lancaster County Attorney	
	dated

Americom 2013 3932 IIi 5

COMMENTARY TO ACCOMPANY CONSTRUCTION BONDS

A. GENERAL INFORMATION

There are two types of construction bonds that are required by statutes for public work in many jurisdictions and are widely used for other projects as well.

Construction Performance Bond Construction Payment Bond

The Construction Performance Bond is an instrument that is used to assure the availability of funds to complete the construction.

The Construction Payment Bond is an instrument that is used to assure the availability of sufficient funds to pay for labor, materials and equipment used in the construction. For public work the Construction Payment Bond provides rights of recovery for workers and suppliers similar to their rights under the mechanics lien laws applying to private work.

The objective underlying the re-writing of construction bond forms was to make them more understandable to provide guidance to users. The intention was to define the rights and responsibilities of the parties, without changing the traditional rights and responsibilities that have been decided by the courts. The new bond forms provide helpful guidance regarding time periods for various notices and actions and clarify the extent of available remedies.

The concept of pre-default meeting has been incorporated into the Construction Performance Bond. All of the participants favored early and informal resolution of the problems that may precipitate a default, but some Surety companies were reluctant to participate in pre-default settings absent specific authorization in the bond form.

The responsibilities of the Owner and the options available to the Surety when a default occurs are set forth in the Construction Performance Bond. Procedures for making a claim under the Construction Payment Bond are set forth in the form.

EJCDC recommends the use of two separate bonds rather than a combined form. Normally the amount of each bond is 100 percent of the contract amount. The bonds have different purposes and are separate and distinct obligations of the Surety. The Surety Association reports that the usual practice is to charge a single premium for both bonds and there is no reduction in premium for using a combined form or for issuing one bond without the other.

B. COMPLETING THE FORMS

Bonds have important legal consequences; consultation with an attorney and a bond specialist is encouraged with respect to federal, state and local laws applicable to bonds and with respect to completing or modifying the bond forms.

Both bond forms have a similar format and the information to be filled in is ordinarily the same on both bonds. If modification is necessary, the modifications may be different.

The bond forms are prepared for execution by the Contractor and the Surety. Evidence of authority to bind the Surety is usually provided in the form of a power of attorney designating the agent who is authorized to sign on behalf of the Surety. The power of attorney should be filed with the signed bonds.

Each bond must be executed separately since they cover separate and distinct obligations.

Preferably the bond date should be the same date as the contract, but in no case should the bond date precede the date of the contract.

To accompany the Construction Performance Bond (EJCDC No. 1910-28A) and the Construction Payment Bond (EJCDC No. 1910-28B) Prepared by the Engineers' Joint Contract Documents Committee

DUPLICATE BOND - ORIGINAL LOST CONSTRUCTION PERFORMANCE BOND

Tracking No. 17100193 Bond#HGMW-10-A15-0991

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

CONTRACTOR:

Audio Marketing Solutions, Inc. dba Americom Communications 307 P Street, P.O. Box 84546 (68501) Lincoln, NE 68510

SURETY (Name and Principal Place of Business):

Hudson Insurance Company 100 William St., 5th Floor New York, NY 10038

Owner:

City of Lincoln,

555 South 10th St. Lincoln, NE 68508

CONSTRUCTION CONTRACT

Date:

Amount: \$25,000.00

Description:

For all labor, material and equipment necessary for Unit Price Contract - Electronic Video Surveillance Equipment & Installation, Lincoln Public School Contract IPDG No. 2013 3982 For a One (1) year term beginning 12/1/2017 to 11/30/2018 (Year 3 of 4 year term)

BOND

Date: November 17, 2017 Amount: \$25,000.00

Modifications to this Bond Form: None

CONTRACTOR AS PRINCIPAL

Company:

SURETY (Corp. Seal)

Company:

HUDSON INSURANCE COMPANY

(Corp.Seal)

Audio Marketing Solutions, inc. dba Americom Communications 307 P Street Lincoln, NE 68510

Signature: 4

Name and Title

Signature:

Name and Title: Thomas L. King, Attorney-in-Fact

EJCDC NO. 1910-28a (1984 Edition)

Prepared through the joint efforts of The Surety Assoc. of America. Engineers' Joint Contract Documents Committee. The Associated General Contractors of America, and the American Institute of Architects.

- The Contractor and the Surety, jointly and severally, bind themselves their heirs, executors, administrators, successors and assigns to the Owner for the performance of the Construction Contract, which is incorporated herein by reference.
- If the Contractor performs the Construction Contract, the Surety and the Contractor shall have no obligation under this Bond, except to participate in conferences as provided in Subparagraph 3.1.
- if there is no Owner Default, the Surety's obligation under this Bond shall arise after:
 - 3.1 The Owner has notified the Contractor and the Surety at its address described in Paragraph 10 below, that the Owner is considering declaring a Contractor Default and has requested and attempted to arrange a conference with the Contractor and the Surety to be held not later than fifteen days after receipt of such notice to discuss methods of performing the Construction Contract. If the Owner, the Contractor and the Surety agree, the Contractor shall be allowed a reasonable time to perform the Construction Contract, but such an agreement shall not waive the Owner's right, if any, subsequently to declare a Contractor Default and
 - 3.2 The Owner has declared a Contractor Default and formally terminated the Contractor's right to complete the contract. Such Contractor Default shall not be declared earlier than twenty days after the Contractor and the Surety have received notice as provided in Sub-paragraph 3.1; and
 - 3.3 The Owner has agreed to pay the Balance of the Contract Price to the Surely in accordance with the terms of the Construction Contract or to a contractor selected to perform the Construction Contract in accordance with the terms of the contract with the Owner.
- When the Owner has satisfied the conditions of Paragraph 3, the Surety shall promptly and at the Surety's expense take one of the following actions:
 - 4.1 Arrange for the Contractor, with consent of the Owner, to perform and complete the Construction Contract, or
 - 4.2 Undertake to perform and complete the Construction Contract itself, through its agents or through independent contractors; or
 - 4.3 Obtain bids or negotiated proposals from qualified contractors acceptable to the Owner for a contract for performance and completion of the Construction Contract, arrange for a contract to be prepared for execution by the Owner and the contractor selected with the Owner's concurrence, to be secured with performance and payment bonds executed by a qualified surety equivalent to the bonds Issued on the Construction Contract, and pay to the Owner the amount of damages as described in Paragraph 6 in excess of the Balance of the Contract Price incurred by the Owner resulting from the Contractor's default, or
 - 4.4 Waive its right to perform and complete, arrange for completion, or obtain a new contractor and with reasonable promptness under the circumstances:
 - After investigation, determine the amount for which it may be liable to the Owner and as soon as practiceable after the amount is determined tender payment therefor to the Owner; or
 - Deny liability in whole or in part and notify the Owner citing reasons therefor.
- 5. If the Surety does not proceed as provided in Paragraph 4 with reasonable promptness, the Surety shall be deemed to be in default on this Bond fifteen days after receipt of an additional written notice from the Owner to the Surety demanding that the Surety perform its obligations under this Bond, and the Owner shall be entitled to enforce any remedy available to the Owner. If the Surety proceeds as provided in Subparagraph 4.4 and the Owner refuses payment tendered or the Surety has denied liability, in whole or in part, without further notice the Owner shall be entitled to enforce any remedy available to the Owner.

Tracking No. 17100193

- After the Owner has terminated the Contractor's right to complete the Construction Contract, and if the Surety elects to act under Subperagraph 4.1, 4.2, or 4.3 above, then the responsibilities of the Surety to the Owner shall not be greater than those of the Contractor under the Construction Contract, and the responsibilities of the Owner to the Surety shall not be greater than those of the Owner under the Construction Contract. To the limit of the amount of this Bond, but subject to commitment by the Owner of the Balance of the Contract Price to mitigation of costs and damages on the Construction Contract, the Surety is obligated without duplication for:
 - 6.1 The responsibilities of the Contractor for correction of defective work and completion of the Construction Contract;
 - 6.2 Additional legal, design professional and delay costs resulting from the Contractor's Default, and resulting from the actions or failure to act of the Surety under Paragraph 4: an d
 - 6.3 Liquidated damages, or if no liquidated damages are specified in the Construction Contract, actual damages caused by delayed performance or nonperformance of the Contractor.
- 7. The Surety shall not be liable to the Owner or others for obligations of the Contractor that are unrelated to the Construction Contract, and the Balance of the Contract Price shall not be reduced or set off on account of any such unrelated obligations. No right of action shall accrue on this Bond to any person or entity other than the Owner or its heirs, executors, administrators, or successors.
- The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related sub-contracts, purchase orders and other obligations.
- 9. Any proceeding, legal or equitable, under this Bond may be instituted in any court of competent jurisdiction in the location in which the work or part of the work is located and shall be instituted within two years after Contractor Default or within two years after the Contractor ceased working or within two years after the Surety refuses or falls to perform its obligations under this Bond, whichever occurs first. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.
- Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page.
- 11. When this Bond has been furnished to comply with a satutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The Intent is that this Bond shall be construed as a statutory bond and not as a common law bond.
 12. Definitions.
 - 12.1 Balance of the Contract Price: The total amount payable by the Owner to the Contractor under the Construction Contract after all proper adjustments have been made, including allowance to the Contractor of any amounts received or to be received by the Owner in settlement of insurance or other claims for damages to which the Contractor is entitled, reduced by all valid and proper payments made to or on behalf of the Contractor under the Construction Contract.
 - 12:2 Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.
 - 12.3 Contractor Default: Failure of the Contractor, which has neither been remedied nor waived, to perform or otherwise to comply with the terms of the Construction Contract.
 - 12.4 Owner Default: Failure of the Owner, which has neither been remedied nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

CONSTRUCTION PAYMENT BOND

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable. CONTRACTOR: SURETY (Name and Principal Place of Business): Audio Marketing Solutions, Inc. **Hudson Insurance Company** 100 William St., 5th Floor dba Americom Communications New York, NY 10038 307 P Street, P.O. Box 84546 (68501) Lincoln, NE 68510 Owner: City of Lincoln, 555 South 10th St. Lincoln, NE 68508 CONSTRUCTION CONTRACT Date: Amount: \$25,000.00 Description: For all labor, material and equipment necessary for Unit Price Contract - Electronic Video Surveillance Equipment & Installation, Lincoln Public School Contract IPDG No. 2013 3982 For a One (1) year term beginning 12/1/2017 to 11/30/2018 (Year 3 of 4 year term) BOND Date: November 17, 2017 \$25,000.00 Amount: Modifications to this Bond Form: None CONTRACTOR AS PRINCIPAL (Corp. Seal) (Corp. Seal) Company: Company: **HUDSON INSURANCE COMPANY** Audio Marketing Solutions, Inc. dba Americom Communications 307 P Street Lincoln, NE 68510 Signature: Name and Title: Thomas L. King, Attorney-in-Fact Name and Title:

EJCDC NO. 1910-28B (1984 Edition)

Prepared through the joint efforts of The Surety Assoc. of America. Engineers' Joint Contract Documents Committee. The Associated General Contractors of America, and the American Institute of Architects.

- The Contractor and the Surety, jointly and severally, bind themselves their heirs, executors, administrators, successors and assigns to the Owner to pay for labor, meterials and equipment furnished for use in the performance of the Construction Contract, which is incorporated herein by reference.
- With respect to the Owner, this obligation shall be null and void if the Contractor:
 2.1 Fromptly makes payment, directly or indirectly, for all sums due Claimants, and
 - 2.2 Defends, indemnifies and holds harmless the Owner from all claims, demands, liens or suits by any person or entity who furnished labor, materials or equipment for use in the performance of the Construction Contract, provided the Owner has promptly notified the Contractor and the Surety (at the address described in Paragraph 12) of any claims, demands, liens or suits and tendered defense of such claims, demands, liens or suits to the Contractor and the Surety, and provided there is no Owner Default.
- With respect to Claimants, this obligation shall be null and void if the Contractor promptly makes payment, directly or indirectly, for all sums due.
- 4. The Surety shall have no obligation to Claimants under this Bond until:
 - 4.1 Claimants who do not have a direct contract with the Contractor have given notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof to the Owner, stating that a claim is being made under this Bond and with substantial accuracy the amount of the claim.
 - 4.2 Claimants who do not have a direct contract with the Contractor:
 - 1. Have furnished written notice to the Contractor and sent a copy, or notice thereof, to the Owner, within 90 days after having last performed labor or last furnished materials or equipment included in the claim stating, with substantial accuracy, the amount of the claim and the name of the party to whom the materials were furnished or supplied or for whom the labor was done or performed, and
 - 2. Have either received a rejection in whole or in part from the Contractor, or not received within 30 days of furnishing the above notice any communication from the Contractor by which the Contractor has indicated the claim will be paid directly or indirectly; and
 - 3. Not having been paid within the above 30 days, have sent a written notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof, to the Owner, stating that a claim is being made under this Bond and enclosing a copy of the previous written notice furnished to the Contractor.
- If a notice required by Paragraph 4 is given by the Owner to the Contractor or to the Surety, that is sufficient compliance.
- When the Claimant has satisfied the conditions of Paragraph 4, the Surety shall promptly and at the Surety's expense take the following actions:
 - 6.1 Send an answer to the Claimant, with a copy to the Owner, within 45 days after receipt of the claim, stating the amounts that are undisputed and the basis for challenging any amounts that are disputed.
 - 6.2 Pay or arrange for payment of any undisputed amounts.
- The Surety's total obligation shall not exceed the amount of this Bond, and the amount of this Bond shall be credited for any payments made in good faith by the Surety.
- Amounts owed by the Owner to the Constructor under the Construction Contract shall be used for the performance of the Construction Contract and to satisfy claims, if any, under any Construction Performance Bond.

Tracking No. 17100193

- By the Contractor furnishing and the Owner accepting this Bond, they agree that all funds earned by the Contractor in the performance of the Construction Contract are dedicated to satisfy obligations of the Contractor and the Surety under this Bond, subject to the Owner's priority to the funds for the completion of the work.
- The Surety shall not be liable to the Owner, Claimants or others for obligations of the Contractor that are unrelated to the Construction Contract. The Owner shall not be liable for payment of any costs or expenses of any Claimant under this Bond, and shall have under this Bond no obligations to make payments to, give notices on behalf of, or otherwise have obligations to Claimants under this Bond.
- The Surety hereby walves notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.
- 1. No suite or action shall be commenced by a Clalmant under this Bond other than in a court of competent jurisdiction in the location in which the work or part of the work is located or after the expiration of one year from the date (1) on which the Claimant gave the notice required by Subparagraph 4.1 or Clause 4.1 (iii), or (2) on which the last labor or service was performed by anyone or the last materials or equipment were furnished by anyone under the Construction Contract, whichever of (1) or (2) first occurs. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the sult shall be applicable.
- 12. Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page. Actual receipt of notice by Surety, the Owner or the Contractor, however accomplished, shall be sufficient compliance as of the date received at the address shown on the signature page.
- 13. When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted here from and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The intent is, that this Bond shall be construed as a statutory bond and not as a common law bond.
- 14. Upon request by any person or entity appearing to be a potential beneficiary of this Bond, the Contractor shall promptly furnish a copy of this Bond or shall permit a copy to be made.
- 15. DEFINITIONS
 - 15.1 Claimant: An Individual or entity having a direct contract with the Contractor or with a subcontractor of the Contractor to furnish labor, materials or equipment for use in the performance of the Contract. The intent of this Bond shall be to include without limitation in the terms "tabor, materials, or equipment" that part of water, gas, power, light, heat, oil, gasoline, telephone service or rental equipment used in the Construction Contract, architectural and engineering services required for performance of the work of the Contractor and the Contractor's subcontractors, and all other items for which a mechanic's iten may be asserted in the jurisdiction where the labor, materials or equipment were fumilished.
 - 16.2 Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.
 - 15.3 Owner Default: Fallure of the Owner, which has neither been remedled nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

(FOR INFORMATION ONLY - NAME, ADDRESS AND TELEPHONE)
AGENT OR BROKER: OWNER'S REPRESENTATIVE (ARCHITECT, ENGINEER OR OTHER PARTY)
Gene Lilly Surety Bonds, Inc.
735 S. 56th St., Lincoln, NE 68510
402-475-7700



Hudson Insurance Group 100 William Street, 5th Floor New York, NY 10038

Rider Adding Additional Obligee

To be attached to and form a part of Bond No. HGMW-10					day of
		dson Insurance Compan	y as Surety,	on behalf of	•
Audio Marketing Solutions, Inc. dba Americom Commu	inicatio	ns			, as Principal
favor of <u>City of Lincoln, Nebraska</u>					, as Obligee.
WHEREAS, upon the request of the Principal and	•	•	-		
Lancaster County, Nebraska and Lincoln-Lancaster Cou	unty Pi	ublic Building Commiss	ion	as an	additional oblige
PROVIDED, HOWEVER, there shall be no liability	u unda	this hand to the Onlines	n oceither	of them unle	ee the epid
Obligees, or either of them, shall make payments to the Pri			100		
and shall perform all of the other obligations to be performe		Annual Control of the		1.14	· ·
the acts of one Obligee being binding on the other.					***************************************
The attached bond shall be subject to all of its ten	ms, co	nditions and limitations e	xcept as her	eln modified.	
Signed, sealed and dated this 17th	day of	November		, 2017	
		•			
				_	
		HUDSON INSURANCE	COMPANY	•	
		Bu 126.0		Mhomog	L. King
AND TO MADERNAL CONTRACTOR 1310 DDA		Attorney-in-Fact		THOMAS	LIA BLIIG
AUDIO MARKETING SOLUTIONS, INC. DBA AMERICOM COMMUNICATIONS		Auditioy III I dos			
Principal Named in Bond	•				
Col	ne,	Odvody			
Ву:			. • • •		
City of Lincoln					
Obliges Named in Bond	<u> </u>				
		Lincoln-Lanca		unty Pub	lic
Ву:		Building Comm		ional Ob	ligoo
•			Add1.c.	TOHAT OD	iridee
Lancaster County, Nebraska		By:			
Additional Obligee	•	-			
By:		•			
· · · · · · · · · · · · · · · · · · ·		•			
Add. Obligee Rider 7/10		•			



POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That HUDSON INSURANCE COMPANY, a corporation of the State of Delaware, with offices at 100 William Street, New York, New York, 10038, has made, constituted and appointed, and by these presents, does make constitute and appoint

Robert T. Cirone, James M. King, Jacob J. Buss, Suzanne P. Westerholf, Thomas L. King of the State of Nebraska

its true and fawful Attorney(s)-in-Fact, at New York, New York, each of them alone to have full power to act without the other or others, to make, execute and deliver on its behalf, as Surety, bonds and undertakings given for any and all purposes, also to execute and deliver on its behalf as aforesaid renewals, extensions, agreements, waivers, consents or stipulations relating to such bonds or undertakings provided, however, that no single bond or undertaking shall obligate said Company for any portion of the penal sum thereof in excess of the sum of Ten Million Dollars (\$10,000,000,000,000).

Such bonds and undertakings when duly executed by said Attorney(s)-in-Pact, shall be binding upon said Company as fully and to the same extent as if signed by the President of said Company under its corporate seal attested by its Socretary.

witness Whereof, HUDSON INSURANCE COMPANY has caused these presents to be of its Executive Vice President thereunto duly 2014 at New York, New York. day of April this 8th SEAL HUDSON INSURANCE COMPANY om**ilité**e Christopher T. Surrez Dina Daskalakia Executive Vice President Corporate Secretary STATE OF NEW YORK \$3. COUNTY OF NEW YORK. On the 8th day of April 2014 before me personally came Christopher T. Suarez to me known, who being by me duly sworn did depose and say that he is an Executive Vice President of HUDSON INSURANCE COMPANY, the corporation described herein and which executed the above instrument, that he knows the seal of said Corporation, that the seal affixed to said instrument is such corporate seal, that it was so affixed by order of the Board of Directors of said Corporation, and that he signed his name thereto by like order. (Notarial Seal) Notary Public, Stabs of N No. 01MU6067553 Qualified in Nassau County

CERTIFICATION

COUNTY OF NEW YORK.

STATE OF NEW YORK

The undersigned Dina Daskalakis hereby certifies:

That the original resolution, of which the following is a true and correct copy, was duly adopted by unanimous written consent of the Board of Directors of Hudson Insurance Company dated July 27th, 2007, and has not since been revoked, amended or modified:

"RESOLVED, that the President, the Executive Vice Presidents, the Sonior Vice Presidents and the Vice Presidents shall have the authority and discretion, to appoint such agent or agents, or attorney or attorneys in fact, for the purpose of carrying on this Company's surety business, and to empower such agent or agents, or attorney or attorneys in fact, to execute and deliver, under this Company's seal or otherwise, bonds obligations, and recognizances, whether made by this Company as surety thereon or otherwise, indemnity contracts and certificates, and any and all other contracts and undertakings made in the course of this Company's surety business, and renewals, extensions, agreements, waivers, consents or stipulations regarding undertakings so made; and

FURTHER RESOVLED, that the signature of any such Officer of the Company and the Company's seal may be affixed by facsimile to any power of attorney or certification given for the execution of any bond, undertaking, recognizance, contract of indemnity or other written obligation in the nature thereof or related thereto, such signature and seal when so used whether heretofore or hereafter, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though

manually affixed."

THAT the above and foregoing is a full, true and correct copy of Power of Attorney issued by said Company, and of the whole of the original and that the said Power of Attorney is still in full force and effect and has not been revoked, and furthermore that the Resolution of the Board of Directors, set forth in the said

Power lagries is now in force.

17th

17th

is 17th day of November 20

Dina Daskalakis, Corporate Secretary

Commission Expires December 10, 2017

Form: PerfA 10 8 2010 (v1)

Certified Statement Pursuant to Neb. Rev. Stat. § 77-1323

§ 77-1323 Every person, partnership, limited liability company, association, or corporation furnishing labor or

material in the repair, alteration, improvement, erection, or construction of any public improvement shall furnish a certified statement to be attached to the contract that all equipment to be used on the project, except that acquired since the assessment date, has been assessed for taxation for the current year, giving the county where assessed. Pursuant to Neb. Rev. Stat. § 77-1323, I, Ore Clude, do hereby certify that all equipment to be used on Unit Price Contract - Electronic Video Surveillance Equipment & Installation, except that equipment acquired since the assessment date, has been assessed for taxation for the current year, in County, Nebraska. DATED this 6 day of November, 2017. STATE OF NEBRASKA)ss. COUNTY OF Limited On November 16, 2017, before me, the undersigned Notary Public duly commissioned for and whose name is affixed to the foregoing instrument and acknowledged the execution thereof to be his voluntary act and deed. Witness my hand and notarial seal the day and year last above written. Muley S. Theyestery Public General Notary - State of Nebraska MICHAEL S. HOSEK ly Comm. Exp. June 14.

(SEAL)

EMPLOYEE CLASSIFICATION ACT AFFIDAVIT

For the purposes of complying with THE NEBRASKA EMPLOYEE CLASSIFICATION ACT, Nebraska

Revised Statutes 48-2901 to 48-2912 and City of Lincoln Executive Order 083319,

I, <u>Corey Odvody</u> , herein below known as the Contractor, state under oath and swear as follows:
1. Each individual performing services for the Contractor is properly classified under the Employee Classification Act.
2.The Contractor has completed a federal I-9 immigration form and has such form on file for each employee performing services.
3. The Contractor has complied with Neb Rev Stat 4-114.
4. The Contractor has no reasonable basis to believe that any individual performing services for the Contractor is an undocumented worker.
5. The Contractor is not barred from contracting with the state or any political subdivision pursuant to NRS 48-2912 of this Act.
6. As the Contractor I understand that pursuant to the Employee Classification Act a violation of the Act by a contractor is grounds for rescission of the contract by the City of Lincoln, Lancaster County, and Lincoln-Lancaster County Public Building Commission. I understand that pursuant to the Act any contractor who knowingly provides a false affidavit may be subject to criminal penalties and upon a second or subsequent violation shall be barred from contracting with the City of Lincoln, Lancaster County, and Lincoln-Lancaster County Public Building Commission for a period of three years after the date of discovery of the falsehood.
I hereby affirm and swear that the statements and information provided on this affidavit are true, complete and accurate. The undersigned person does hereby agree and represent that he or she is legally capable to sign this affidavit and to lawfully bind the Contractor to this affidavit.
PRINT NAME: Ole Olecols (First, Middle, Last)
SIGNATURE:
TITLE: President
State of Nebraska) ss. County of

MICHAEL S. HOSEK My Comm. Exp. June 14, 2020.

CITY OF LINCOLN\LANCASTER COUNTY AND PUBLIC BUILDING COMMISSION UNIT PRICE QUOTATION

Unit Price Contract for Electronic Video Surveillance Equipment & Installation Lincoln Public School Contract No. IPDG No. 2013 3932

Dat	e:			
TO DEPARTMENT/AGENCY REPRESENTATIVE:				
FROM (CONTRACTOR):		Amer	icom Comn	···rications Corno
		Anter	icom Comm	nunications Corpo
PROJECT NUMBER:				
PROJECT DESCRIPTION:				
When making a quotation please breakdown the Total Cost int	to the follow	ving categ	ories: Labor,	Materials,
Equipment, Overhead and Subcontractors Costs. Fill in the foll	lowing Table	es in the ar	reas as show	n. If an item does
not apply, please do not make an entry in that column.				
TIME OF COMPLETION				
Estimated Start Date				
Number of Days to Complete				
Labor rates (all-inclusive and shall include the use of to-		all equip	ment)	
DESCRIPTION Househands for standard wards week \$100 AM \$100 BM AM 5	QUANTIT			TOTAL \$ AMOUNT
Hourly rate for standard work week, 8:00 AM - 5:00 PM, M-F Hourly rate for weekends	T	Per hour		
Non-standard work week 5:00 PM - 8:00 AM, M-F		Per hour Per hour		
Hourly rates for holidays		Per hour		
Lift rental (building and pole-mount cameras up to 50'	 	Per day	\$450.00	
High Definition Network Video DESCRIPTION	Managemer QUANTIT	UOM		TOTAL \$ AMOUNT
HD Video Appliar	nce Series	V 4.1575 (5%)		
High Definition Network	Video Rec	orders		
	 			
	<u> </u>		 	<u> </u>
1.0 MP and 2.0 MP H4 HD Cameras wit	h Self-Lear	ning Vide	eo Analytic	
	1			
	+	 		

3.0 MP and 5.0 MP H4 HD Cameras wi	th Self-L	earning Vid	leo Analytic	S NAME AND A SECOND
4K UHD (8.0 Megapixel) H4 HD Cameras	with Self	f-Learning \	/ideo Analy	rtics
H4 HD Bullet and Box Cameras with	Self-Lea	rning Video	Analytics	
			<u> </u>	_
H4 SL Camer	a Line		AURANISE	
			<u> </u>	
H4 Edge Solution (ES) Cameras with	Self-Lea	rning Video	Analytics	100000000000000000000000000000000000000
	<u> </u>			
	-			
	1			
1.0 MP and 2.0 MP HD Dome Cameras v	vith Self	Learning V	ideo Analy	tics division in the control of the
	<u> </u>		<u> </u>	
3.0 MP HD Dome and Bullet Cameras w	ith Salf	l corning V	doo Analist	
5.0 MP ND Dome and bullet Cameras w	Itti Seii-	Learning Vi	LEO Allalyt	
	1		 	
H.264 High Definition	Dome C	ameras	**************	
				
			 	
	1		<u> </u>	
H.264 High Definition Cameras, Bull	et Came	ras, and PT	Z Cameras	N 200 (200 (200 (200 (200 (200 (200 (200
	_		<u> </u>	
	10	FC2000 UE	<u> </u>	- D C
H4 Fisheye Camera Line and HD Multi-Sensor Camera	is and JP	EGZUUU HL	Panorami	c Dome Cameras
	+			
	1			
HD Pro Can	neras		agis i se se se se se se se	
			 	
	+		 	
	-			

rabeljalska e	Analog Vide	o Encoders		i veži
				-
e o pojesta v e a kekada	Avigilon Ralto (TM)	Analytic App	oliance	1111
Accessories	: Remote Monitoring Workstations, P	rofessional S	Services, Microphones, Surveilla	nce
ne Wilesze piech seies	Joysticks, Switche	s and Monit	tors	A3 x 11
				<u>.</u>
Tartes a raines against	Accessories: Indoor and	d Outdoor Er	nclosures	
TO.	TAL PRICE (NOT TO EXCEED)	¢		
FIRM:	TALT MOL (NOT TO EXCEED)	Ψ	777.75.76.78.77.78.84.1	-14** 14
3Y:			Change Order #:	
DDRESS:			Change Order #:	
NUNESS:		······································	Accepted:	
MONE	4 2 2 2 2 2	CD DV	Not Accepted:	
PHONE	APPROV	FD BA: _		
			Department/Agency Representative	
	1	DATE:		

<u>Model No.</u>	<u>Description</u>	MSRP	30%
	Avigilon Control Center (ACC) 5 High Definition Network Video Management Software		
	ACC 5 Core HD Network Video Management Software		
	ACC 5 HD NVMS (Network Video Management Software) is stand alone software for recording, viewing, and managing Avigilon HD Multi-Megapixel IP cameras, Analog Video Encoders, and 3 rd party IP cameras. It is licensed by the number of cameras the system will record. Please visit the Avigilon website (www.avigilon.com) for minimum system requirements and a detailed list of supported 3rd party IP cameras. ACC HD NVMS is available in three editions Core, Standard and Enterprise. Please visit the Avigilon		
-м	Website for a detailed listing of the features available between the editions. Licenses from different editions cannot be combined. With the exception of ACC 4-to-5 upgrade licenses, ACC 5 licenses cannot be used on systems running ACC 4		
	All ACC software licenses are delivered via e-mail, append -M to a part number to receive a CD with printed license sticker for any software part	\$0	\$0
1C-ACC5-COR	ACC 5 Core license for up to 1 camera channels and 2 viewing clients	\$ 95	\$ 66.5
4C-ACC5-COR	ACC 5 Core license for up to 4 camera channels and 2 viewing clients	\$ 325	\$ 227.5
8C-ACC5-COR 16C-ACC5-COR	ACC 5 Core license for up to 8 camera channels and 2 viewing clients	\$ 645	\$ 451.5
24C-ACC5-COR	ACC 5 Core license for up to 16 camera channels and 2 viewing clients	\$ 1285	\$ 899.5
	ACC 5 Core license for up to 24 camera channels and 2 viewing clients	\$ 1895	\$ 1326.5
1C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 1 camera channel	\$ 115	\$ 80.5
4C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 4 camera channels	\$ 425	\$ 297.5
8C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 8 camera channels	\$ 855	\$ 598.5
16C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 16 camera channels	\$ 1695	\$ 1186.5
24C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 24 camera channels	\$ 2550	\$ 1785
IC-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 1 camera channel	\$ 270	\$ 189
4C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 4 camera channels	\$ 925	\$ 647.5
8C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 8 camera channels	\$ 1800	\$ 1260
16C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 16 camera channels	\$ 3550	\$ 2485
24C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 24 camera channels	\$ 5300	\$ 3710
	ACC 5 Standard HD Network Video Management Software	1	
1C-ACC5-STD	ACC 5 Standard license for up to 1 camera channels and 5 viewing clients	\$ 185	\$ 129.5
4C-ACC5-STD	ACC 5 Standard license for up to 4 camera channels and 5 viewing clients	\$ 665	\$ 465.5
8C-ACC5-STD	ACC 5 Standard license for up to 8 camera channels and 5 viewing clients	\$ 1325	\$ 927.5
16C-ACC5-STD	ACC 5 Standard license for up to 16 camera channels and 5 viewing clients	\$ 2645	\$ 1851.5
24C-ACC5-STD	ACC 5 Standard license for up to 24 camera channels and 5 viewing clients	\$ 3955	\$ 2768.5
1C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 1 camera channel		0 / 5 5 5
/A 1005 6TO THE		\$ 215	\$ 150.5
C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 4 camera channels ACC 5 upgrade license for 8 camera channels	\$ 715	\$ 500.5
			\$ 994
	ACC 5 upgrade license for 16 camera changels	\$ 1420	\$ 1001 E
16C-ACC5-STD-ENT-UPG 24C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels	\$ 1420 \$ 2845 \$ 4245	\$ 1991.5 \$ 2971.5
I6C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels	\$ 2845	
16C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software	\$ 2845 \$ 4245	\$ 2971.5
I6C-ACC5-STD-ENT-UPG P4C-ACC5-STD-ENT-UPG IC-ACC5-ENT	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients	\$ 2845 \$ 4245 \$ 335	\$ 2971.5 \$ 234.5
IGC-ACC5-STD-ENT-UPG PAC-ACC5-STD-ENT-UPG IC-ACC5-ENT IC-ACC5-ENT	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients	\$ 2845 \$ 4245 \$ 335 \$ 1155	\$ 2971.5 \$ 234.5 \$ 808.5
6C-ACC5-STD-ENT-UPG AC-ACC5-STD-ENT-UPG C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603
I6C-ACC5-STD-ENT-UPG P4C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients	\$ 2845 \$ 4245 \$ 335 \$ 1155	\$ 2971.5 \$ 234.5 \$ 808.5
IGC-ACC5-STD-ENT-UPG AC-ACC5-STD-ENT-UPG IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT IGC-ACC5-ENT IGC-ACC5-ENT	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5
IC-ACC5-STD-ENT-UPG PAC-ACC5-STD-ENT-UPG IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT IC-ACC5-ENT	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5
C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT ACCACC5-ENT ACCACC5-ENT ACCACC5-ENT ACCACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5
C-ACC5-STD-ENT-UPG C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT ACC-ACC5-ENT ACC-ACC5-ENT ACC-ACC5-ENT ACC-ACC5-ENT	ACC 5 upgrade license for 16 camera channels ACC 5 upgrade license for 24 camera channels ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5
6C-ACC5-STD-ENT-UPG 4C-ACC5-STD-ENT-UPG 4C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT 6C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server ACC 5 upgrade license for one ACC 4 Standard server ACC 5 upgrade license for one ACC 4 Enterprise server HD Video Appliance Series	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695 \$ 95 \$ 185	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5 \$ 129.5
6C-ACC5-STD-ENT-UPG 4C-ACC5-STD-ENT-UPG 4C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT 6C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server ACC 5 upgrade license for one ACC 4 Standard server ACC 5 upgrade license for one ACC 4 Enterprise server HD Video Appliance Series	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695 \$ 95 \$ 185	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5 \$ 66.5 \$ 129.5
6C-ACC5-STD-ENT-UPG 4C-ACC5-STD-ENT-UPG 4C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT 6C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server ACC 5 upgrade license for one ACC 4 Standard server ACC 5 upgrade license for one ACC 4 Enterprise server HD Video Appliance The HD Video Appliance is a turnkey product that combines an 8-port Power-over-Ethernet (PoE) network	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695 \$ 95 \$ 185	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5 \$ 66.5 \$ 129.5
6C-ACC5-STD-ENT-UPG 4C-ACC5-STD-ENT-UPG 4C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT 6C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server ACC 5 upgrade license for one ACC 4 Standard server ACC 5 upgrade license for one ACC 4 Enterprise server HD Video Appliance The HD Video Appliance The HD Video Appliance is a turnkey product that combines an 8-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695 \$ 95 \$ 185	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5 \$ 66.5 \$ 129.5
6C-ACC5-STD-ENT-UPG 4C-ACC5-STD-ENT-UPG 4C-ACC5-ENT C-ACC5-ENT 6C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server ACC 5 upgrade license for one ACC 4 Enterprise server ACC 5 upgrade license for one ACC 4 Enterprise server HD Video Appliance The HD Video Appliance The HD Video Appliance is a turnkey product that combines an 8-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC software and comes pre-installed with Core edition licensing included (activation required).	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695 \$ 185 \$ 335	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5 \$ 66.5 \$ 129.5 \$ 234.5
6C-ACC5-STD-ENT-UPG 4C-ACC5-STD-ENT-UPG 4C-ACC5-ENT C-ACC5-ENT 6C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server ACC 5 upgrade license for one ACC 4 Standard server ACC 5 upgrade license for one ACC 4 Enterprise server HD Video Appliance The HD Video Appliance is a turnkey product that combines an 8-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC software and comes pre-installed with Core edition licensing included (activation required). HD Video Appliance 8-port 2TB unit with ACC Core 8-ch license	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695 \$ 185 \$ 335	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5 \$ 129.5 \$ 234.5
6C-ACC5-STD-ENT-UPG 4C-ACC5-STD-ENT-UPG 4C-ACC5-ENT C-ACC5-ENT C-ACC5-ENT 6C-ACC5-ENT 4C-ACC5-ENT 4C-ACC5-ENT	ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise HD Network Video Management Software ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients ACC 5 Edition Upgrade From ACC 4 ACC 5 upgrade license for one ACC 4 Core server ACC 5 upgrade license for one ACC 4 Enterprise server ACC 5 upgrade license for one ACC 4 Enterprise server HD Video Appliance The HD Video Appliance The HD Video Appliance is a turnkey product that combines an 8-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC software and comes pre-installed with Core edition licensing included (activation required).	\$ 2845 \$ 4245 \$ 335 \$ 1155 \$ 2290 \$ 4495 \$ 6695 \$ 185 \$ 335	\$ 2971.5 \$ 234.5 \$ 808.5 \$ 1603 \$ 3146.5 \$ 4686.5 \$ 66.5 \$ 129.5 \$ 234.5

8C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 8 camera channels	\$ 855	\$ 598.
	HD Video Appliance Accessories		
VMA-AS1-8PRMS1U	1U Rack mount shelf for HD Video Appliance 8-port	\$ 85	\$ 59.
	The Additional State of the Sta	ψ 0 0	Ψ 00
	HD Video Appliance Pro		
	The HD Video Appliance Pro is a turnkey product that combines a 16 or 24-port Power-over-Ethernet (PoE)		
	network switch along with full video management server and client software capabilities into a single	,	
	compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC software and	-	
744 404 40500	comes pre-installed with Standard edition licensing included (activation required).		
/MA-AS1-16P06 /MA-AS1-16P06-AU	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	\$ 7729	\$ 5410
/MA-AS1-16P09	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	\$ 7729	\$ 5410
/MA-AS1-16P09-AU	HD Video Appliance Pro 10-port 915 unit with ACC Standard 16-ch license	\$ 8234 \$ 8234	\$ 5763 \$ 5763
/MA-AS1-16P12	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	\$ 8711	\$ 6097
/MA-AS1-16P12-AU	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	\$ 8711	\$ 6097
/MA-AS1-24P09	HD Video Appliance Pro 24-port 9TB unit with ACC Standard 24-ch license	\$ 9517	\$ 6661
/MA-AS1-24P09-AU	HD Video Appliance Pro 24-port 9TB unit with ACC Standard 24-ch license	\$ 9517	\$ 6661
/MA-AS1-24P12	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	\$ 11548	\$ 8083
/MA-AS1-24P12-AU	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	\$ 11548	\$ 8083
6C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 16 camera channels	\$ 2845	\$ 1991
4C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 24 camera channels	\$ 4245	\$ 2971
			
DAA ACA LIDDDOO	HD Video Appliance Pro Accessories (Not Applicable to HD Video Appliance 8-port Unit)		
/MA-AS1-HDDP02	HARD DRIVE, 2TB, HD Video Appliance Pro	\$ 405	\$ 283
/MA-AS1-HDDP03	HARD DRIVE, 3TB, HD Video Appliance Pro	\$ 575	\$ 402
/MA-AS1-HDDP04	HARD DRIVE, 4TB, HD Video Appliance Pro	\$ 725	\$ 507
			·
	ACC ES HD Recorder		
	The ACC ES HD Recorder provides local recording and ACC 5 NVMS (Network Video Management		
	Software) server capabilities for 4 camera channels out-of-the-box. The included ACC supports forming a		
	site with multiple servers, being connected as a child site in a site family, collaborative investigations, and unlimited rule triggers (see product datasheet for more information). All Avigilon H.264 cameras are		
	supported, including the 7K HD Pro. A browser-based management interface provides status information, enables network management, and facilitates remote firmware upgrades. The integrated 4-port PoE switch		
	supports PoE+ power to individual ports. Note that there is no local video out connection with this product.		
MA-RPO-4P2-NA	ACC ES HD Recorder 4-port 2TB, PRO-NA	\$ 2335	\$ 1634
/MA-RPO-4P2-AU	ACC ES HD Recorder 4-port 2TB, PRO-AU	\$ 2335	\$ 1634.
/MA-RPO-4P4-NA	ACC ES HD Recorder 4-port 4TB, PRO-NA	\$ 2665	\$ 1865.
/MA-RPO-4P4-AU	ACC ES HD Recorder 4-port 4TB, PRO-AU	\$ 2665	\$ 1865.
	High Definition Network Video Recorders	Ψ 2000]	φ 1000.
	All HD NVRs are sold without an Avigilon Control Center license which must be purchased separately.	ĺ	
		ĺ	
	All HD NVR Workstations and Servers support ACC 5.		
	HD Network Video Recorder Workstations		
	HD NVR Workstations are designed to be stand alone units for recording, playback, and camera		
	management.		
	2. HD NVR Workstations include a keyboard and mouse. A display monitor, network switches and cabling		
	for cameras are not included, see the accessories list for more details.		
	3. HD NVR Workstations support multiple viewing clients, additional camera channel licenses, and audio channel licenses.	Ì	
	4. An ACC license is not included with the hardware and must be purchased separately for either ACC Core,		
	At ACC diceise is not included with the hardware and must be purchased separately for either ACC Core,		
	Standard or Enterprise		
D-NVRWS3-8TB-NA	Standard, or Enterprise. NVR Workstation, 8.0 TB Storage, NA power cord.	¢ 2125	\$ 2104
	NVR Workstation, 8.0 TB Storage, NA power cord	\$ 3135 \$ 3135	
		\$ 3135 \$ 3135	
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives.		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses.		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements.		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC24		
ID-NVRW\$3-8TB-NA ID-NVRW\$3-8TB-AU	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC24 5. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC24 5. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD		
	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC24 5. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD 6. An ACC license is not included with the hardware and must be purchased separately for either ACC Core,		
ID-NVRWS3-8TB-AU	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC24 5. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD 6. An ACC license is not included with the hardware and must be purchased separately for either ACC Core, Standard, or Enterprise.		
.OTB-HD-NVR2	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC24 5. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD 6. An ACC license is not included with the hardware and must be purchased separately for either ACC Core, Standard, or Enterprise. HD NVR, 3.0 TB Storage, 2U Rack Mount	\$ 3135	\$ 2194. \$ 2194. \$ 2698
ID-NVRWS3-8TB-AU	NVR Workstation, 8.0 TB Storage, NA power cord NVR Workstation, 8.0 TB Storage, AU power cord HD Network Video Recorder Servers 1. HD NVR Servers come assembled in industry standard rack mount chassis using enterprise class hardware components and include keyboard, mouse, and sliding rails for mounting. Included rails are compatible with square and round hole racks. All HD NVR servers are configured with RAID 5 across all hard drives. 2. HD NVR Severs are compatible with redundant power supply and expansion hard drive options, as well as multiple viewing clients, additional camera channel licenses, and audio channel licenses. 3. HD NVR Servers only support remote viewing clients, no local viewing of video is supported. See Avigilon remote monitoring workstations section or visit www.avigilon.com for system requirements. 4. HD NVR Servers for use with ACC HD LPR require an additional processor installed, customer installation is required, purchase HD-NVR2-LPRPROC24 5. Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD 6. An ACC license is not included with the hardware and must be purchased separately for either ACC Core, Standard, or Enterprise.	\$ 3135	\$ 2194.

, 21.0TB-HD-NVR2	HD NVR, 21.0 TB Storage, 2U Rack Mount	\$ 11250	\$ 7875
	HD Network Video Recorder Options - Servers Only		
HD-NVR2-2ND-PS	Secondary redundant power supply for a HD NVR Server	\$ 275	\$ 192.5
HD-NVR2-2ND-PS-AU	Secondary redundant power supply for a HD NVR Server	\$ 275	\$ 192.5
HD-NVR2-EXP2-CARD	Expansion card for connecting HD-NVR-EXP2 storage expansions to an HD NVR Server.	\$ 895	\$ 626.5
HD-NVR2-LPRPROC-24	Additional processor and memory installation kit for use with ACC HD LPR	\$ 895	\$ 626.5
	HD Network Video Recorder Storage Expansion		
	1. HD NVR Storage expansions come assembled in industry standard rack mount chassis using enterprise		
	class hardware components and rails for mounting. Included rails are compatible with square hole racks only.		
	Using HD NVR Servers with expansion storage requires an expansion card installed, customer installation is required, purchase HD-NVR2-EXP2-CARD HD NVR Storage expansions contain redundant management modules and redundant power supplies.		
HD-NVR-EXP2-10TB	10TB RAID 6 Expansion, 2U Rack Mount	\$ 9795	\$ 6856.5
HD-NVR-EXP2-20TB	20TB RAID 6 Expansion, 2U Rack Mount	\$ 17495	\$ 12246.5
HD-NVR-EXP2-30TB	30TB RAID 6 Expansion, 2U Rack Mount	\$ 20450	\$ 14315
	Upgrade Network Video Recorder Operating System		
	Enable an Avigilon™ HD NVR Workstation or Avigilon™ HD NVR Server operating system to be upgraded		
	from Windows XP to Windows Embedded Standard 7. Included is a Microsoft® Windows® Embedded Standard Certificate of Authenticity security label, upgrade procedure document, and DVD.		
	Note: The upgrade procedure document is only available in English.		
NVR-WS1-XP2WES7-UPG	WinXP to WES7E upgrade for Dell Precision T5500 based HD NVR Workstation	\$ 135	\$ 94.5
NVR-SVR1-XP2WES7-UPG	WinXP to WES7E apgrade for Dell PowerEdge R710 based HD NVR Server	\$ 135	\$ 94.5
	Avigilon Control Center Professional High Performance Remote Monitoring Workstation		
	Avigilon Control Center Professional high performance remote monitoring workstations are intended for use		
	with Avigilon Control Center 5 HD NVMS. Avigilon Control Center Client is preloaded and a keyboard and mouse are included, a display monitor is not included.		
HD-RMWS3-2MN-NA	Avigilon Control Center Professional high performance remote monitoring workstation for up to 2 monitors, NA power cord	\$ 2075	\$ 1452.5
HD-RMWS3-2MN-AU	Avigilon Control Center Professional high performance remote monitoring workstation for up to 2 monitors, AU power cord	\$ 2075	\$ 1452.5
HD-RMWS3-4MN-NA	Avigilon Control Center Professional high performance remote monitoring workstation for viewing on up to four monitors.	\$ 3475	\$ 2432.5
HD-RMWS3-4MN-AU	Avigilon Control Center Professional high performance remote monitoring workstation for viewing on up to four monitors.	\$ 3475	\$ 2432.5
	1.0 MP and 2.0 MP H4 HD Cameras with Self-Learning Video Analytics		
	1.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics		
1.0C-H4A-D1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 700	\$ 490
1.0C-H4A-D1-IR	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 750	\$ 525
1.0C-H4A-DO1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 850	\$ 595
1.0C-H4A-DO1-IR	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 900	\$ 630
1.0C-H4A-DP1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1	\$ 790	\$ 553
1.0C-H4A-DP1-IR	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 840	\$ 588
1.0C-H4A-DC1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self- Learning Video Analytics	\$ 750	\$ 525
1.0C-H4A-D2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning	\$ 740	\$ 518
1.0C-H4A-DO2	Video Analytics 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris tens, Self-	\$ 890	\$ 623
1.0C-H4A-DP2	Learning Video Analytics 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-	\$ 830	\$ 581
1.0C-H4A-DC2	Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1. 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-	\$ 790	\$ 553
1.00-1 PA-DO2	Learning Video Analytics	Ψ / 90	φ 000
	2.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics		
2.0C-H4A-D1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 800	\$ 560
2.0C-H4A-D1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 850	\$ 595
2.0C-H4A-DO1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-	\$ 950	\$ 665
2.0C-H4A-DO1-IR	Learning Video Analytics 2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated	\$ 1000	\$ 700
	IR, Self-Learning Video Analytics		

ſ

2.0C-H4A-DP1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self- Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 890	\$ 623
2.0C-H4A-DP1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 940	\$ 658
2.0C-H4A-DC1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics 2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 850	\$ 595
2.0C-H4A-D2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self- Learning Video Analytics	\$ 840	\$ 588
2.0C-H4A-DO2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-	\$ 990	\$ 693
2.0C-H4A-DP2	Learning Video Analytics 2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics, Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 930	\$ 651
2.0C-H4A-DC2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 890	\$ 623
	3.0 MP and 5.0 MP H4 HD Cameras with Self-Learning Video Analytics		
	3.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics		
3.0C-H4A-D1	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 835	\$ 584.5
3.0C-H4A-D1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self- Learning Video Analytics	\$ 885	\$ 619.5
3.0C-H4A-DO1	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 985	\$ 689.5
3.0C-H4A-DO1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self- Learning Video Analytics	\$ 1035	\$ 724.5
3.0C-H4A-DP1	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 925	\$ 647.5
3.0C-H4A-DP1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self- Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 975	\$ 682.5
3.0C-H4A-DC1	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 885	\$ 619.5
3.0C-H4A-D2	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video	\$ 875	\$ 612.5
3.0C-H4A-DO2	Analytics 3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning	\$ 1025	\$ 717.5
3.0C-H4A-DP2	Video Analytics 3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning	\$ 965	\$ 675.5
3.0C-H4A-DC2	Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1. 3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 925	\$ 647.5
	5.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics		
5.0L-H4A-D1	5.0 Megapixel, LightCatcher, 4.3-8mm f/1.8 P-iris lens, Indoor Dome, Self-Learning Video Analytics	\$ 955	\$ 668.5
5.0L-H4A-D1-IR	5.0 Megapixel, LightCatcher, Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1005	\$ 703.5
5.0L-H4A-DO1	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1105	\$ 773.5
5.0L-H4A-DO1-IR	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self- Learning Video Analytics	\$ 1155	\$ 808.5
5.0L-H4A-DP1	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics, Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 1045	\$ 731.5
5.0L-H4A-DP1-IR	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self- Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 1095	\$ 766.5
5.0L-H4A-DC1	5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1005	\$ 703.5
5.0L-H4A-D2	5.0 Megapixel, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video	\$ 995	\$ 696.5
5.0L-H4A-DO2	Analytics 5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video	\$ 1145	\$ 801.5
5.0L-H4A-DP2	Analytics 5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Applyting Must use with a HAAMT WALL and AMT NIRTAGE.	\$ 1085	\$ 759.5
5.0L-H4A-DC2	Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1. 5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 1045	\$ 731.5
	4K UHD (8.0 Megapixel) H4 HD Cameras with Self-Learning Video Analytics		****
	4K UHD (8.0 Megapixel) H4 HD Dome Cameras with Self-Learning Video Analytics		
8.0-H4A-D1	4K UHD (8.0 Megapixel), Day/Night, Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1300	\$ 910
8.0-H4A-D1-IR	4K UHD (8.0 Megapixel), Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR Self-Learning Video Analytics	\$ 1350	\$ 945
8.0-H4A-DC1	4K ÚHD (8.0 Megapixel), Day/Night, In-Ceiling Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1350	\$ 945
8.0-H4A-DO1	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1450	\$ 1015
8.0-H4A-DO1-IR	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1500	\$ 1050

8.0-H4A-DP1	4K UHD (8.0 Megapixel), Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics, Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 1390	\$ 973
8.0-H4A-DP1-IR	4K UHD (8.0 Megapixel), Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 1440	\$ 1008
	H4 HD Dome Cameras Accessories		
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	\$8	\$ 5.6
CM-AC-GROM1	Cable sealing grommet for use with 3/4" conduit entry, pack of 10	\$ 10	\$ 7
H4A-AC-GROM1	Cable sealing grommet for use with H4A dome cameras, pack of 10	\$ 10	\$ 7
H4-AC-WIFI1-NA	WiFi Installation Kit with WiFI USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela	\$ 90	\$ 63
H4A-DC-CLER1	Replacement clear transparent cover for H4A in-ceiling dome camera. Includes dome bubble and grey camera cover.	\$ 40	\$ 28
H4A-DC-CLER1-BL	Replacement clear transparent cover for H4A in-ceiling dome camera. Includes dome bubble and black camera cover.	\$ 40	\$ 28
H4A-DC-CPNL1	Metal ceiling panel for use with H4A-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	\$ 95	\$ 66.5
H4A-DC-SMOK1	Replacement smoked transparent cover for H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	\$ 40	\$ 28
H4A-DC-SMOK1-BL	Replacement smoked transparent cover for H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	\$ 40	\$ 28
H4A-DD-CLER1	Replacement clear transparent cover for H4A indoor dome camera. Includes dome bubble and grey camera cover.	\$ 40	\$ 28
H4A-DD-CLER1-BL	Replacement clear transparent cover for H4A indoor dome camera. Includes dome bubble and black camera cover.	\$ 40	\$ 28
H4A-DD-SDWL1	Replacement sidewall knockout plug for H4A indoor dome cameras, pack of 5	\$ 5	\$ 3.5
H4A-DD-SDWL1-BL	Replacement sidewall knockout plug for H4A indoor dome cameras, black, pack of 5	\$ 5	\$ 3.5
H4A-DD-SMOK1	Replacement smoked transparent cover for H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	\$ 40	\$ 28
H4A-DD-SMOK1-BL	Replacement smoked transparent cover for H4A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	\$ 40	\$ 28
H4A-DO-CLER1	Replacement clear transparent cover for H4A outdoor dome camera. Includes dome bubble and grey camera cover.	\$ 60	\$ 42
H4A-DO-SMOK1	Replacement smoked transparent cover for H4A outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	\$ 60	\$ 42
H4A-DP-CLER1	Replacement clear transparent cover for H4A pendant dome camera. Includes dome bubble and grey camera cover.	\$ 60	\$ 42
H4A-DP-SMOK1	Replacement smoked transparent cover for H4A pendant dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	\$ 60	\$ 42
H4A-MT-NPTA1	NPT adapter for use with H4A-DP pendant dome cameras	\$ 60	\$ 42
H4A-MT-WALL1	Wall mount bracket for use with H4A-DP pendant dome cameras	\$ 60	\$ 42
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera	\$ 90	\$ 63
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera	\$ 90	\$ 63
	H4 HD Bullet and Box Cameras with Self-Learning Video Analytics		
	H4 HD Bullet Cameras with Self-Learning Video Analytics		
1.0C-H4A-BO1-IR	1.0 Megapixel (720p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 900	\$ 630
1.0C-H4A-BO2-IR	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 940	\$ 658
2.0C-H4A-BO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1000	\$ 700
2.0C-H4A-BO2-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1040	\$ 728
	A O M. T. L. MODO P. LIGO LIGHT OF COMPANY AND COMPANY	@ 400cT	¢ 704 '
3.0C-H4A-BO1-IR 3.0C-H4A-BO2-IR	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics 3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1035 \$ 1075	\$ 724.5 \$ 752.5
5 OL HAN BOA ID	5.0 Megapixel, LightCatcher, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1155	\$ 808.
5.0L-H4A-BO1-IR 5.0L-H4A-BO2-IR	5.0 Megapixel, LightCatcher, 4.3-omn 1/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics 5.0 Megapixel, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1195	\$ 836.
8.0-H4A-BO1-IR	4K UHD (8.0 Megapixel), 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1500	\$ 1050
	H4 HD Bullet Cameras Accessories		
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	\$8	\$ 5.6

H4-AC-WIFI1-NA	WiFi Installation Kit with WiFI USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela			
H4-BO-DEMO1	Replacement H4A-BO1-IR configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo purposes only. Do not use for actual installation.	\$ 5	\$ 3.5	
H4-BO-JBOX1	Junction box for the H4A-BO-IR HD Bullet Cameras	\$ 90	\$ 63	
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera	\$ 90	\$ 63	
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera	\$ 90	\$ 63	
	H4 HD Box Cameras with Self-Learning Video Analytics			
1.0C-H4A-B1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics	\$ 745	\$ 521.5	
1.0C-H4A-B2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 700	\$ 490	
1.0C-H4A-B3	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 740	\$ 518	
2.0C-H4A-B1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics	\$ 845	\$ 591.5	
2.0C-H4A-B2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 800	\$ 560	
2.0C-H4A-B3	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 840	\$ 588	
3.0C-H4A-B1	3.0 Megapixel WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics	\$ 880	\$ 616	
3.0C-H4A-B2	3.0 Megapixel WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	\$ 835	\$ 584.5	
3.0C-H4A-B3	3.0 Megapixel WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 875	\$ 612.5	
5.0L-H4A-B2	5.0 Megapixel, LightCatcher, Day/Night, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 955	\$ 668.5	
5.0L-H4A-B3	5.0 Megapixel, LightCatcher, Day/Night, 4.3-omin 1/1.6 P-ins lens, Self-Learning Video Analytics 5.0 Megapixel, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 955 \$ 995	\$ 696.5	
		\$ 3330	Ψ 030.0	
8.0-H4A-B2	4K UHD (8.0 Megapixel), Day/Night, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1300	\$ 910	
	H4 HD Box Cameras Accessories			
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	\$8	\$ 5.6	
H4-AC-WIFI1-NA	WiFi Installation Kit with WiFI USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela	\$ 90	\$ 63	
	H4 SL Camera Line			
4 20 11461 004 10	H4 St. Dome Cameras			
1.3C-H4SL-DO1-IR 2.0C-H4SL-DO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR 2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR	\$ 560 \$ 610	\$ 392 \$ 427	
	Leto Will 1 Mark Editional Solymania, model of additional Community in the model and a community in the model of the community in the communit	ΨΟΙΟ[ΨΉΣΙ	
4 60 11101 BOJ 10	H4 SL Bullet Cameras			
1.3C-H4SL-BO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet, 3-9mm f/1.4, Integrated IR	\$ 600	\$ 420	
2.0C-H4SL-BO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet, 3-9mm f/1.4, Integrated IR	\$ 650	\$ 455	
	H4 SL Cameras Accessories	· · ·		
H4SL-AC-CNID1	Conduit Opening Cover Grey,5pk, ,H4SL dome camera	\$ 10	\$ 7	
H4SL-AC-CNPL1	Conduit Plate, Grey for 1/2" 5 pk, for H4SL dome camera	\$ 15	\$ 10.5	
H4SL-AC-CNPL2	Conduit Plate, Grey for 3/4" 5 pk, for H4SL dome camera	\$ 15	\$ 10.5	
H4SL-AC-COND1	Conduit Cover Gray 5 pk,Grey, for H4SL dome camera	\$ 10	\$ 7	
H4SL-AC-GROM1			\$ 10.5	
H4SL-BO-SHLD1 H4SL-DD-CLER1	Rubber grommet cable seal 10 pk, for H4SL dome camera	\$ 15	Φ 7	
	Replacement sun shield for H4SL bullet camera	\$ 10	\$ 7	
	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover.	\$ 10 \$ 30	\$ 21	
H4SL-DD-SMOK1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble	\$ 10		
H4SL-DD-SMOK1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover.	\$ 10 \$ 30 \$ 35	\$ 21 \$ 24.5	
H4SL-DD-SMOK1 H4SL-MT-DCIL1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Celling mount for H4SL dome cameras	\$ 10 \$ 30 \$ 35 \$ 30	\$ 21 \$ 24.5 \$ 21	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Ceiling mount for H4SL dome cameras NPT adapter for use with H4SL cameras	\$ 10 \$ 30 \$ 35 \$ 30 \$ 30	\$ 21 \$ 24.5 \$ 21 \$ 21	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1 CM-MT-WALL1 H4-AC-WIFI1-NA	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Celling mount for H4SL dome cameras	\$ 10 \$ 30 \$ 35 \$ 30	\$ 21 \$ 24.5 \$ 21	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1 CM-MT-WALL1 H4-AC-WIFI1-NA	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Ceiling mount for H4SL dome cameras NPT adapter for use with H4SL cameras Pendant Wall Arm (needs H4F-MT-NPTA1) WiFi Installation Kit with WiFI USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela Junction box for the H4A-BO-IR HD Bullet Cameras	\$ 10 \$ 30 \$ 35 \$ 30 \$ 30 \$ 70	\$ 21 \$ 24.5 \$ 21 \$ 21 \$ 49	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1 CM-MT-WALL1 H4-AC-WIFI1-NA H4-BO-JBOX1 H4-MT-CRNR1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Ceiling mount for H4SL dome cameras NPT adapter for use with H4SL cameras Pendant Wall Arm (needs H4F-MT-NPTA1) WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela Junction box for the H4A-BO-IR HD Bullet Cameras Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera	\$ 10 \$ 30 \$ 35 \$ 35 \$ 30 \$ 70 \$ 90	\$ 24.5 \$ 24.5 \$ 21 \$ 21 \$ 49 \$ 63	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1 CM-MT-WALL1 H4-AC-WIFI1-NA H4-BO-JBOX1 H4-MT-CRNR1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Ceiling mount for H4SL dome cameras NPT adapter for use with H4SL cameras Pendant Wall Arm (needs H4F-MT-NPTA1) WiFi Installation Kit with WiFI USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela Junction box for the H4A-BO-IR HD Bullet Cameras	\$ 10 \$ 30 \$ 35 \$ 35 \$ 30 \$ 70 \$ 90	\$ 21 \$ 24.5 \$ 21 \$ 21 \$ 49 \$ 63	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1 CM-MT-WALL1 H4-AC-WIFI1-NA H4-BO-JBOX1 H4-MT-CRNR1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Ceiling mount for H4SL dome cameras NPT adapter for use with H4SL cameras Pendant Wall Arm (needs H4F-MT-NPTA1) WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela Junction box for the H4A-BO-IR HD Bullet Cameras Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera H4 Edge Solution (ES) Cameras with Self-Learning Video Analytics	\$ 10 \$ 30 \$ 35 \$ 30 \$ 30 \$ 70 \$ 90 \$ 90 \$ 90	\$ 21 \$ 24.5 \$ 21 \$ 21 \$ 49 \$ 63 \$ 63 \$ 63	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1 CM-MT-WALL1 H4-AC-WIFI1-NA H4-BO-JBOX1 H4-MT-CRNR1 H4-MT-POLE1	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Ceiling mount for H4SL dome cameras NPT adapter for use with H4SL cameras Pendant Wall Arm (needs H4F-MT-NPTA1) WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela Junction box for the H4A-BO-IR HD Bullet Cameras Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera H4 Edge Solution (ES) Cameras with Self-Learning Video Analytics	\$ 10 \$ 30 \$ 35 \$ 30 \$ 30 \$ 70 \$ 90 \$ 90 \$ 90	\$ 21 \$ 24.5 \$ 21 \$ 21 \$ 49 \$ 63 \$ 63 \$ 63	
H4SL-DD-SMOK1 H4SL-MT-DCIL1 H4SL-MT-NPTA1 CM-MT-WALL1 H4-AC-WIFI1-NA	Replacement sun shield for H4SL bullet camera Replacement clear transparent cover for H4SL outdoor dome camera. Includes dome bubble and grey camera cover. Replacement smoked transparent cover for H4SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover. In-Ceiling mount for H4SL dome cameras NPT adapter for use with H4SL cameras Pendant Wall Arm (needs H4F-MT-NPTA1) WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Peurto Rico, Taiwan, United States, Uruguay, Venezuela Junction box for the H4A-BO-IR HD Bullet Cameras Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera H4 Edge Solution (ES) Cameras with Self-Learning Video Analytics	\$ 10 \$ 30 \$ 35 \$ 30 \$ 30 \$ 70 \$ 90 \$ 90 \$ 90	\$ 21 \$ 24.5 \$ 21 \$ 21 \$ 49 \$ 63 \$ 63 \$ 63	

2.0C-H4A-25G-DO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	\$ 1750	\$ 1225	
2.0C-H4A-25G-DP1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 1750	\$ 1225	
3.0C-H4A-25G-DO1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self- Learning Video Analytics, 256GB Built-in SSD	\$ 1995	\$ 1396.5	
3.0C-H4A-25G-DP1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1,3 P-iris lens, Integrated IR, Self- Learning Video Analytics, 256GB Built-in SSD. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	\$ 1995	\$ 1396.5	
	Leanning Video Analysics, 20000 Buildin GOD, Wast dee Walt a 1147-1811-1971-1971-1971-1971-1971-1971-197	L		
. , , , , , , , , , , , , , , , , , , ,	H4 ES Bullet Cameras with Self-Learning Video Analytics			
1.0C-H4A-12G-BO1-IR	1.0 Megapixel (720p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD	\$ 1450	\$ 1015	
1.0C-H4A-12G-BO2-IR	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD	\$ 1500	\$ 1050	
2.0C-H4A-25G-BO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	\$ 1750	\$ 1225	
2.0C-H4A-25G-BO2-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	\$ 1800		
3.0C-H4A-25G-BO1-IR	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	\$ 1995	\$ 1396.5	
3.0C-H4A-25G-BO2-IR	3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	\$ 2045	\$ 1431.5	
	H4 ES Box Cameras with Self-Learning Video Analytics			
1.0C-H4A-12G-B1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics,	\$ 1415	\$ 990.5	
2.0C-H4A-25G-B1	128GB Built-in SSD 2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video	\$ 1715	\$ 1200.5	
	Analytics, 256GB Built-in SSD 3.0 Megapixel WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics, 256GB	\$ 1960	\$ 1200.5	
3.0C-H4A-25G-B1	Built-in SSD	\$ 1900	\$ 1372	
	H4 ES Cameras Accessories	······		
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	\$8	\$ 5.6	
CM-AC-GROM1	Cable sealing grommet for use with 3/4" conduit entry, pack of 10	\$ 10	\$ 7	
H4A-AC-GROM1	Cable sealing grommet for use with H4A dome cameras, pack of 10	\$ 10	\$ 7	
H4-AC-WIFI1-NA	WiFi Installation Kit with WiFI USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru,	\$ 90	\$ 63	
H4A-DO-CLER1	Peurto Rico, Taiwan, United States, Uruguay, Venezuela Replacement clear transparent cover for H4A outdoor dome camera. Includes dome bubble and grey	\$ 60	\$ 42	
H4A-DO-SMOK1	camera cover. Replacement smoked transparent cover for H4A outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	\$ 60	\$ 42	
H4A-DP-CLER1	Replacement clear transparent cover for H4A pendant dome camera. Includes dome bubble and grey camera cover.	\$ 60	\$ 42	
	Replacement smoked transparent cover for H4A pendant dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator, includes dome bubble	\$ 60	\$ 42	
H4A-DP-SMOK1	and grey camera cover.			
H4A-MT-NPTA1	NPT adapter for use with H4A-DP pendant dome cameras	\$ 60	\$ 42	
H4A-MT-WALL1	Wall mount bracket for use with H4A-DP pendant dome cameras	\$ 60	\$ 42	
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera	\$ 90	\$ 63	
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1 or HD Bullet Camera	\$ 90	\$ 63	
H4-BO-DEMO1	Replacement H4A-BO1-IR configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo purposes only. Do not use for actual installation.	\$ 5	\$ 3.5	
H4-BO-JBOX1	Junction box for the H4A-BO-IR HD Bullet Cameras	\$ 90	\$ 63	
	1.0 MP and 2.0 MP HD Dome Cameras with Self-Learning Video Analytics		· · · · · · · · · · · · · · · · · · ·	
	1.0 Megapixel HD Dome Cameras with Self-Learning Video Analytics			
1.0C-H3A-D1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning	\$ 595	\$ 416.5	
1.0C-H3A-D1-IR	Video Analytics 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator,	\$ 630	\$ 441	
1.0C-H3A-DO1	Self-Learning Video Analytics 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning	\$ 670	\$ 469	
1.0C-H3A-DO1-IR	Video Analytics 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self Learning Video Applytics	\$ 705	\$ 493.5	
1.0C-H3A-DP1	Self-Learning Video Analytics 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.2 P-iris lens, Self-Learning	\$ 670	\$ 469	
1.0C-H3A-DC1	Video Analytics 1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	\$ 620	\$ 434	
1.0C-H3A-D2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning	\$ 645	\$ 451.5	

1.0C-H3A-DO2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self- Learning Video Analytics	\$ 720	\$ 504.0
1.0C-H3A-DP2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self- Learning Video Analytics	\$ 720	\$ 504.0
1.0C-H3A-DC2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self- Learning Video Analytics	\$ 670	\$ 469.0
·	2.0 Megapixel HD Dome Cameras with Self-Learning Video Analytics		
2.0C-H3A-D1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning	\$ 645	\$ 451.5
	Video Analytics	4 000	
2.0C-H3A-D1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self-Learning Video Analytics	\$ 680	\$ 476
2.0C-H3A-DO1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, Self- Learning Video Analytics	\$ 720	\$ 504
2.0C-H3A-DO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self-Learning Video Analytics	\$ 755	\$ 528.5
2.0C-H3A-DP1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.2 P-iris lens, Self- Learning Video Analytics	\$ 720	\$ 504
2.0C-H3A-DC1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.2 P-iris lens, Self- Learning Video Analytics	\$ 670	\$ 469
2.0C-H3A-D2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-	\$ 695	\$ 486.5
2.0C-H3A-DO2	Learning Video Analytics 2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-	\$ 770	\$ 539.0
2.0C-H3A-DP2	Learning Video Analytics 2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-	\$ 770	\$ 539.0
	Learning Video Analytics		
2.0C-H3A-DC2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self- Learning Video Analytics	\$ 720	\$ 504.0
	3.0 MP HD Dome and Bullet Cameras with Self-Learning Video Analytics		
0.00 (104 D.:	3.0 Megapixel HD Dome Cameras with Self-Learning Video Analytics	d 005	A 100 -
3.0C-H3A-D1	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	\$ 695	\$ 486.5
3.0C-H3A-D1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self- Learning Video Analytics	\$ 730	\$ 511
3.0C-H3A-DO1	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	\$ 770	\$ 539
3.0C-H3A-DO1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self- Learning Video Analytics	\$ 805	\$ 563.5
3.0C-H3A-DP1	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	\$ 770	\$ 539
3.0C-H3A-DC1	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	\$ 720	\$ 504
3.0C-H3A-D2	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video	\$ 745	\$ 521.5
	Analytics		
3.0C-H3A-DO2	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 820	\$ 574
3.0C-H3A-DP2	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 820	\$ 574
3.0C-H3A-DC2	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 770	\$ 539
	HD Bullet Cameras with Self-Learning Video Analytics		
1.0C-H3A-BO1-IR	1.0 Megapixel (720p) WDR, LightCatcher, 3-9mm f/1.2 P-iris lens, Integrated IR, Self-Learning Video	\$ 705	\$ 493.5
	Analytics		
1.0C-H3A-BO2-IR	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 755	\$ 528.5
2.0C-H3A-BQ1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.2 P-iris lens, Integrated IR, Self-Learning Video	\$ 755	\$ 528.5
	Analytics		
2.0C-H3A-BO2-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 805	\$ 563.5
3.0C-H3A-BO1-IR	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.2 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 805	\$ 563.5
3.0C-H3A-BO2-IR	3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 855	\$ 598.5
	HD Domo and Bullet Comeya Accessing		
MNT-PEND-WALL	HD Dome and Bullet Camera Accessories Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 90	\$ 63
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Carnera	\$ 90	\$ 63
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant	\$ 60	\$ 42

H3-DOP-SMOKE Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.					
	HD Bullet Accessories	4.05			
H3-BO-JB	Junction box for the H3-BO-IR HD Bullet Cameras	\$ 95]	\$ 66.5		
	H.264 High Definition Dome Cameras	1			
1.0-H3M-DO1	HD Micro Domes 1.0 Megapixel (720p) Outdoor Micro Dome, 2.8mm f/1.6 lens	\$ 280	\$ 196		
2.0-H3M-DO1	2.0 Megapixel (1080p) Outdoor Micro Dome, 2.8mm f/1.6 lens	\$ 380	\$ 266		
1.0-H3M-DC1	1.0 Megapixel (720p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens	\$ 280	\$ 196		
1.0-H3M-DC1-BL	1.0 Megapixel (720p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens, Black	\$ 280	\$ 196		
2.0-H3M-DC1	2.0 Megapixel (1080p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens	\$ 380	\$ 266		
2.0-H3M-DC1-BL	2.0 Megapixel (1080p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens, Black	\$ 380	\$ 266		
1.0-H3M-DP1	1.0 Megapixel (720p) Pendant Micro Dome, 2.8mm f/1.6 lens	\$ 345	\$ 241.5		
1.0-H3M-DP1-BL	1.0 Megapixel (720p) Pendant Micro Dome, 2.8mm f/1.6 lens, Black	\$ 345	\$ 241.5		
2.0-H3M-DP1	2.0 Megapixel (1080p) Pendant Micro Dome, 2.8mm f/1.6 lens	\$ 445	\$ 311.5		
2.0-H3M-DP1-BL	2.0 Megapixel (1080p) Pendant Micro Dome, 2.8mm f/1.6 lens, Black	\$ 445	\$ 311.5		
	Micro dome Camera Accessories				
H3-MC-CLER1	Replacement clear transparent cover, includes dome bubble and gray trim for in-ceiling microdomes.	\$ 12	\$ 8.4		
H3-MC-CLER1-BL	Replacement clear transparent cover, includes dome bubble and black trim for in-ceiling microdomes.	\$ 12	\$ 8.4		
	1.0 Megapixel H.264 HD Dome Cameras	T			
1.0-H3-D1	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$ 325	\$ 227.5		
1.0-H3-D1-IR	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 360	\$ 252.0		
1.0-H3-DO1	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$ 400	\$ 280.0		
1.0-H3-DO1-IR	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 435	\$ 304.5		
1.0-H3-DP1	1.0 Megapixel (720p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$ 400	\$ 280.0		
1.0-H3-DC1	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$ 350	\$ 245.0		
1.0-H3-D2	1.0 Megapixel (720p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$ 375	\$ 262.5		
1.0-H3-DO2	1.0 Megapixel (720p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris Iens	\$ 450	\$ 315		
1.0-H3-DP2	1.0 Megapixel (720p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$ 450	\$ 315		
1.0-H3-DC2	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$ 400	\$ 280		
	2.0 Megapixel H.264 HD Dome Cameras				
2.0-H3-D1	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$ 375	\$ 262.5		
2.0-H3-D1-IR	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris Iens,IR illuminator	\$ 410	\$ 287.0		
2.0-H3-DO1	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$ 450	\$ 315.0		
2.0-H3-DO1-IR	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 485	\$ 339.5		
2.0-H3-DP1	2.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$ 500	\$ 350.0		
2.0-H3-DC1	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$ 400	\$ 280.0		
2.0-H3-D2	2.0 Megapixel (1080p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$ 425	\$ 297.5		
2.0-H3-DO2	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$ 500	\$ 350		
2.0-H3-DP2	2.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$ 500	\$ 350		
2.0-H3-DC2	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$ 450]	\$ 315		
	H.264 HD Dome Camera Accessories				
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 90	\$ 63		
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63		
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63		
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	\$ 40	\$ 28 \$ 42		
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	\$ 60	\$ 42		
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	\$ 40	\$ 28		
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling	\$ 95	\$ 66.5		
	tile in suspended ceiling installations.				
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes.	\$ 40	\$ 28		
	Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light				
	applications or with the integrated IR illuminator.	\$ 60	\$ 42		
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for	\$ 00	J 42		
	low light applications or with the integrated IR illuminator.				
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes.	\$ 40	\$ 28		
Se sinoral	Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light		•		
	applications.				
	3.0 Megapixel H.264 HD Dome Cameras				
3.0W-H3-D1	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$ 425	\$ 297.		
3.0W-H3-D1-IR	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 460	\$ 323		
3.0W-H3-DO1	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$ 500	\$ 350		
3.0W-H3-DO1-IR	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 535	\$ 374.		
3.0W-H3-DP1	3.0 Megapixel WDR Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$ 500]	\$ 35		
3.0W-H3-DC1	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$ 450	\$ 31		

3.0W-H3-D2	3.0 Megapixel WDR Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$ 475	\$ 332.5
3.0W-H3-DO2	3.0 Megapixel WDR Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$ 550	\$ 385
3.0W-H3-DP2	3.0 Megapixel WDR Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$ 550	\$ 38
3.0W-H3-DC2	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$ 500	\$ 350
0.077 110 002	[0.0 Megapixe: With DayMight in Coming Done, 5 22min in 1.0 1 ins ions	L	4 000
	5.0 Megapixel H.264 HD Dome Cameras		
5.0-H3-D1	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	\$ 525	\$ 367.5
5.0-H3-D1-IR	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	\$ 560	\$ 392
5.0-H3-DO1	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	\$ 600	\$ 420
5.0-H3-DO1-IR	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR Illuminator	\$ 635	\$ 444.5
5.0-H3-DP1	5.0 Megapixel Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	\$ 600	\$ 420
5.0-H3-DC1	5.0 Megapixel Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	\$ 550	\$ 385
5.0-H3-D2	5.0 Megapixel Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	\$ 575	\$ 402.5
5.0-H3-DO2	5.0 Megapixel Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	\$ 650	\$ 402.5
5.0-H3-DP2	5.0 Megapixel Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	\$ 650	\$ 455
5.0-H3-DC2	5.0 Megapixel Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	\$ 600	\$ 420
0107.10002	[Hoggspire Dayling it in Joining David, o Estimate 17.0 1 Allo 1870	L	· · · · · · · · · · · · · · · · · · ·
	H.264 HD Dome Camera Accessories		
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 90	\$ 63
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	\$ 40	\$ 28
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant	\$ 60	\$ 42
	domes.	"	Ţ
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	\$ 40	\$ 28
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling	\$ 95	\$ 66.5
	tile in suspended ceiling installations.		
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes.	\$ 40	\$ 28
	Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.		
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant	\$ 60	\$ 42
	domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for		
H3-DC-SMOKE	low light applications or with the integrated IR illuminator.	* 40	
	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes.	\$ 40	\$ 28
110-DO-0MORE	Padusas light transmission by 50% compared to the standard close sover. Not recommended for law light	l .	
110-DO-SWICKE	Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light		
110-00-0WIONE	applications.		
10-bo-owork	applications. H.264 High Definition		
TIO-DO-GWONE	applications. H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras		
	applications. H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras		
1.0-H3-B2	Applications. H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens	\$ 325	
1.0-H3-B2 1.0-H3-B3	Applications. H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens	\$ 375	\$ 262.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1	Applications. H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens		\$ 262.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens	\$ 375 \$ 400	\$ 262.5 \$ 280
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens	\$ 375 \$ 400 \$ 375	\$ 262.5 \$ 280 \$ 262.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens	\$ 375 \$ 400 \$ 375 \$ 425	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens	\$ 375 \$ 400 \$ 375	\$ 262.5 \$ 280 \$ 262.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1	Applications. H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2	Applications. H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-Iris lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-Iris lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 425 \$ 475	\$ 315 \$ 297.5 \$ 332.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-tris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B2 5.0-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 332.5 \$ 367.5 \$ 402.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 5.0-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens HD Bullet Cameras 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 5.0-H3-B3	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 332.5 \$ 367.5 \$ 402.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 5.0-H3-B3 1.0W-H3-BO1-IR 1.0W-H3-BO2-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 304.5 \$ 339.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B2 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 4.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-Iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 485	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B2 5.0-H3-B3 1.0W-H3-BO1-IR 1.0W-H3-BO2-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 304.5 \$ 339.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B2 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR 2.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens HD Bullet Cameras 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 485 \$ 535	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5 \$ 339.5 \$ 374.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B2 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR 2.0W-H3-B02-IR 2.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 485 \$ 535	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5 \$ 339.5 \$ 374.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B2 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR 2.0W-H3-B02-IR 2.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens HD Bullet Cameras 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 485 \$ 535	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5 \$ 339.5 \$ 374.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B1 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B01-IR 2.0W-H3-B02-IR 2.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 4.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 435 \$ 485 \$ 535 \$ 535 \$ 585	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 332.5 \$ 367.5 \$ 402.5 \$ 304.5 \$ 339.5 \$ 374.5 \$ 374.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B1 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B01-IR 2.0W-H3-B01-IR 2.0W-H3-B02-IR 3.0W-H3-B01-IR 3.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 4.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 435 \$ 485 \$ 535 \$ 535 \$ 585 \$ 585	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 397.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 304.5 \$ 339.5 \$ 374.5 \$ 409.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 5.0-H3-B3 1.0W-H3-BO1-IR 1.0W-H3-BO2-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4-7-84.6mm f/1.6 P-iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 4.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 435 \$ 485 \$ 535 \$ 535 \$ 585	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5 \$ 339.5 \$ 374.5 \$ 409.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B1 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B01-IR 2.0W-H3-B01-IR 2.0W-H3-B02-IR 3.0W-H3-B01-IR 3.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens HD Bullet Cameras 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 435 \$ 485 \$ 535 \$ 535 \$ 585 \$ 585	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 304.5 \$ 339.5 \$ 374.5 \$ 409.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR 2.0W-H3-B01-IR 2.0W-H3-B01-IR 3.0W-H3-B02-IR 3.0W-H3-B01-IR 5.0-H3-B01-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 575 \$ 485 \$ 485 \$ 535 \$ 535 \$ 585 \$ 685	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 397.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5 \$ 374.5 \$ 409.5 \$ 444.5 \$ 479.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR 2.0W-H3-B01-IR 2.0W-H3-B01-IR 3.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens HD Bullet Cameras 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 435 \$ 485 \$ 535 \$ 535 \$ 585 \$ 585	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 304.5 \$ 339.5 \$ 374.5 \$ 409.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR 2.0W-H3-B01-IR 2.0W-H3-B01-IR 3.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-iris lens 5.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 575 \$ 485 \$ 485 \$ 535 \$ 535 \$ 585 \$ 685	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 397.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5 \$ 374.5 \$ 409.5 \$ 444.5 \$ 479.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B2 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B2 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B02-IR 2.0W-H3-B01-IR 2.0W-H3-B01-IR 3.0W-H3-B02-IR 3.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 4-7-84.6mm f/1.6 lens 1.0 Megapixel (720p) Day/Night, 4-7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4-7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens 3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel S-2mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel S-2mm f/1.2 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel S-2mm f/1.6 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel S-2mm f/1.6 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel S-2mm f/1.6 P-Iris lens, Integrated IR, Onboard storage 5.0 Megapixel S-2mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 425 \$ 475 \$ 525 \$ 575 \$ 575 \$ 535 \$ 535 \$ 536 \$ 535 \$ 585 \$ 635 \$ 685	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 297.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 304.6 \$ 339.5 \$ 374.5 \$ 409.5 \$ 444.5 \$ 4479.5
1.0-H3-B2 1.0-H3-B3 1.0-H3-B1 2.0-H3-B1 2.0-H3-B3 2.0-H3-B1 3.0W-H3-B2 3.0W-H3-B3 5.0-H3-B3 1.0W-H3-B01-IR 1.0W-H3-B01-IR 2.0W-H3-B01-IR 2.0W-H3-B02-IR	H.264 High Definition Cameras, Bullet Cameras, and PTZ Cameras H.264 HD Cameras 1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens 1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-iris lens 3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-iris lens 5.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens 1.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 2.0 Megapixel (1080p) WDR, 3-9mm f/1.6 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 3.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage 5.0 Megapixel 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	\$ 375 \$ 400 \$ 375 \$ 425 \$ 450 \$ 475 \$ 525 \$ 575 \$ 575 \$ 485 \$ 485 \$ 535 \$ 535 \$ 585 \$ 685	\$ 262.5 \$ 280 \$ 262.5 \$ 297.5 \$ 315 \$ 397.5 \$ 332.5 \$ 367.5 \$ 402.5 \$ 339.5 \$ 374.5 \$ 449.5 \$ 4479.5

1.0W-H3PTZ-DC20	A O Manageria (700a) MOD Devikijski 20g in Calling Dama	\$ 2645	\$ 1851.5	
2.0W-H3PTZ-DC20	1.0 Megapixel (720p) WDR Day/Night, 20x, In-Ceiling Dome 2.0 Megapixel (1080p) WDR Day/Night, 20x, In-Ceiling Dome	\$ 3145	\$ 2201.5	
2.0VV-H3P12-DC20	2.0 Megapixer (1000p) WDN Dayringrit, 20x, in-Ceiling Donie		<u> </u>	
	HD PTZ Accessories			
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 90	\$ 63	
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63	
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 90	\$ 63	
H3PTZ-DC-PNL	Metal ceiling panel for use with H3PTZ-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	\$ 90	\$ 63	
H3PTZ-DC-SMOKE-B	Replacement smoked transparent cover, includes dome bubble and camera cover HD PTZ In-Ceiling cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	\$ 120	\$ 84	
H3PTZ-DC-CLEAR-B	low light applications. Replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ In-Ceiling cameras.			
H3PTZ-DP-SMOKE-IK	IK10 replacement smoked transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	\$ 120		
H3PTZ-DP-CLEAR-IK	IK10 replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras.	\$ 120 \$		
H3PTZ-DP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras.	\$ 120	\$ 84	
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	\$ 60	\$ 42	
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	\$ 60	\$ 42	
H4 Fisheye C	Camera Line and HD Multi-Sensor Cameras and JPEG2000 HD Panoramic Dome	e Camera	as	
	H4 Fisheye Camera Line	1		
	The H4 Fisheye camera line offers a complete, high-resolution, 360-degree panoramic view of a scene with no blind spots. Built on the H4 platform, this indoor and outdoor camera line provides clear image details in any lighting condition.			
6.0L-H4F-DO1-IR	6.0 MP, Fisheye Camera, LightCatcher, Day/Night, 1.45mm f/2.2, Integrated IR	\$ 655	\$ 458.5	
12.0-H4F-DO1-IR	12.0 MP, Fisheye Camera, Day/Night, 1.45mm f/2.2, Integrated IR	\$ 1080	\$ 756	
	H4 Fisheye Camera Line Accessories			
H4F-MT-NPTA1	NPT adapter for use with H4F cameras	\$ 60	\$ 42	
CM-MT-WALL1	Pendant Wall Arm (needs H4F-MT-NPTA1)	\$ 70	\$ 49	
H4F-AC-DESI1	Desiccant packs for use with H4F cameras, contains qty 5. individually packaged dessicant packs	\$ 10	\$ 7	
	HD Multi-Sensor Camera			
	The HD Multisensor camera enables users to monitor and cover challenging environments that normally			
	require multiple cameras, delivering superior image detail. With 4 fully-customizable sensors that can be			
	adjusted for poorly any viewing analogyou are he gure you'll got the coverage that's execific to your needs	-		
9W-H3-3MH-DP1	adjusted for nearly any viewing angle, you can be sure you'll get the coverage that's specific to your needs.		NAME OF THE PARTY	
(3***113*3(*))		\$ 1875	\$ 1312.	
	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	\$ 1875 \$ 1775	\$ 1312.5 \$ 1242.5	
9W-H3-3MH-DC1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	\$ 1775	\$ 1242.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3	\$ 1775 \$ 1875	\$ 1312.5 \$ 1242.5 \$ 1312.5 \$ 1487.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3	\$ 1775 \$ 1875 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	\$ 1775 \$ 1875 \$ 2125 \$ 2025	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3	\$ 1775 \$ 1875 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3	\$ 1775 \$ 1875 \$ 2125 \$ 2025	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing.	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing.	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DO1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-180-H	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5 \$ 1081.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5 \$ 1081.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DO1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-180-H	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 2125	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DO1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-180-H	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 2125	\$ 1242. \$ 1312. \$ 1487. \$ 1417. \$ 1487. \$ 1046. \$ 1046. \$ 1081.	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-360-H DOME-INDE-PLT	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater JPEG2000 HD Panoramic Dome Camera Accessories Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box.	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 1495 \$ 1495 \$ 1545 \$ 1545 \$ 1545	\$ 1242. \$ 1312. \$ 1487. \$ 1417. \$ 1487. \$ 1046. \$ 1046. \$ 1081. \$ 1081.	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-360-H	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater JPEG2000 HD Panoramic Dome Camera Accessories Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box. Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting. Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 1495 \$ 1495 \$ 1545 \$ 1545	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5 \$ 1081.5 \$ 1081.5 \$ 12.5 \$ 16.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-180-H 8.0MP-HD-DOME-360-H DOME-INDE-PLT DOME-OD-BASE DOME-OD-PEND	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater JPEG2000 HD Panoramic Dome Camera Accessories Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box. Outdoor mounting base add-on, creates an IP66 sealed enclosure for connection and pipe mounting. Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall brackets.	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 1495 \$ 1495 \$ 1545 \$ 1545 \$ 18 \$ 23 \$ 23	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5 \$ 1081.5 \$ 1	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-360-H DOME-INDE-PLT DOME-OD-BASE DOME-OD-PEND	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-celling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater JPEG2000 HD Panoramic Dome Camera Accessories Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box. Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting. Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 1495 \$ 1495 \$ 1545 \$ 1545 \$ 18 \$ 23 \$ 23 \$ 90	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5 \$ 1081.5 \$ 1081.5 \$ 16.5 \$ 16.5 \$ 16.5 \$ 16.5	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DD1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-360-H DOME-INDE-PLT DOME-OD-BASE DOME-OD-PEND MNT-PEND-WALL MNT-AD-POLE-B	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-celling Multisensor camera, 2.8-8mm f/1.3 3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater JPEG2000 HD Panoramic Dome Camera Accessories Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box. Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting. Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall brackets. Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 1495 \$ 1495 \$ 1545 \$ 1545 \$ 18 \$ 23 \$ 23 \$ 90 \$ 90	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5 \$ 1081.5 \$ 1081.5 \$ 16.5 \$ 16.5 \$ 6 \$ 6	
9W-H3-3MH-DC1 9W-H3-3MH-DO1 12W-H3-4MH-DP1 12W-H3-4MH-DC1 12W-H3-4MH-DO1 8.0MP-HD-DOME-180 8.0MP-HD-DOME-360 8.0MP-HD-DOME-360-H DOME-INDE-PLT DOME-OD-BASE DOME-OD-PEND	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3 3x 3 MP, In-celling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3 4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3 JPEG2000 HD Panoramic Dome Cameras All Panoramic HD Dome cameras are vandal resistant, and can be mounted to any flat surface. Additional mounting options are available using the accessories listed below. Four lenses are factory installed and prefocused with all Panoramic HD Dome Cameras. All HD Panoramic Dome require only one channel license in Avigilon Control Center. Panoramic HD Domes come standard with a cool grey base color, custom base colors are available, please call for pricing. 180° 8.0 Megapixel Panoramic HD Color Dome 360° 8.0 Megapixel Panoramic HD Color Dome 180° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater 360° 8.0 Megapixel Panoramic HD Color Dome with factory installed heater JPEG2000 HD Panoramic Dome Camera Accessories Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box. Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting. Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	\$ 1775 \$ 1875 \$ 2125 \$ 2025 \$ 2125 \$ 2125 \$ 2125 \$ 1495 \$ 1495 \$ 1545 \$ 1545 \$ 18 \$ 23 \$ 23 \$ 90	\$ 1242.5 \$ 1312.5 \$ 1487.5 \$ 1417.5 \$ 1487.5 \$ 1046.5 \$ 1046.5 \$ 1081.5	

IND-CEL-PNL	Metal ceiling panel for use with the DOME-IND-CEL to replace or reinforce the existing ceiling tile in	\$ 87	\$ 60.9
DOME-SMOKE	suspended ceiling installations. Replacement smoked transparent cover. Reduces light transmission by 50% compared to the standard	\$ 10	\$ 7
	clear cover. Not recommended for low light applications.		
	HD Pro Cameras		
	H.264 HD Pro Color Cameras with LightCatcher Technology		
	All HD Pro Color Cameras come with an EF lens mount that supports auto-iris and motorized focus control when connected to a compatible lens. Some lenses may require AUX power. See datasheet for further lens		
	compatibility. Onboard storage capable.		
24L-H4PRO-B	6K (24 MP) H.264 HD Pro with LightCatcher Technology	\$ 9000	\$ 6300
30L-H4PRO-B	7K (30 MP) H.264 HD Pro with LightCatcher Technology	\$ 10000	\$ 7000
	H.264 HD Pro Color Cameras with LightCatcher Technology		
	All HD Pro Color Cameras come with an EF/EF-S lens mount that supports auto-iris and motorized focus		************
	control when connected to a compatible lens. Some lenses may require AUX power. See datasheet for		
01 114BBQ B	further lens compatibility. Onboard storage capable.	1	*
8L-H4PRO-B 12L-H4PRO-B	4K (8 MP) H.264 HD Pro with LightCatcher Technology 4.5K (12 MP) H.264 HD Pro with LightCatcher Technology	\$ 2085 \$ 7075	\$ 1459. \$ 4952.
16L-H4PRO-B	5K (16 MP) H.264 HD Pro with LightCatcher Technology	\$ 7500	\$ 525
	JPEG2000 HD Pro Color Cameras		
	All HD Pro Color Cameras come with an EF lens mount that supports auto-iris and motorized focus control when connected to a compatible lens		
29MP-HD-PRO-C	29 Megapixel HD Pro, Color	\$ 9850	\$ 689
	To magazine in a roj dolor	₩ 5000 U	Ψ 0000
	JPEG2000 HD Pro Monochrome Cameras		
	All HD Pro Monochrome Cameras come with a EF lens mount that supports auto-iris and motorized focus		
29MP-HD-PRO-M	control when connected to a compatible lens 29 Megapixel HD Pro, Monochrome	\$ 9850	\$ 689
LOW TIEST (CO W	20 Mogaphor 110, Montounie	\$ 900U	\$ 009
	Analog Video Encoders		· • • • • • • • • • • • • • • • • • • •
***************************************	H.264 Analog Video Encoder		
	A single Avigilon H.264 Analog Video Encoder requires only one channel license in Avigilon Control Center regardless of the number of analog cameras connected to it.		
ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	\$ 345	\$ 241.5
		<u> </u>	V 2 11.0
ENC-BRK1U	Analog Video Encoder Options		
ENC-BRK IV	Mounting bracket for 3 Avigilon Analog Video Encoders in 1U of standard rack space	\$ 55	\$ 38.5
	Avigilon Rialto TM		
	Analytic Appliance		
TAPOLALIE .	Rialto Analytic Appliances IP and Analog video analytic appliances support Avigilon 1 & 2 MP and third party IP and analog cameras.		
	All devices support audio channels and onboard storage from 40GB to 2TB.		
	1U Rack-Mount Analytic Appliance		
	Rialto R-Series Analytic Appliance records up to 16 security cameras per unit. The rack-mount form factor is configurable with IP and analog modules. Supports up to 1080p resolution at 30 fps.		
VAA-I4-1U	Digital 1U Analytic Appliance Module	\$ 1500	\$ 1050
VAA-A4-1U	Analog 1U Analytic Appliance Module	\$ 1500	\$ 1050
VAA-1U-2TB	Base System 1U Analytic Appliance 2TB Storage	\$ 2500	\$ 1750
· · · · · · · · · · · · · · · · · · ·	Digital Small Footprint Analytic Appliance		
		1	
	Rialto 14 digital analytic appliance 4 channel IP digital encoder with either 40GB solid state or 500GB hard		
	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard		
	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage	\$ 2050	\$ 1435
	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps.	\$ 2050 \$ 2240	
	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage		
	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance		
/AA-14-H500G	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage		
/AA-14-H500G /AA-A4-S40GB	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps. Analog Analytic Appliance, 40GB SSD Storage	\$ 2240	\$ 1568 \$ 1435
/AA-14-H500G /AA-A4-S40GB	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps.	\$ 2240	\$ 1568 \$ 1435
/AA-14-H500G /AA-A4-S40GB	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps. Analog Analytic Appliance, 40GB SSD Storage	\$ 2240	\$ 1568 \$ 1435
/AA-14-H500G /AA-A4-S40GB	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps. Analog Analytic Appliance, 40GB SSD Storage Analog Analytic Appliance, 500GB HDD Storage 1U Rack-Mount Analytic Appliance Accessories	\$ 2240	\$ 1568 \$ 1435
/AA-I4-H500G /AA-A4-S40GB /AA-A4-H500G	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps. Analog Analytic Appliance, 40GB SSD Storage Analog Analytic Appliance, 500GB HDD Storage 1U Rack-Mount Analytic Appliance Accessories Rack-mount shelf for the Rialto R-Series analytic appliance.	\$ 2240 \$ 2050 \$ 2240	\$ 1568 \$ 1435 \$ 1568
/AA-I4-H500G /AA-A4-S40GB /AA-A4-H500G	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps. Analog Analytic Appliance, 40GB SSD Storage Analog Analytic Appliance, 500GB HDD Storage IU Rack-Mount Analytic Appliance Accessories Rack-mount shelf for the Rialto R-Series analytic appliance.	\$ 2240	\$ 1568 \$ 1435
/AA-14-S40GB /AA-14-H500G /AA-A4-S40GB /AA-A4-H500G	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps. Analog Analytic Appliance, 40GB SSD Storage Analog Analytic Appliance, 500GB HDD Storage 1U Rack-Mount Analytic Appliance Accessories Rack-mount shelf for the Rialto R-Series analytic appliance. 1U Rack-mount shelf Accessories: Remote Monitoring Workstations, Professional Services,	\$ 2240 \$ 2050 \$ 2240	\$ 1435 \$ 1568 \$ 1435 \$ 1568 \$ 91
/AA-I4-H500G /AA-A4-S40GB /AA-A4-H500G	Rialto I4 digital analytic appliance. 4 channel IP digital encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1, 3 x 720p or 2 x 1080p high definition cameras at 30 fps. Digital Analytic Appliance, 40GB SSD Storage Digital Analytic Appliance, 500GB HDD Storage Analog Small Footprint Analytic Appliance Rialto A4 analog analytic appliance. 4 channel analog camera encoder with either 40GB solid state or 500GB hard drive storage. Supports up to 4 x D1 resolution cameras at 30 fps. Analog Analytic Appliance, 40GB SSD Storage Analog Analytic Appliance, 500GB HDD Storage IU Rack-Mount Analytic Appliance Accessories Rack-mount shelf for the Rialto R-Series analytic appliance.	\$ 2240 \$ 2050 \$ 2240	\$ 1568 \$ 1435 \$ 1568

ACC-MIC	Omni-directional, low impedance, electret condenser microphone with built-in preamp for producing line level output. It is housed in a high impact ABS dome designed for ceiling or wall mounting. Normal pick-up	\$ 292	\$ 204.	
	in the state of th			
	Audio use a 3.5mm plug.			
	Surveillance Joystick	<u> </u>	····	
ACC-USB-JOY	Programmable USB Surveillance Joystick for controlling digital and conventional PTZ within Avigilon Control	\$ 625	\$ 437	
ACC-USB-JOY-PRO	Center Fully configured Professional USB Surveillance joystick for full control of Avigilon Control Center including	\$ 945	\$ 661	
	shuttle playback control and digital and conventional PTZ.			
	POE Switches	Т		
S8	Switch, Gigabit POE+ 124W, 8 Port	\$ 730	\$ 51	
S8-AU	Switch, Gigabit POE+ 124W, 8 Port	\$ 730	\$ 51	
S24	Switch, Gigabit POE+ 180W, 24 Port	\$ 1980	\$ 138	
S24-AU	Switch, Gigabit POE+ 180W, 24 Port	\$ 1980	\$ 138	
	POE Injector			
POE-INJ2-STD-NA	Single port Gigabit 802.3af PoE injector, Class 3 - NA power cord	\$ 70	\$ 4	
POE-INJ2-STD-AU	Single port Gigabit 802.3af PoE injector, Class 3 - AU power cord	\$ 70	\$ 4	
POE-INJ2-PLUS-NA	Single port Gigabit 802.3at PoE Plus injector, Class 4 - NA power cord	\$ 75	\$ 52	
POE-INJ2-PLUS-AU	Single port Gigabit 802.3at PoE Plus injector, Class 4 - AU power cord	\$ 75	\$ 52.	
	POE Extender			
EX1	Single port 100Mbps POE Extender for extending Cat 5 beyond the 100m cable limit.	\$ 311	\$ 217.	
	Coax to Ethernet Converter			
C2E-P	Coax-to-Ethernet converter pair. Converts ethernet signals to run at 100Mbps over existing coax cable (up	\$ 623	\$ 436.	
	to 800 feet). Units do not carry POE and require a power supply at each end, contact Avigilon for more details.			
	Monitors			
M4000	Monitor, 30", LCD, 4.0 Megapixel, 16:10 Widescreen Aspect Ratio	\$ 2667	\$ 1866.	
M4000-AU	Monitor, 30", LCD, 4.0 Megapixel, 16:10 Widescreen Aspect Ratio	\$ 2667	\$ 1866.	
M2300	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio	\$ 1058	\$ 740.	
M2300-AU	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio	\$ 1058	\$ 740.	
M1300	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	\$ 325	\$ 227.	
M1300-AU	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	\$ 325	\$ 227.	
	HD Camera Installation Tools			
ACC-SPLIT	POE Splitter for Camera Installation, extracts 12V DC from a POE input for powering a camera during focusing	\$ 53	\$ 37.	
	Notes			
	POE (Power Over Ethernet)			
	All prices are exclusive of taxes and freight Avigilon reserves the right to make changes to pricing and discount margins.	+		
	Accessories: Indoor and Outdoor Enclosures			
Model No.	Description	MSRP	30%	
	Small Indoor/Outdoor Enclosure for H.264 HD Cameras			
ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket	\$ 150	\$ 10	
	and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	<u> </u>	Ψ ,0	
	Standard Indoor/Outdoor Enclosure for H.264 HD Pro, JPEG2000 HD Pro and H.264 HD			
ES-HD-HWS	Cameras Standard Format Enclosure for cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield.	\$ 225	\$ 157.	
	Maximum combined camera and lens length is 9.8" (25 cm).			
ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	\$ 330	\$ 23	

Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket

Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VDC Vented Cooler, Wall

Extra Large Format Enclosure for Avigilon HD IP Professional Cameras with 24 VAC Triple fan assisted

and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).

heater. Maximum combined camera and lens length is 20" (51.9 cm).

Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).

\$ 415

\$ 500

\$ 1705

\$ 290.5

\$ 350

\$ 1193.5

Cameras

Enclosure Options

ES-HD-HWS-LG

ES-HD-CWS-LG

ES-HD-HS-XL

ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features & camera with a single Ethernet connection. Compatible with ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG			
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	\$ 110	\$ 77	
ES-HD-MNT-POLE-LG	Large pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 160	\$ 112	
ES-HD-MNT-POLE-MD	Medium pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG. Additional mounting point if used with ES-HD-MNT-PLATE.	\$ 190	\$ 133	
ES-HD-MNT-POLE-SM	Small dual pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 75	\$ 52.5	
ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 115	\$ 80.5	
ES-HD-MNT-CORNER	Corner mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 65	\$ 45.5	
ES-HD-MNT-PLATE	Reinforcing wall mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 40	\$ 28	
ES-HD-MNT-WBLA	Ball join mount for ES-HD-HS-XL	\$ 810	\$ 567	



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 11/15/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(les) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER		CONTACT Hillary Waddle	
UNICO Group, Inc.		PHONE (A/C, No. Ext): (402) 434-7200 FAX (A/C, No.):	(402)434-7272
1128 Lincoln Mall		E-MAIL ADDRESS: hwaddle@unicogroup.com	
Suite 200		INSURER(S) AFFORDING COVERAGE	NAIC #
Lincoln	NE 68508	msurer A: Cincinnati Insurance Co.	10677
INSURED		INSURER B : Accident Fund National	12305
Audio Marketing Sc	olutions, DBA: Americom	INBURER C :	
PO Box 84546		INSURER D :	
		INSURER E :	
Lincoln	NE 68501	INSURER F.:	
COVERAGES	CERTIFICATE NUMBER-17	-18 GL. ATLING, TIMB REVISION NUMBER:	

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS.

NSR LTR	TYPE OF INSURANCE	ADDL SUBR	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	3
λ	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE X OCCUR					EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 1,000,000 \$
			EPP0290163	1/1/2017	1/1/2018	MED EXP (Any one person)	\$ 10,00
		1				PERSONAL & ADV INJURY	3 1,000,00
	GEN'L AGGREGATE LIMIT APPLIES PER:					GENERAL AGGREGATE	\$ 2,000,00
	POLICY X PRO-				:	PRODUCTS - COMP/OP AGG	\$ 2,000,00
	OTHER:						\$
	AUTOMOBILE LIABILITY					COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,00
A	X ANY AUTO					BODILY INJURY (Per person)	\$
•	ALL OWNED SCHEDULED AUTOS		EBA0290183	1/1/2017	1/1/2018	BODILY INJURY (Per accident)	5
	X HIRED AUTOS X NON-OWNED AUTOS					PROPERTY DAMAGE (Per accident)	\$
							\$
	X UMBRELLA LIAB X OCCUR					EACH OCCURRENCE	\$ 5,000,00
A	EXCESS LIAB CLAIMS-MADE					AGGREGATE	\$ 5,000,00
	DED RETENTION\$		EPP0290183	1/1/2017	1/1/2018		\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y/N					X PER OTH-	
	ANY PROPRIETOR/PARTNER/FYFCI (TIVE	N/A				E.L. EACH ACCIDENT	\$ 1,000,00
	(Mandatory in NH)		WCV6121226	1/1/2017	1/1/2018	E.L. DISEASE - EA EMPLOYEE	\$ 1,000,00
	If yes, describe under DESCRIPTION OF OPERATIONS below					E.L. DISEASE - POLICY LIMIT	\$ 1,000,00
		İ					
]							

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) Project: Electronic Video Surveillance, Lincoln Public Schools Contract #2013 3932. The General Liability and Business Auto Liability policies include blanket automatic additional insured endorsements that provide additional insured status only when there is a written contract between the named insured and the certificate holder/entity(ies) that require such status prior to a loss. The blanket endorsements provide additional insured status for City of Lincoln and Lancaster County and Lincoln-Lancaster County Public Building Commission when required by written contract. The Workers Compensation policy includes a waiver of subrogation endorsement as required by written contract with the named insured prior to a loss.

CERTIFICATE HOLDER	CANCELLATION
llirons@lincoln.ne.gov City of Lincoln, Lancaster County Lincoln-Lancaster County Public Building Commission	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
555 So. 10th Street Lincoln, NE 68508	AUTHORIZED REPRESENTATIVE Chad Ideus/HR

© 1988-2014 ACORD CORPORATION. All rights reserved.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

CONTRACTORS' COMMERCIAL GENERAL LIABILITY BROADENED ENDORSEMENT

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

A. Endorsement - Table of Contents:

Co	Begins on Page:	
1.	Employee Benefit Liability Coverage	9
2.	Unintentional Failure to Disclose Hazards	7
3.	Damage to Premises Rented to You.	Ω
4.	Supplementary Payments	Q
5.	Medical Payments	0
6.	Voluntary Property Damage (Coverage a.) and Care, Custody or Control Liability Coverage (Coverage b.)	
7.	180 Day Coverage for Newly Formed or Acquired Organizations	10
8.	Waiver of Subrogation	10
9.	Automatic Additional Insured - Specified Relationships:	10
	Managers or Lessors of Premises;	
	Lessor of Leased Equipment;	
	Vendors;	
	 State or Political Subdivisions - Permits Relating to Premises; 	
	State or Political Subdivisions - Permits; and	
	Contractors' Operations	
10.	Broadened Contractual Liability - Work Within 50' of Railroad Property	14
П.	Property Damage to Borrowed Equipment	14
12.	Employees as Insureds - Specified Health Care Services:	14
	Nurses;	
	Emergency Medical Technicians; and	
	Paramedics	
40	Broadened Notice of Occurrence	1/1

B. Limits of Insurance:

The Commercial General Liability Limits of Insurance apply to the insurance provided by this endorsement, except as provided below:

1. Employee Benefit Liability Coverage

Each Employee Limit: \$ 1,000,000 Aggregate Limit: \$ 3,000,000 Deductible: \$ 1,000

3. Damage to Premises Rented to You

The lesser of:

- a. The Each Occurrence Limit shown in the Declarations; or
- b. \$500,000 unless otherwise stated \$

4. Supplementary Payments

a. Bail bonds: \$ 1,000b. Loss of earnings: \$ 350

5. Medical Payments

Medical Expense Limit: \$ 10,000

Γ	COVERAGE	PREMIUM BASIS	RATE	ADVANCE PRE		
	Deductibles (Each Occurrence) Coverage a. \$250 Coverage b. \$250 unless otherwise stated \$					
	Limits of Insurance (Each Occurrence) Coverage a. \$1,000 Coverage b. \$5,000 unless otherwise stated					
6.	Voluntary Property Damage (Coverage a.) and Care, Custody or Control Liability Coverage (Coverage b.)					

	COVERAGE	PREMIUM BASIS	RATE	ADVANCE PREMIUM
		(a) Area (b) Payroll (c) Gross Sales (d) Units (e) Other	(For Limits in Excess of \$5,000)	(For Limits in Excess of \$5,000)
b.	Care, Custody or Control			\$
		T(OTAL ANNUAL PREMIUM	\$

11. Property Damage to Borrowed Equipment

Each Occurrence Limit:

\$ 10,000

Deductible:

\$ 250

C. Coverages:

- 1. Employee Benefit Liability Coverage
 - a. The following is added to SECTION I

 COVERAGES: Employee Benefit
 Liability Coverage.
 - (1) Insuring Agreement
 - (a) We will pay those sums that the insured becomes legally obligated to pay as damages caused by any act, error or omission of the insured, or of any other person for whose acts the insured is legally liable, to which this insurance applies. We will have the right and duty to defend the insured against any "suit" seeking those damages. However, we will have no duty to defend against any "suit" seeking damages to which this insurance does not apply. We may, at our discretion, investigate any report of an act, error or omission and settle any claim or "suit" that may result. But:
 - The amount we will pay for damages is limited as described in SEC-TION III - LIMITS OF INSURANCE; and
 - Our right and duty to defend ends when we

have used up the applicable limit of insurance in the payment of judgments or settlements.

No other obligation or liability to pay sums or perform acts or services is covered unless explicitly provided for under Supplementary Payments.

- (b) This insurance applies to damages only if the act, error or omission, is negligently committed in the "administration" of your "employee benefit program"; and
 - Occurs during the policy period; or
 - Occurred prior to the effective date of this endorsement provided:
 - a) You did not have knowledge of a claim or "suit" on or before the effective date of this endorsement.

You will be deemed to have knowledge of a claim or "suit" when any "authorized representative";

- Reports all, or any part, of the act, error or omission to us or any other insurer;
- ii) Receives a written or verbal demand or claim for damages because of the act, error or omission; and
- There is no other applicable insurance.

(2) Exclusions

This insurance does not apply to:

(a) Bodily Injury, Property Damage or Personal and Advertising Injury

"Bodily injury", "property damage" or "personal and advertising injury".

(b) Dishonest, Fraudulent, Criminal or Malicious Act

Damages arising out of any intentional, dishonest, traudulent, criminal or malicious act, error or omission, committed by any insured, including the willful or reckless violation of any statute.

(c) Failure to Perform a Contract

Damages arising out of failure of performance of contract by any insurer.

(d) Insufficiency of Funds

Damages arising out of an insufficiency of funds to meet any obligations under any plan included in the "employee benefit program".

(e) Inadequacy of Performance of Investment / Advice Given With Respect to Participation

Any claim based upon:

- Failure of any investment to perform;
- Errors in providing information on past per-

formance of investment vehicles; or

 Advice given to any person with respect to that person's decision to participate or not to participate in any plan included in the "employee benefit program".

(f) Workers' Compensation and Similar Laws

Any claim arising out of your failure to comply with the mandatory provisions of any workers' compensation, unemployment compensation insurance, social security or disability benefits law or any similar law.

(g) ERISA

Damages for which any insured is liable because of liability imposed on a fiduciary by the Employee Retirement Income Security Act of 1974, as now or hereafter amended, or by any similar federal, state or local laws.

(h) Available Benefits

Any claim for benefits to the extent that such benefits are available, with reasonable effort and cooperation of the insured, from the applicable funds accrued or other collectible insurance.

(i) Taxes, Fines or Penalties

Taxes, fines or penalties, including those imposed under the Internal Revenue Code or any similar state or local law.

j) Employment-Related Practices

Any liability arising out of any:

- (1) Refusal to employ:
- (2) Termination of employment;
- (3) Coercion, demotion, evaluation, reassignment, discipline, defamation, harassment, humiliation, discrimination or other employ-

- ment-related practices, acts or omissions; or
- (4) Consequential liability as a result of (1), (2) or (3) above.

This exclusion applies whether the insured may be held liable as an employer or in any other capacity and to any obligation to share damages with or repay someone else who must pay damages because of the injury.

(3) Supplementary Payments

SECTION 1 - COVERAGES, SUPPLEMENTARY PAY-MENTS - COVERAGES A AND B also apply to this Coverage.

b. Who is an Insured

As respects Employee Benefit Liability Coverage, SECTION II - WHO IS AN INSURED is deleted in its entirety and replaced by the following:

- (1) If you are designated in the Declarations as:
 - (a) An individual, you and your spouse are insureds, but only with respect to the conduct of a business of which you are the sole owner.
- (b) A partnership or joint venture, you are an insured.
 Your members, your partners, and their spouses are also insureds but only with respect to the conduct of your business.
 - (c) A limited liability company, you are an insured. Your members are also insureds, but only with respect to the conduct of your business. Your managers are insureds, but only with respect to their duties as your managers.
 - (d) An organization other than a partnership, joint venture or limited liability company, you are an insured. Your "executive officers" and directors are insureds, but only with respect to their duties as your officers or directors. Your stockholders are also insureds, but only with respect to their liability as stockholders.

- (e) A trust, you are an insured. Your trustees are also insureds, but only with respect to their duties as trustees.
- (2) Each of the following is also an insured:
 - (a) Each of your "employees" who is or was authorized to administer your "employee benefit program".
 - (b) Any persons, organizations or "employees" having proper temporary authorization to administer your "employee benefit program" if you die, but only until your legal representative is appointed.
 - (c) Your legal representative if you die, but only with respect to duties as such. That representative will have all your rights and duties under this Coverage Part.
- (3) Any organization you newly acquire or form, other than a partnership, joint venture or limited liability company, and over which you maintain ownership or majority interest, will qualify as a Named Insured if no other similar insurance applies to that organization. However, coverage under this provision:
 - (a) Is afforded only until the 180th day after you acquire or form the organization or the end of the policy period, whichever is earlier; and
 - (b) Does not apply to any act, error or omission that was committed before you acquired or formed the organization.

c. Limits of insurance

As respects Employee Benefit Liability Coverage, SECTION III - LIMITS OF INSURANCE is deleted in its entirety and replaced by the following:

- (1) The Limits of Insurance shown in Section B. Limits of Insurance, 1. Employee Benefit Liability Coverage and the rules below fix the most we will pay regardless of the number of:
 - (a) insureds;

en in the second

- (b) Claims made or "suits" brought;
- (c) Persons or organizations making claims or bringing "suits":
- (d) Acts, errors or omissions; or
- (e) Benefits included in your "employee benefit program".
- (2) The Aggregate Limit shown in Section B. Limits of Insurance, 1. Employee Benefit Liability Coverage of this endorsement is the most we will pay for all damages because of acts, errors or omissions negligently committed in the "administration" of your "employee benefit program".
- (3) Subject to the limit described in (2) above, the Each Employee Limit shown in Section B. Limits of Insurance, 1. Employee Benefit Liability Coverage of this endorsement is the most we will pay for all damages sustained by any one "employee", including damages sustained by such "employee's" dependents and beneficiaries, as a result of:
 - (a) An act, error or omission; or
 - (b) A series of related acts, errors or omissions, regardless of the amount of time that lapses between such acts, errors or omissions.

negligently committed in the "administration" of your "employee benefit program".

However, the amount paid under this endorsement shall not exceed, and will be subject to the limits and restrictions that apply to the payment of benefits in any plan included in the "employee benefit program".

(4) Deductible Amount

(a) Our obligation to pay damages on behalf of the insured applies only to the amount of damages in excess of the deductible amount stated in the Declarations as applicable to Each Employee. The limits of insurance shall not be reduced by the amount of this deductible.

- (b) The deductible amount stated in the Declarations applies to all damages sustained by any one "employee", including such "employee's" dependents and beneficiaries, because of all acts, errors or omissions to which this insurance applies.
- (c) The terms of this insurance, including those with respect to:
 - Our right and duty to defend the insured against any "suits" seeking those damages; and
 - Your duties, and the duties of any other involved insured, in the event of an act, error or omission, or claim,

apply irrespective of the application of the deductible amount.

(d) We may pay any part or all of the deductible amount to effect settlement of any claim or "suit" and, upon notification of the action taken, you shall promptly reimburse us for such part of the deductible amount as we have paid.

d. Additional Conditions

As respects Employee Benefit Liability Coverage, SECTION IV - COMMERCIAL GENERAL LIABILITY CONDITIONS is amended as follows:

- (1) Item 2. Duties in the Event of Occurrence, Offense, Claim or Suit is deleted in its entirety and replaced by the following:
- 2. Duties in the Event of an Act, Error or Omission, or Claim or Suit
 - You must see to it that we are notified as soon as practicable of an act, error or omission which may result in a claim. To the extent possible, notice should include:
 - (1) What the act, error or omission was and when it occurred; and
 - (2) The names and addresses of anyone who may suffer damages as a result of the act, error or omission.

- b. If a claim is made or "suit" is brought against any insured, you must:
 - (1) immediately record the specifics of the claim or "suit" and the date received; and
 - (2) Notify us as soon as practicable.

You must see to it that we receive written notice of the claim or "suit" as soon as practicable.

- You and any other involved insured
 - (1) Immediately send us copies of any demands, notices, summonses or legal papers received in connection with the claim or "suit":
 - (2) Authorize us to obtain records and other information;
 - (3) Cooperate with us in the investigation or settlement of the claim or defense against the "suit"; and
 - (4) Assist us, upon our request, in the enforcement of any right against any person or organization which may be liable to the insured because of an act, error or omission to which this insurance may also apply.
- No insured will, except at that insured's own cost, voluntarily make a payment, assume any obligation, or incur any expense without our con-
- (2) Item 5. Other Insurance is deleted in its entirety and replaced by the following:

5. Other Insurance

If other valid and collectible insurance is available to the insured for a loss we cover under this Coverage Part, our obligations are limited as follows:

a. Primary Insurance

This insurance is primary except when c. below applies. If this insurance is primary, our obligations are not affected unless any of the other insurance is also primary. Then, we will share with all that other insurance by the method described in b. below.

b. Method of Sharing

If all of the other insurance permits contribution by equal shares, we will follow this method also. Under this approach each insurer contributes equal amounts until it has paid its applicable limit of insurance or none of the loss remains. whichever comes first.

if any of the other insurance does not permit contribution by equal shares, we will contribute by limits. Under this method, each insurer's share is based on the ratio of its applicable limit of in-surance to the total applicable limits of insurance of all insurers.

No Coverage

This insurance shall not cover any loss for which the insured is entitled to recovery under any other insur-ance in force previous to the effective date of this Coverage Part.

e. Additional Definitions

and the state of t

The state of the s

Andrewski Regionalis Regionalist (* 1980) Regionalist (* 1980)

er gran, the said

enderstein der State enderstein der State

1000 - 100 - 80 100 - 504 80 Y

Electric of the transfer

The second secon

As respects Employee Benefit Liability Coverage, SECTION V - DEFINITIONS is amended as follows:

- (1) The following definitions are added:
 - 1. "Administration" means:
 - a. Providing information to "employees", including their dependents and beneficiaries, with respect to eligibility for or scope of employee benefit programs";
 - b. Interpreting the "employee benefit programs";
 - c. Handling records in connection with the employee benefit programs"; or
 - d. Effecting, continuing or terminating any "em-ployee's" participation

of the hands of the second

A CARLON CARLON

in any benefit included in the "employee benefit program".

However, "administration" does not include:

- a. Handling payroll deductions; or
- b. The failure to effect or maintain any insurance or adequate limits of coverage of insurance, including but not limited to unemployment insurance, social security benefits, workers' compensation and disability benefits.
- "Cafeteria plans" means plan authorized by applicable law to allow "employees" to elect to pay for certain benefits with pre-tax dollars.
- "Employee benefit programs" means a program providing some or all of the following benefits to "employees", whether provided through a "cafeteria plan" or otherwise:
 - a. Group life insurance; group accident or health insurance; dental, vision and hearing plans; and flexible spending accounts; provided that no one other than an "employee" may subscribe to such benefits and such benefits are made generally available to those "employees" who satisfy the plan's eligibility requirements;
 - b. Profit sharing plans, employee savings plans, employee stock ownership plans, pension plans and stock subscription plans, provided that no one other than an "employee" may subscribe to such benefits and such benefits are made generally available to all "employees" who are eligible under the plan for such benefits:
 - c. Unemployment insurance, social security

- benefits, workers' compensation and disability benefits; and
- d. Vacation plans, including buy and sell programs; leave of absence programs, including military, maternity, family, and civil leave; tuition assistance plans; transportation and health club subsidies.
- (2) The following definitions are deleted in their entirety and replaced by the following:
 - 21. "Suit" means a civil proceeding in which money damages because of an act, error or omission to which this insurance applies are alleged. "Suit" includes:
 - a. An arbitration proceeding in which such damages are claimed and to which the insured must submit or does submit with our consent;
 - b. Any other alternative dispute resolution proceeding in which such damages are claimed and to which the insured submits with our consent; or
 - An appeal of a civil proceeding.
 - 8. "Employee" means a person actively employed, formerly employed, on leave of absence or disabled, or retired. "Employee" includes a "leased worker". "Employee" does not include a "temporary worker".
- 2. Unintentional Failure to Disclose Hazards

SECTION IV - COMMERCIAL GENERAL LIABILITY CONDITIONS, 7. Representations is hereby amended by the addition of the following:

Based on our dependence upon your representations as to existing hazards, if unintentionally you should fail to disclose all such hazards at the inception date of your policy, we will not reject coverage under this Coverage Part based solely on such failure.

- 3. Damage to Premises Rented to You
 - a. The last Subparagraph of Paragraph 2. SECTION I - COVERAGES, COVERAGE A. - BODILY INJURY AND PROPERTY DAMAGE, 2. LI-ABILITY Exclusions is hereby deleted and replaced by the following:

Exclusions c. through q. do not apply to damage by fire, explosion, lightning, smoke or soot to premises while rented to you or temporarily occupied by you with permission of the owner.

- b. The insurance provided under SECTION I COVERAGES, COVERAGE A. BODILY INJURY AND PROPERTY DAMAGE LIABILITY applies to "property damage" arising out of water damage to premises that are both rented to and occupied by you.
 - (1) As respects Water Damage Legal Liability, as provided in Paragraph 3.b. above:

The exclusions under SECTION I - COVERAGES, COVERAGE A. BODILY INJURY AND PROPERTY DAMAGE LIABILITY, 2. Exclusions, other than i. War and the Nuclear Energy Liability Exclusion, are deleted and the following are added:

This insurance does not apply to:

- (a) "Property damage":
 - Assumed in any contract; or
 - 2) Loss caused by or resulting from any of the following:
 - a) Wear and tear:
 - b) Rust, corrosion, fungus, decay, deterioration, hidden or latent defect or any quality in property that causes it to damage or destroy itself;
 - c) Smog:
 - d) Mechanical breakdown including rupture or bursting caused by centrifugal force:

- Settling, cracking, shrinking or expansion; or
- f) Nesting or infestation, or discharge or release of waste products or secretions, by insects, birds, rodents or other animals.
- (b) Loss caused directly or indirectly by any of the following:
 - Earthquake, volcanic eruption, landslide or any other earth movement:
 - Water that backs up or overflows from a sewer, drain or sump;
 - 3) Water under the ground surface pressing on, or flowing or seeping through:

- a) Foundations, walls, floors or paved surfaces;
- b) Basements, whether paved or not; or
- Doors, windows or other openings.
- (c) Loss caused by or resulting from water that leaks or flows from plumbing, heating, air conditioning, or fire protection systems caused by or resulting from freezing, unless:
 - You did your best to maintain heat in the building or structure; or
 - You drained the equipment and shut off the water supply if the heat was not maintained.
- (d) Loss to or damage to:
 - Plumbing, heating, air conditioning, fire protection systems, or other equipment or appliances; or
 - The interior of any building or structure, or to personal property in the building or structure

Martin Communication (Communication Communication Communic

caused by or resulting from rain, snow, sleet or ice, whether driven by wind or not.

c. Limit of Insurance

The Damage to Premises Rented to You Limit as shown in the Declarations is amended as follows:

- (2) Paragraph 6. of SECTION III -LIMITS OF INSURANCE is hereby deleted and replaced by the following:
 - Subject to 5. above, the Damage to Premises Rented to You Limit is the most we will pay under COVERAGE A. BODILY INJURY AND PROPERTY DAMAGE LIABILITY, for damages because of property damage" to premises while rented to you or temporarily occupied by you with permission of the owner, arising out of any one "occurrence" to which this insurance apolies.
- (3) The amount we will pay is limited as described in Section B. Limits of Insurance, 3. Damage to Premises Rented to You of this endorsement.

4. Supplementary Payments

Under SECTION I - COVERAGE, SUP-PLEMENTARY PAYMENTS - COVER-AGES A AND B:

a. Paragraph 2. is replaced by the following:

Up to the limit shown in Section B. Limits of Insurance, 4.a. Bail Bonds of this endorsement for cost of bail bonds required because of accidents or traffic law violations arising out of the use of any vehicle to which the Bodily Injury Liability Coverage applies. We do not have to furnish these bonds.

b. Paragraph 4. is replaced by the following:

All reasonable expenses incurred by the insured at our request to assist us in the investigation or defense of the claim or "suit", including actual loss of earnings up to the limit shown in Section B. Limits of Insurance, 4.b. Loss of Earnings of this endorsement per day because of time off from work.

5. Medical Payments

The Medical Expense Limit of Any One Person as stated in the Declarations is amended to the limit shown in Section B. Limits of Insurance, 5. Medical Payments of this endorsement.

- 6. Voluntary Property Damage and Care, Custody or Control Liability Coverage
 - a. Voluntary Property Damage Coverage

We will pay for "property damage" to property of others arising out of operations incidental to the insured's business when:

- Damage is caused by the insured; or
- (2) Damage occurs while in the insured's possession.

With your consent, we will make these payments regardless of fault.

b. Care, Custody or Control Liability Coverage

SECTION I - COVERAGES, COVERAGE A. BODILY INJURY AND PROPERTY DAMAGE LIABILITY, 2. Exclusions, j. Damage to Property, Subparagraphs (3), (4) and (5) do not apply to "property damage" to the property of others described therein.

With respect to the insurance provided by this section of the endorsement, the following additional provisions apply:

- The Limits of Insurance shown in the Declarations are replaced by the limits designated in Section B. Limits of Insurance, 6. Voluntary Property Damage and Care, Custody or Control Liability Coverage of this endorsement with respect to coverage provided by this endorsement. These limits are inclusive of and not in addition to the limits being re-placed. The Limits of Insurance shown in Section B. Limits of Insurance, 6. Voluntary Property Damage and Care, Custody or Control Liability Coverage of this endorsement fix the most we will pay in any one "occurrence" regardless of the number of:
 - (1) Insureds;
 - (2) Claims made or "suits" brought; or
 - (3) Persons or organizations making claims or bringing "suits".

b. Deductible Clause

- (1) Our obligation to pay damages on your behalf applies only to the amount of damages for each "occurrence" which are in excess of the deductible amount stated in Section B. Limits of Insurance, 6. Voluntary Property Damage and Care, Custody or Control Liability Coverage of this endorsement. The limits of insurance will not be reduced by the application of such deductible amount.
- (2) Condition 2. Duties in the Event of Occurrence, Offense, Claim or Suit, applies to each claim or "suit" irrespective of the amount.
- (3) We may pay any part or all of the deductible amount to effect settlement of any claim or "suit" and, upon notification of the action taken, you shall promptly reimburse us for such part of the deductible amount as has been paid by us.
- 7. 180 Day Coverage for Newly Formed or Acquired Organizations

SECTION II - WHO IS AN INSURED is amended as follows:

Subparagraph a. of Paragraph 4. is hereby deleted and replaced by the following:

a. Insurance under this provision is afforded only until the 180th day after you acquire or form the organization or the end of the policy period, whichever is earlier;

8. Waiver of Subrogation

SECTION IV - COMMERCIAL GENERAL LIABILITY CONDITIONS, 9. Transfer of Rights of Recovery Against Others to Us is hereby amended by the addition of the following:

We waive any right of recovery we may have because of payments we make for injury or damage arising out of your ongoing operations or "your work" done under a written contract requiring such waiver with that person or organization and included in the "products-completed operations hazard". However, our rights may only be waived prior to the "occurrence" giving rise to the injury or damage for which we make payment under this Coverage Part. The insured must do nothing after a loss to impair our rights. At our request, the insured will bring "suit" or transfer those rights to us and help us enforce those rights.

- 9. Automatic Additional Insured Specified Relationships
 - The following is hereby added to SECTION 1I - WHO IS AN INSURED:
 - (1) Any person or organization described in Paragraph 9.a.(2) below (hereinafter referred to as additional insured) whom you are required to add as an additional insured under this Coverage Part by reason of:
 - (a) A written contract or agreement; or
 - (b) An oral agreement or contract where a certificate of insurance showing that person or organization as an additional insured has been issued.

is an insured, provided:

10.00

- (a) The written or oral contract or agreement is:
 - Currently in effect or becomes effective during the policy period; and
 - Executed prior to an "occurrence" or offense to which this insurance would apply; and
- (b) They are not specifically named as an additional insured under any other provision of, or endorsement added to, this Coverage Part.
- (2) Only the following persons or organizations are additional insureds under this endorsement, and insurance coverage provided to such additional insureds is limited as provided herein:
- (a) The manager or lessor of a premises leased to you with whom you have agreed per Paragraph 9.a.(1) above to provide insurance, but only with respect to liability arising out of the ownership, maintenance or use of that part of a premises leased to you, subject to the following additional exclusions:

This insurance does not apply to:

Any "occurrence" which takes place after

- you cease to be a tenant in that premises.
- Structural alterations, new construction or demolition operations performed by or on behalf of such additional insured.
- (b) Any person or organization from which you lease equipment with whom you have agreed per Paragraph 9.a.(1) above to provide insurance. Such person(s) or organization(s) are insureds solely with respect to their liability arising out of the maintenance, operation or use by you of equipment leased to you by such person(s) or organizations(s). However, this insurance does not apply to any "occurrence" which takes place after the equipment lease expires.
- (c) Any person or organization (referred to below as vendor) with whom you have agreed per Paragraph 9.a.(1) above to provide insurance, but only with respect to "bodily injury" or "property damage" arising out of "your products" which are distributed or sold in the regular course of the vendor's business, subject to the following additional exclusions:
 - The insurance afforded the vendor does not apply to:
 - "Bodily injury" or "property damage" for which the vendor is obligated to pay damages by reason of the assumption of liability in a contract or agreement. This exclusion does not apply to liability for damages that the vendor would have in the absence of the contract or agreement;
 - Any express warranty unauthorized by you;

- c) Any physical or chemical change in the product made intentionally by the vendor;
- d) Repackaging, unless unpacked
 solely for the purpose of inspection,
 demonstration,
 testing, or the
 substitution of
 parts under instructions from the
 manufacturer, and
 then repackaged
 in the original
 container;
- Any failure make such inspections, adjustments, tests or servicing as the vendor has agreed to make or normally undertakes to make in the usual course of business, in connection with the distribution or sale of the products;
- f) Demonstration, installation, servicing or repair operations, except such operations performed at the vendor's premises in connection with the sale of the product;
- g) Products which, after distribution or sale by you, have been labeled or relabeled or used as a container, part or ingredient of any other thing or substance by or for the vendor.
- This insurance does not apply to any insured person or organization:
 - a) From whom you have acquired such products, or any ingredient, part or container, entering into, ac-

- companying or containing such products; or
- b) When liability included within the "productscompleted operations hazard" has been excluded under this Coverage Part with respect to such products.
- (d) Any state or political subdivision with which you have agreed per Paragraph 9.a.(1) above to provide insurance, subject to the following additional provision:

This insurance applies only with respect to the following hazards for which the state or political subdivision has issued a permit in connection with premises you own, rent or control and to which this insurance applies:

- The existence, maintenance, repair, construction, erection, or removal of advertising signs, awnings, canopies, cellar entrances, coal holes, driveways, manholes, marquees, hoist away openings, sidewalk vaults, street banners, or decorations and similar exposures; or
- The construction, erection, or removal of elevators; or
- The ownership, maintenance, or use of any elevators covered by this insurance.
- (e) Any state or political subdivision with which you have agreed per Paragraph 9.a.(1) above to provide insurance, subject to the following provisions:
 - This insurance applies only with respect to operations performed by you or on your behalf for which the state or political subdivision has issued a permit.

- 2) This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of operations performed for the state or political subdivision.
- (f) Any person or organization with which you have agreed per Parágraph 9.a.(1) above to provide insurance, but only with respect to li-ability arising out of "your work" performed for that additional insured by you or on your behalf. A person or organization's status as an insured under this provision of this endorsement continues for only the period of time required by the written The second secon contract or agreement, but in no event beyond the expiration date of this Coverage Part. If there is no written contract or agreement, or if no period of time is required by the written contract or agreement, a person or organization's status as an insured under this endorsement ends when your operations for that insured are completed.
 - (3) Any insurance provided to an additional insured designated under Paragraph 9.a.(2):
 - (a) Subparagraphs (e) and (f) does not apply to "bodily injury" or "property damage" included within the "products-completed operations hazard";
 - (b) Subparagraphs (a), (b), (d), (e) and (f) does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the sole negligence or willful misconduct of the additional insured or their agents, "employees" or any other representative of the additional insured; or
 - (c) Subparagraph (f) does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of:
 - Defects in design furnished by or on behalf

A 60 y The Control of Control The Control of Control Control of Control

ing the second s

a sabarb

The Contract of the Contract o

- of the additional insured; or
- The rendering of, or failure to render, any professional architectural, engineering or surveying services, including:
 - The preparing, approving or failing to prepare or approve maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; and
 - Supervisory, inspection, architectural or engineering activities.
- 3) "Your work" for which a consolidated (wrap-up) insurance program has been provided by the primecontractor-project manager or owner of the construction project in which you are involved.
- b. Only with regard to insurance provided to an additional insured designated under Paragraph 9.a.(2) Subparagraph (f) above, SECTION III LIMITS OF INSURANCE is amended to include:

The limits applicable to the additional insured are those specified in the written contract or agreement or in the Declarations of this Coverage Part, whichever are less. If no limits are specified in the written contract or agreement, or if there is no written contract or agreement, the limits applicable to the additional insured are those specified in the Declarations of this Coverage Part. The limits of insurance are inclusive of and not in addition to the limits of insurance shown in the Declarations.

- c. SECTION IV COMMERCIAL GEN-ERAL LIABILITY CONDITIONS is hereby amended as follows:
 - Condition 5. Other Insurance is amended to include:
 - (a) Where required by a written contract or agreement, this insurance is primary and / or noncontributory as re-

- spects any other insurance policy issued to the additional insured, and such other insurance policy shall be excess and / or noncontributing, whichever applies, with this insurance.
- (b) Any insurance provided by this endorsement shall be primary to other insurance available to the additional insured except:
 - 1) As otherwise provided in SECTION IV COMMERCIAL GENERAL LIABILITY CONDITIONS, 5. Other Insurance, b. Excess Insurance; or
 - 2) For any other valid and collectible insurance available to the additional insured as an additional insured by attachment of an endorsement to another insurance policy that is written on an excess basis. In such case, the coverage provided under this endorsement shall also be excess.
- (2) Condition 11. Conformance to Specific Written Contract or Agreement is hereby added:
 - 11. Conformance to Specific Written Contract or Agreement

With respect to additional insureds described in Paragraph 9.a.(2)(f) above only:

- If a written contract or agreement between you and the additional insured specifies that coverage for the additional insured:
- Be provided by the Insurance Services Office additional insured form number CG 20 10 or CG 20 37 (where edition specified); or
- Include coverage for completed operations; or
- c. Include coverage for "your work";

and where the limits or coverage provided to the addi-

tional insured is more restrictive than was specifically required in that written contract or agreement, the terms of Paragraphs 9.a.(3)(a), 9.a.(3)(b) or 9.b. above, or any combination thereof, shall be interpreted as providing the limits or coverage required by the terms of the written contract or agreement, but only to the extent that such limits or coverage is included within the terms of the Coverage Part to which this endorsement is attached. If, however, the written contract or agreement specifies the Insurance Services Office additional insured form number CG 20 10 but does not specify which edition, or specifies an edition that does not exist, Paragraphs 9.a.(3)(a) and 9.a.(3)(b) of this endorsement shall not apply and Paragraph 9.b. of this endorsement shall apply.

10. Broadened Contractual Liability - Work Within 50' of Railroad Property

It is hereby agreed that Paragraph f.(1) of Definition 12. "Insured contract" (SECTION V - DEFINITIONS) is deleted.

11. Property Damage to Borrowed Equipment

a. The following is hereby added to Exclusion j. Damage to Property of Paragraph 2., Exclusions of SECTION I - COVERAGES, COVERAGE A. BODILY INJURY AND PROPERTY DAMAGE LIABILITY:

Paragraphs (3) and (4) of this exclusion do not apply to tools or equipment loaned to you, provided they are not being used to perform operations at the time of loss.

- b. With respect to the insurance provided by this section of the endorsement, the following additional provisions apply:
 - (1) The Limits of insurance shown in the Declarations are replaced by the limits designated in Section B. Limits of Insurance, 11. of this endorsement with respect to coverage provided by this endorsement. These limits are inclusive of and not in addition to the limits being replaced. The Limits of Insurance shown in Section B. Limits of Insurance,

11. of this endorsement fix the most we will pay in any one "occurrence" regardless of the number of:

- (a) Insureds;
- (b) Claims made or "suits" brought; or
- (c) Persons or organizations making claims or bring "suits".

(2) Deductible Clause

- (a) Our obligation to pay damages on your behalf applies only to the amount of damages for each "occurrence" which are in excess of the Deductible amount stated in Section B. Limits of Insurance, 11. of this endorsement. The limits of insurance will not be reduced by the application of such Deductible amount.
- (b) Condition 2. Duties in the Event of Occurrence, Offense, Claim or Suit, applies to each claim or "suit" irrespective of the amount.
- (c) We may pay any part or all of the deductible amount to effect settlement of any claim or "suit" and, upon notification of the action taken, you shall promptly reimburse us for such part of the deductible amount as has been paid by us.

12. Employees as Insureds - Specified Health Care Services

It is hereby agreed that Paragraph 2.a.(1)(d) of SECTION II - WHO IS AN INSURED, does not apply to your "employees" who provide professional health care services on your behalf as duly licensed:

- a. Nurses:
- b. Emergency Medical Technicians, or
- c. Paramedics.

in the jurisdiction where an "occurrence" or offense to which this insurance applies takes place.

13. Broadened Notice of Occurrence

Paragraph a. of Condition 2. Duties in the Event of Occurrence, Offense, Claim or Sult (SECTION IV - COMMER-CIAL GENERAL LIABILITY CONDI- TIONS) is hereby deleted and replaced by the following:

- a. You must see to it that we are notified as soon as practicable of an "occurrence" or an offense which may result in a claim. To the extent possible, notice should include:
 - (1) How, when and where the "occurrence" or offense took place;

- (2) The names and addresses of any injured persons and witnesses; and
- (3) The nature and location of any injury or damage arising out of the "occurrence" or offense.

This requirement applies only when the "occurrence" or offense is known to an "authorized representative".

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED BY CONTRACT

This endorsement modifies insurance provided under the following:

BUSINESS AUTO COVERAGE FORM GARAGE COVERAGE FORM

This endorsement changes the policy effective on the inception date of the policy unless another date is indicated below.

Endorsement Effective:	Policy Number:		
01-01-2016	EBA 029 01 83		
Named Insured:			
AUDIO MARKETING SOLUTIONS DBA AMERICON CO PROPERTIES LLC	MMUNICATIONS, ODVODY		
Countersigned by:			

(Authorized Representative)

With respect to coverage provided by this endorsement, the provisions of the Coverage Form apply unless modified by the endorsement.

SECTION II - LIABILITY COVERAGE, A. Coverage, I. Who is an Insured is amended to include as an insured any person or organization with which you have agreed in a valid written contract to provide insurance as is afforded by this policy.

This provision is limited to the scope of the valid written contract.

This provision does not apply unless the valid written contract has been executed prior to the "bodily injury" or "property damage".



Workers Compensation and Employers Liability Insurance Policy

Policy Number	Policy I From	Period To
WCV 6121226	01/01/2017 12:01 A.M. Standard Time	01/01/2018 at the described location

Transaction

INFORMATION PAGE

RENEWAL OF POLICY WCV 6121226				
Named Insured and Address	Agent			
AUDIO MARKETING SOLUTIONS INC PO BOX 84546 LINCOLN NE 68501	UNICO GROUP INC. 1128 LINCOLN MALL SUITE 200 LINCOLN NE 68508			
	Telephone: 402-434-7200 9017	348		

Other Workplaces Not Shown Above: See schedule attached

Extended Named Insured: Absence of an entry means no exception

Interstate ID: Intrastate ID:

FEIN# Insured Is: CORPORATION 201429178 Bureau/Risk ID: 260076116 NCCI#: 16729

ITEM 2. POLICY PERIOD is from 12:01 A.M., 01/01/2017 to 12:01 A.M., 01/01/2018 Standard Time at the insured's mailing address.

ITEM 3. COVERAGE

Unemployment Id Number:

- A. Workers Compensation Insurance: Part One of the policy applies to the Workers Compensation Law of the states listed here: NE
- B. Employers Liability Insurance: Part TWO of the policy applies to work in each state listed in Item 3A. The limits of our liability under Part TWO are:

Bodily Injury by Accident each accident 1,000,000 Bodily Injury by Disease \$ 1,000,000 policy limit Bodily Injury by Disease \$ 1,000,000 each employee

- C. Other States Insurance: Part Three of the policy applies to the states, if any, listed here: All states and U.S. territories except monopolistic states, Puerto Rico, the U.S. Virgin Islands, and states designated in Item 3. A. of the Information Page.
- D. This policy includes these endorsements and schedules:

• •							
DISCLOSR	(9/10)	WC000000C	(1/15)	WC000308	(4/84)	WC000313	(4/84)
WC000403	(4/84)	WC000414	(7/90)	WC000419	(1/01)	WC000421D	(1/15)
WC000422B	(1/15)	WC260601C	(7/96)	WC990650	(1/10)		

ITEM 4. PREMIUM

OCT 20 2016

The premium for this policy will be determined by our Manuals of Rules, Classifications, Rates, and Rating Plans. All information required below is subject to verification and change by audit.

CLASSIFICATIONS

SEE SCHEDULE OF CLASSIFICATIONS ON FOLLOWING PAGE(S)

INSURED COPY

WAIVER OF OUR RIGHT TO RECOVER FROM OTHERS ENDORSEMENT

We have the right to recover our payments from anyone liable for an injury covered by this policy. We will not enforce our right against the person or organization named in the Schedule. (This agreement applies only to the extent that you perform work under a written contract that requires you to obtain this agreement from us.)

This agreement shall not operate directly or indirectly to benefit anyone not named in the Schedule.

Schedule

Any person or organization that you perform work for that is liable for an injury, covered by this policy, that prior to the injury has written contract requiring a waiver of our right to recover from them.

This endorsement changes the policy to which it is attached and is effective on the date issued unless otherwise stated.

{The Information below is required only when this endorsement is issued subsequent to preparation of the policy.}

Endorsement Effective Policy No. Endorsement No.

Insured Premium \$

Insurance Company

Countersigned by_____