

Lancaster County, Nebraska REQUISITION FORM



All Fields Are Required - Do Not Exceed 1 Vendor per Requisition

영화 가지 않는 것 같이 지 않는	Email, & Phone of son requisitioning:	Ron Bohaty, <u>Rboł</u>	haty@Lancaster.ne	<u>e.gov</u> , 402-441-7775			Da	ate Prepared:	11/20/18
	Email, & Phone of act Person for PO:	Ron Bohaty, <u>Rboł</u>	haty@Lancaster.ne	<u>e.gov</u> , 402-441-7775		Date Requested:		11/20/18	
Agency & D	Delivery Address:	Lancaster County	Engineering, 444 (Cherrycreek Rd, Building B, I	Lincoln, NE 68528		Date Rev	vised (if any):	
Agency 8	Billing Address:	Lancaster County	Engineering, 444 (Cherrycreek Rd, Building B, I	Lincoln, NE 68528	For Budget Year: Contract / Bid Number:		2018/2019	
Pro	posed Vendor/s:	Sid Dillon Ford In	2.					15038 OC	
Fund #:	022	Agency #:	703	Org. #:	7032	PO Number (*Purchasing):			
OBJ CODE			DESCRIPT	<u>FION</u>		<u>QTY</u>	UNIT	UNIT PRICE	EXT. PRICE
67425	Line 1 - 1 Ton Die	esel Crew Cab 4 D	oor 4X4 Dual Rea	ar Wheel Truck, 2019 Ford	d F350				
	GVWR: 14,000 lb	, W3D, XLT, 6.7 L	engine, 44W – 6	Speed Automatic Transm	nission	2	Each	\$43,368.00	\$86,736.00
	Line 8 – Right and Left Telescopic Mirrors, Minimum 6x8"			2	Each	\$357.00	\$714.00		
	Line 18 – Knaphe	– Knapheide Dual Wheel Chassis w/8′ bed, Utility Body Model # 696D54 A – Downgrade to 8′ Steel flatbed w/skirts, drop ball, folding sides, tool boxes, wiring			2	Each	\$7,860.00	\$15,720.00	
	Line 18A – Down				<u>,;;} 2</u>	Each	-\$2,510.00	-\$5020.00	
	Line 29 – Rearvie	ew Camera	and an			2	Each	\$481.00	\$962.00
	Line 31 – Dual Al	ternators				2	Each	\$255.00	\$510.00
	Line 36 – 9' Boss	Straight Plow				2	Each	\$5,935.00	\$11,870.00
	Line 36A – Snow	Plow Prep Packag	se Cerne	5117		2	Each	\$285.00	\$570.00
	Please see State	of Nebraska cont	· · · · ·	and emails from vendor fo	or pricing				
			99999999999999999999999999999999999999					Total Price	\$112,062.00

The undersigned certifies that the above requisitioned material and/or service is included in the current appropriation:

Office / Agency / or Department Head

<u>11/20/2018</u> Date

Email a copy of the completed & signed requisition to City/County Purchasing Division. Originals are not needed.

C-18-0725

Sharon R. Mulder

From:	Ron L. Bohaty
Sent:	Tuesday, November 20, 2018 9:59 AM
То:	Sharon R. Mulder
Cc:	Christina M. Kling; Ashlee S. Wikoff; Jay D. Waegli; Leroy T. Geistlinger; Jenifer T.
	Holloway
Subject:	FW: Contract # 15038 OC for Lancaster County Engineering
Attachments:	2019 F350.pdf; 1 Ton Bridge Crew Truck w-utility bed.pdf; 1 Ton District Truck w-
	flatbed.pdf; 15038(oc)awd.pdf

Sharon,

Please see the attached requisitions for 3 trucks that Lancaster County Engineering budgeted in 2018/2019. I included the State contract and warranty documentation, as well as the pricing in this email chain.

Please add these trucks to the next board meeting for approval after Jen has reviewed and approved.

Thank You,

Ron L Bohaty Road Maintenance Superintendent Lancaster County Engineering 402-441-7775 Office 402-441-6321 Fax 402-601-9857 Cell

From: Ron Fullerton <ron.fullerton@siddillon.com>
Sent: Wednesday, November 7, 2018 4:35 PM
To: Ron L. Bohaty <RBohaty@lancaster.ne.gov>
Subject: RE: Contract # 15038 OC for Lancaster County Engineering

See Attached

Ron Fullerton

Commercial / Fleet Manager

Sid Dillon Commerical / Fleet 402-540-7578......direct

rfullerton@siddillon.com

Whether you think you can or you can't, either way you are right

From: Ron L. Bohaty [mailto:RBohaty@lancaster.ne.gov]
Sent: Tuesday, November 06, 2018 10:58 AM
To: 'ron.fullerton@siddillon.com'
Cc: Leroy T. Geistlinger; Jay D. Waegli
Subject: Contract # 15038 OC for Lancaster County Engineering

1 (One) truck with this setup

Contract 15038

Line 1 Line 8 Line 11 Line 18 Line 29 Line 31 Line 36	\$43,368.00 \$357.00 -\$600.00 \$7,860.00 \$481.00 \$255.00 \$5935.00 \$285.00	Is this 5yr/100K warranty? Mirrors No Lid on box 8' Knapheide box - #696D54 Camera Dual alternators 9' Boss straight plow Plow prep package?
6F	<u>\$285.00</u>	Plow prep package?
Total	57941.00	

2 (Two) trucks with this setup

Contract	15038	
Line 1	\$43,368.00	Is this 5yr/100K warranty?
Line 8	\$357.00	Mirrors
Line 18	\$7,860.00	8' Knapheide box - #696D54
6F	- \$3185.00	Downgrade to 8' Steel flatbed with drop ball and folding sides with tool box(s)
includes 7	wire flat rv style plug	with brake controller and 12volt power
Line 29	\$481.00	Camera
Line 31	\$255.00	Dual alternators
Line 36	\$5935.00	9' Boss straight plow
6F	<u>\$285.00</u>	Plow prep package?
Total	55356.00	
(ontional)	skirts for flatbed	Add 675 00
Tobelough	Shirts for Hutbedhillin	

The above pricing is from the attached contract with Nebraska.

QUICK REFERENCE: WARRANTY COVERAGE

This chart gives a general summary of your warranty coverage provided by Ford Motor Company under the **New Vehicle Limited Warranty**. Please refer to the description of warranty coverage for more specific information.

For each type of coverage, the chart shows two measures:

years in service
 in miles driven



The measure that occurs first determines how long your coverage lasts. For example: Your Bumper to Bumper Coverage lasts for three years - unless you drive more than 36,000 miles before three years clapse. In that case, your coverage ends at 36,000 miles.

For more details on coverage, see:

What is Covered? (pages 8-12)

✤ What is Not Covered? (pages 12-15)

WHAT IS COVERED?

Your NEW VEHICLE LIMITED WARRANTY gives you specific legal rights. You may have other rights that vary from state to state. Under your New Vehicle Limited Warranty if:

- your Ford vehicle is properly operated and maintained, and


8

5. Federal requirements for emissions warranties

QUICK REFERENCE: EMISSIONS WARRANTY COVERAGE

This chart shows your warranty coverage under two emissions warrantles that Ford Motor Company provides, in compliance with Federal requirements. The warranties are:

- Emissions Defects Warranty
- Emissions Performance Warranty



Applies to vehicles up to 8,500 pounds gráss vehicle welcht rating (GVWR)
 Applies to trucks over 8,500 pounds gróss vehicle weight rating (GWWR) up to 19,500 pounds gróss vehicle veight rating (GWWR). Vocational vehicle tires covered for 2/24,000 (or defects that affect compliance with greenhouse gas tequirements.

For full details on emissions control coverage, see:

- ✤ Emissions Defect Warranty (page 18)
- Emissions Performance Warranty (page 19)
- ✤ What is Covered? (pages 20-21)
- ✤ What is Not Covered? (page 21)

17

PAGE	ORDER DATE
1 of 6	10/10/18
BUSINESS UNIT 9000	BUYER JULIE SCHILTZ (AS)
VENDOR NUMBER: 2131702	
VENDOR ADDRESS:	
SID DILLON FORD INC 305 S 2ND ST PO BOX 572 CERESCO NE 68017-0572	

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

CONTRACT NUMBER 15038 OC Primary Award

AN AWARD HAS BEEN MADE TO THE CONTRACTOR NAMED ABOVE FOR THE FURNISHING OF MATERIALS AND/OR SERVICES AS LISTED BELOW FOR THE PERIOD:

OCTOBER 20, 2018 THROUGH OCTOBER 19, 2019

NO ACTION ON THE PART OF THE CONTRACTOR NEEDS TO BE TAKEN AT THIS TIME. ORDERS FOR THE MATERIALS AND/OR SERVICES WILL BE MADE AS NEEDED BY THE VARIOUS AGENCIES OF THE STATE.

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE MATERIALS AND/OR SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR MATERIALS AND/OR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE CONTRACTOR AND THE STATE OF NEBRASKA.

Original/Bid Document 5891 OF

Contract to supply and deliver 2019 or Current Production Year 1 to Crew Cab 4x4 Diesel Trucks as per the attached specifications, for the contract period October 20, 2018 through October 19, 2019. The contract may be renewed for one (1) additional one (1) year period when mutually agreeable to the vendor and the State of Nebraska.

See attached Master Agreement Terms and Conditions page for approximate units to be purchased. The Unit Price is equal to the Base Price for items before the Option Bid List.

Make/Model: FORD F350

IMPORTANT NOTE: Purchase Orders must have a paint line selected providing Exterior Color, Interior Color, and Seat Color. The colors and color codes are provided on a color chart attached to the contract.

Vendor Contact: Ron Fullerton Phone: 402-540-7578 E-Mail: Ron.Fullerton@SidDillon.com

(vc 10/10/18)

Line	Description	Estimated Quantity	Unit of Measure	Unit Price
1	1 TON DIESEL CREW CAB 4 DOOR	20.0000	EA	43,368.0000
	4X4 DUAL REAR WHEELS TRUCK			

2019 Or Current Production Year 1 TON DIESEL CREW CAB 4 DOOR 4X4 DUAL REAR WHEELS TRUCK

Minimum Wheelbase: 156" Minimum Engine Size: 5.9L Diesel Minimum Rear Seat Leg Room: 38.5" Minimum Tire Size: 16" Goodyear Wrangler MT/R or equivalent off road tires

10 17.18 1 MATERIEL ADMINISTRATOR R43500|NISC0001|NISC0001 20150901

STA	TE OF NEBRAS	A CONTRACT AWAF	RD	1526 K Sti	hasing Bureau reet, Suite 130 ebraska 68508
	PAGE	ORDER DATE		Telephone	e: (402) 471-6500
	2 of 6 BUSINESS UNIT	10/10/18 BUYER		Fax: (402)	471-2089
	9000	JULIE SCHILTZ (AS):	CONTRA(15038 C	
ENDOR	R NUMBER: 2131702				
Lhan	Deperintien		Estimated Quantity	Unit of Measure	Unit Price
Line	Description Minimum GVWR: 9,900		Quantity	meusure	1.100
	Make: FORD Model: F350 GVWR: 14,000 Series, Code, Trim Level: CREW Engine: 6.7L Transmission No. / Gear Ratio No EPA: NA Delivery time after receipt of order MSRP as bid: \$58,640 The original manufacturer's stater warranty policy shall accompany of	: 44W - 6 SPEED AUTO (number/days): 40-180 nent of origin, a service authori	ization card and	a properly exec	cuted service and
2	E85 1 TON CREW CAB 4 DOOR		20.0000	EA	35,430.000
	4X4 DUAL REAR WHEELS TRU 2019 Or Current Production Year				TRUCK
	E85 (Units capable of operating of change or conversion.) Engine: 6.2L Transmission No. / Gear Ratio No Make: FORD Model: F350 GVWR: 14,000 Series, Code, Trim Level: CREW EPA: NA Delivery time after receipt of orde MSRP as bid: \$49,420 The original manufacturer's stated warranty policy shall accompany	:: 44P - 6 SPPED AUTO CAB - W3D - XLT (number/days): 40-180 nent of origin, a service author	Annual Annua Annual Annual Annua Annual Annual Annu		· · · · · · · · · · · · · · · · · · ·
	OPTIONS				
			20,0000	EA	-7,243.000
3	ENGINE OTHER GAS ALTERNATE ENGINE SIZE (DEDUCT FROM LINE 1)				
3	ALTERNATE ENGINE SIZE				
3 4	ALTERNATE ENGINE SIZE (DEDUCT FROM LINE 1)		20.0000	EA	8,593.000



Lincoln, Nebraska 68508 ORDER DATE Telephone: (402) 471-6500 PAGE Fax: (402) 471-2089 10/10/18 3 of 6 **BUSINESS UNIT** BUYER CONTRACT NUMBER 9000 JULIE SCHILTZ (AS) 15038 OC VENDOR NUMBER: 2131702 Unit Estimated Unit of Measure Price Quantity Line Description FACTORY OR DEALER INSTALLED. ALTERNATE ENGINE SIZE. ADD TO LINE 2 IF DEALER INSTALLED, SUPPLY MANUFACTURER: Model: FORD Warranty: SAME AS LINE #1 Specify Engine Size: 6.7L EA 1.600.0000 20.0000 5 FOG LIGHTS 1,600.0000 20.0000 EA 40-20-40 OR 60-40 6 WITH DRIVER 6 WAY POWER CONTROLLED SEAT, IF AVAILABLE FROM MANUFACTURER SPECIFY BENCH SEAT: 40-20-40 EA 969.0000 20.0000 7 CLOTH W/VINYL TRIM BUCKET TYPE SEATS 357.0000 20.0000 EA 8 **RIGHT AND LEFT TELESCOPIC MIRRORS MINIMUM 6X8** 285.0000 HEAVY DUTY ALTERNATOR 20.0000 EA 9 OPTIONAL, MINIMUM **105 AMP ALTERNATOR** SPECIFY AMPS: 240 GAS ENGINE ONLY 572.0000 EA 10 SLIDING REAR VISION WINDOW 20.0000 -600.0000 20,0000 ΕA 11 KNAPHEIDE NO LID ON UTILITY BODY (DEDUCT) 20,0000 EA -1,165.0000 WARNER NO LID ON 12 UTILITY BODY (DEDUCT) 190.0000 ΕA 20.0000 13 CARPETED FLOOR EA -700.0000 20.0000 14 SHORT PICKUP BOX LENGTH SRW ONLY (DEDUCT)



State Purchasing Bureau 1526 K Street, Suite 130

SPECIFY WHEELBASE: 160

PAGE 4 of 6 BUSINESS UNIT

9000

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

CONTRACT NUMBER 15038 OC

UYER INITIALS R43500|NISC0001|NISC0001 20150901

VENDOR NUMBER: 2131702			15038 OC	
Line	Description SPECIFY DIMENSIONS OF BOX BID (IN INCHES): LENGTH WIDTH BETWEEN WHEEL WELLS: 81.9 X 66.9 X 50.5	Estimated Quantity H, WIDTH AND	Unit of Measure	Unit Price
15	SINGLE REAR WHEELS (DEDUCT)	20.0000) EA	-589.0000
	GVWR (NOTE: FIVE WHEELS AND TIRES WILL BE REQUI DEFINED IN THE SPECIFICATIONS)	RED MEETING S	SAME REQUIRE	MENTS AS
16	WARNER SINGLE WHEEL CHASSIS WITH EIGHT FOOT UTILITY BODY (SEE ATTACHMENT) COLOR OF UTILITY E CHARTS.	20.0000 30DY TO MATCł		10,990.0000 ER COLOR
	SPECIFY MAKE AND MODEL: WARNER - W\$298M\$MU			
17	KNAPHEIDE SINGLE WHEEL CHASSIS WITH EIGHT FOOT	20.000		6,909.0000
	UTILITY BODY (SEE ATTACHMENT) COLOR OF UTILITY E CHARTS.	BODY TO MATCI	H MANUFACTUR	ER COLOR
	SPECIFY MAKE AND MODEL: KNAPHEIDE 696			
18	KNAPHEIDE DUAL WHEEL CHASSIS WITH EIGHT FOOT UTILITY BODY (SEE ATTACHMENT) COLOR OF UTILITY E CHARTS. SPECIFY MAKE AND MODEL: KNAPHEIDE - 696D54	20.000 BODY TO MATCI		7,860.0000 RER COLOR
19	WARNER DUAL WHEEL CHASSIS	20.000	0 EA	12,267.0000
10	WITH EIGHT FOOT UTILITY BODY (SEE ATTACHMENT) COLOR OF UTILITY E CHARTS.			
	SPECIFY MAKE AND MODEL: WARNER - R\$98MDWU			
20	SINGLE WHEEL CHASSIS CAB WITH NO UTILITY BOX 60" CA	20.000	0 EA	43,710.0000
21	DUAL WHEEL CHASSIS CAB WITH NO UTILITY BOX 60" CA	20.000	0 EA	44,698.0000
22	HD RUBBERIZED SPRAY	20.000	0 EA	475.0000

ORDER DATE 10/10/18

BUYER

JULIE SCHILTZ (AS)

PAGE ORDER DATE 5 of 6 10/10/18 BUSINESS UNIT BUYER 9000 JULIE SCHILTZ (AS) VENDOR NUMBER: 2131702 State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

ŧ

CONTRACT NUMBER 15038 OC

Line	Description IN PICKUP BED LINER (LINEX, RHINO OR EQUIVALENT)	Estimated Quantity	Unit of Measure	Unit Price
	SPECIFY MANUFACTURER: RHINO	00.0000	E A	600,0000
23	HD RUBBERIZED SPRAY IN UTILITY BODY BED LINER (LINEX, RHINO OR EQUIVALENT)	20.0000	EA	600.0000
	SPECIFY MANUFACTURER: RHINO			
24	STANDARD PAINT ATTACH LIST AND IDENTIFY AS NO ADDITIONAL COST PAINTS	20.0000	EA	0.0000
25	FOR DEPART OF TRANSPORTATION	20.0000	EA	868.0000
	YELLOW COLOR OF DODGE #PL1, FORD #84S53, CHEVROLET/GMC #W MINIMUM ORDER REQUIRED.	A-253A CODE (9W3) WITH NO	
26	EXTRA COST PAINT ATTACH LIST AND IDENTIFY AS EXTRA COST PAINTS	20.0000	EA	0.0000
27	ADDITIONAL REMOTE FOB FROM MANUFACTURER	20.0000	EA	135.0000
28	DELIVERY WITH ONLY TWO SETS OF KEYS PER VEHICLE (DEDUCT)	20.0000	EA	-27.0000
29	REARVIEW CAMERA DEALER OR FACTORY INSTALLED	20.0000	EA	481.0000
30	TAILGATE STEP DEALER OR FACTORY INSTALLED	20.0000	EA	375.0000
31	DUAL ALTERNATORS DEALER OR FACTORY INSTALLED	20.0000	EA	255.0000
32	PROTECTIVE VINYL SIDE MOLDINGS DEALER INSTALLED IF NOT STANDARD EQUIPMENT	20.0000	EA	350.0000
33	SERVICE REPAIR MANUAL EQUIPMENT AND ENGINE	20.0000	EA	395.0000

BUYER INITIALS

ORDER DATE Telephone: (402) 471-6500 PAGE 10/10/18 Fax: (402) 471-2089 6 of 6 BUYER **BUSINESS UNIT** CONTRACT NUMBER 9000 JULIE SCHILTZ (AS) 15038 OC VENDOR NUMBER: 2131702 Unit Estimated Unit of Price Quantity Measure Line Description SPECIFY TYPE OF SERVICE REPAIR MANUAL AVAILABLE: PAPER COPY, CD ROM OR ONLINE: CD 0.0000 \$ 20.0000 34 ADDITIONAL COSTS FOR WARRANTIES FROM MANUFACTURER SPECIFY YEARS AND MILES: CALL FOR OPTIONS \$ 35 DROP SHIPMENT CHARGES 20.0000 400.0000 OUTSIDE THE LINCOLN AREA ADDITIONAL COSTS OF CHARGES FOR VEHICLE DROP SHIPMENT OUTSIDE THE LINCOLN AREA. DROP SHIPMENT CHARGES WOULD BE FOR VEHICLES BOUGHT BY POLITICAL ENTITIES AND OTHER DIVISIONS OF GOVERNMENT. 9' BOSS STRAIGHT PLOW 20.0000 EA 5,935.0000 36 6,930.0000 20,0000 EΑ 37 UPGRADE TO 9'2" V-PLOW **DOWNGRADE TO 3/4 TRUCK** 20.0000 EA -2.599.000038 WITH DIESEL ENGINE SRW, SWB (DEDUCT FROM LINE 1)



State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Date	8/07/18		Page	1 of 7	
Solicitation	Number	5891 OF			
Opening D	ate and Time	09/04/18	2:00	om	1
Buyer		JULIE SCH	ILTZ (AS)		

Return to: State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: 402-471-6500 Fax: 402-471-2089

DESTINATION OF GOODS

MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION FOR DELIVERY ADDRESSES.

Per Nebraska' s Transparency in Government Procurement Act, DAS is required to collect statistical information regarding the number of contracts awarded to Nebraska contractors. This information is for statistical purposes only and will not be considered for contract award purposes.

NEBRASKA CONTRACTOR AFFADAVIT: Bidder hereby attests that bidder is a Nebraska Contractor. "Nebraska Contractor" shall mean any bidder who has maintained a bona fide place of business and at least one employee within this state for at least the six (6) months immediately preceding the posting date of this ITB.

_____I hereby certify that I am a Resident disabled veteran or business located in a designated enterprise zone in accordance with Neb. Rev. Stat. §73-107 and wish to have preference, if applicable, considered in the award of this contract.

Contract to supply and deliver 2019 Or Current Production Year One Ton Diesel Crew Cab 4 Door 4X4 Dual Rear Wheels Truck to the State of Nebraska as per the attached specifications for a one (1) year period from date of award. The contract may be renewed for one (1) additional one (1) year period when mutually agreeable to the vendor and the State of Nebraska.

Disregard the Qty and Unit of Measure on the Invitation to Bid.

Refer to the Master Agreement Terms and Conditions for approximate units to be purchased. The Unit Price is equal to the Base Price before the Option Lines are calculated.

(vc 7/25/18)

	INVITATION			
		Unit of		Extended
Line	Description Quantity	Measure	Unit Price	Price
1	1 TON DIESEL CREW CAB A DOOR 1.0000	EA	43368	43310
	4X4 DUAL REAR WHEELS TRUCK			TRUCK
دور	2019 Or Current Production Year 1 TON DIESEL CREW CAB 4 DO			
	WARNING! DO NOT BID WORK TRUCK FROM THIS INVITATION	N TO BID		en, bartel
	Minimum Wheelbase: 156" ATTACITED -	Adde	ndrem 1	
	BIDDER MUST COMPLETE THE FO	the second s		
	DISCOUNT DAYMENT TERMS	JO D	AYS	
By signing	this Invitation to Bie form, the bidder guarantees compliance with the provisions stated is greed to (see Section III) and certifies that bidder maintees a drug free work place enviro	in this Invitation onment. Vendor	to Bid, agrees to the t will furnish the items re	terms and conditions unless
after receip	t of order. Feature to enter Deliver Date may cause quotation to be REJECTED.			
Sign	Dan Ille		Enter Contact Inf	ormation Below
	(Authorized Signature MANDATORY - MUST BE SIGNED IN INK)		- C	
VENDOF		Conta	ct Kon	Fullecton
VENDOF		Telep	hone 402 - 59	40-7578
Address		Facsi	mile	
Addreed	Ceresco ME	Email	ron. Fullerto	n@Siddillon.con
	68017			

Date 8/07/18	3	Page	2 of 7	
Solicitation Number	5891 OF			
Opening Date and Tim	e 09/04/18	2:00	pm	
Buyer	JULIE SCH	ILTZ (AS)		

Make:

Return to: State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: 402-471-6500 Fax: 402-471-2089

DESTINATION OF GOODS MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION

FOR DELIVERY ADDRESSES.

INVITATION Extended Unit of Price Unit Price Measure Quantity Description Line Minimum Engine Size: 5.9L Diesel Minimum Rear Seat Leg Room: 38.5" Minimum Tire Size: 16" Goodyear Wrangler MT/R or equivalent off road tires Minimum GVWR: 9,900 Make: Model: GVWR: Series, Code, Trim Level; Engine: 6.1 6 Transmission No. / Gear Ratio No.: EPA: Delivery time after receipt of order (number/days): i MSRP as bid: 55 a_{ij} The original manufacturer's statement of origin, a service authorization card and a properly executed service and warranty policy shall accompany each vehicle when delivered. 35430 EA 1.0000 2 E85 1 TON CREW CAB 4 DOOR 4X4 DUAL REAR WHEELS TRUCK 2019 Or Current Production Year E85 1 TON CREW CAB 4 DOOR 4X4 DUAL REAR WHEELS TRUCK WARNING! DO NOT BID WORK TRUCK FROM THIS INVITATION TO BID! A separate bid is requested if the manufacturer is producing alternative fuel motor vehicles. A SEPARATE CONTRACT MAY BE AWARDED. E85 (Units capable of operating on a fuel mixture of up to 85% Ethanol/15% Unleaded gasoline without additional change or conversion.) Engine: Transmission No. / Gear Ratio No.: <u>44P-6</u> speed anto

Date	8/07/18		Page	3 of 7
Solicitatio	n Number	5891 OF		
Opening D	ate and Time	09/04/18	2:00	pm
Buyer		JULIE SCH	ILTZ (AS)	

Return to: State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: 402-471-6500 Fax: 402-471-2089

DESTINATION OF GOODS

MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION FOR DELIVERY ADDRESSES.

		VITATION	Unit of		Extended
Line	Description	Quantity	Measure	Unit Price	Price
	Model: F 3.50				
	gvwr: 14,002				
	Series, Code, Trim Level: Crew cod - W	3 D - X	~T		
	EPA:		~		
	Delivery time after receipt of order (number/dáys	<u>) 40 -181</u>			
	MSRP as bid: <u>49420</u>	A constraints			
	The original manufacturer's statement of origin, a warranty policy shall accompany each vehicle wh	i service authori nen delivered.	zation card, a	nd a properly exec	uted service and
	OPTIONS				
	THE OPTIONS SHALL MEET OR EXCEED THE SPECIFICATION AND MUST BE FACTORY INS ITEMS LISTED BELOW! IF NOT INCLUDED AS THIS SPECIFICATION.	STALLED, QUO	TES MUST B	E FURNISHED IF (AVAILABLE FOR
96 ⁻ "- 400	ALL EXCEPTIONS TO OPTIONS MUST BE CLI AIRBAGS MAY NOT BE AVAILABLE WITH A TI	EARLŸ INDICAT LT WHEEL ANI	red. (examp d'automati		RED WITH 9L)
3	ENGINE OTHER GAS ALTERNATE ENGINE SIZE	1.0000	EA	(7243) [Deduct #	(77431 for time #1
	SPECIFY ENGINE SIZE: 6.22		Alex and the second		
4	ENGINE OTHER GAS NO. 2 ALTERNATE ENGINE SIZE	1.0000	EA	NA	M
	SPECIFY ENGINE SIZE:				
5	ENGINE OTHER DIESEL INCLUDING BLOCK HEATER FACTORY OR DEALER INSTALLED. ALTERNA	1.0000 ATE ENGINE SI		8593 Jadd to	8593 Line #2
	IF DEALER INSTALLED, SUPPLY MANUFACT	URER:			
	Model: Ford				
	Warranty: <u>Same as line</u> #1				(652109 (166%)#55%)

Date	8/07/18		Page 4 of 7	
Solicitation	n Number	5891 OF		\$
Opening D	ate and Time	09/04/18	2:00 pm	
Buyer		JULIE SCH	ILTZ (AS)	

Return to: State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: 402-471-6500 Fax: 402-471-2089

, '

DESTINATION OF GOODS MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION FOR DELIVERY ADDRESSES.

		INVITATION				
Line	Description Specify Engine Size: 6.74	Quantity	Unit of Measure	Unit Price	Extended Price	
6	AIR CONDITIONING (DEDUCT)	1.0000	EA	(MA)	(MA)	
7	FROM AUTOMATIC TO MANUAL FOUR SPEED TRANSMISSION (DEDUCT)		EA	(uA,	1_MAY	
8	FOG LIGHTS	1.0000	EA	1600	1600	
9	40-20-40 OR 60-40 (DEDUCT)		EA	(MA)	[mA-	
	SPECIFY BENCH SEAT:			14.5.	1100	
10	40-20-40 OR 60-40 WITH DRIVER 6 WAY POWER CONTROLLED SEAT, IF AVAILABLE FROMI		EA	1600	1600	
	SPECIFY BENCH SEAT)			
11	VINYL COVERING BUCKET TYPE SEATS (DEDUCT)	1.0000	EA		(<u>uA</u>)	
12	CLOTH W/VINYL TRIM BUCKET TYPE SEATS	1.0000	EA		969	
13	TWO ELECTRIC REMOTE CONTROLLED OUTSIDE MIRRORS SWING AWAY TYPE, 6' (DEDUCT)	1.0000 'X9"	EA	(MA)	(mA)	ef
14	RIGHT AND LEFT TELESCOPIC MIRRORS MINIMUM 6X8	1.0000	EA	357	357	-
15	NO RADIO (DEDUCT)	1.0000	EA	(<u>A</u>)	(MA)	
16	HEAVY DUTY ALTERNATOR OPTIONAL, MINIMUM 105 AMP ALTERNATOR	1.0000	EA	285	285	
	SPECIFY AMPS: 240 gas engine	е Л			1841จากรู้ให้รอยอุกษณะจะจำกวรศ(อาล	i į

Date	8/07/18		Page	5 of 7	
Solicitatio	n Number	5891 OF		-	
Opening Date and Time		09/04/18	2:00 p	om	
Buyer		JULIE SCHILTZ (AS)		, , , , , , , , , , , , , , , , , , ,	

Return to: State Purchasing Bureau 1526 K Street, Sulte 130 Lincoln, Nebraska 68508

Telephone: 402-471-6500 Fax: 402-471-2089

DESTINATION OF GOODS

MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION FOR DELIVERY ADDRESSES.

		NVITATION			Futended
		Quantity	Unit of Measure	Unit Price	Extended Price
Line	Description	Quantity	Weasure	-	. ^
17	HEAVY DUTY BATTERY OPTIONAL	1.0000	EA	M	M
	SPECIFY CCA:				
18	SLIDING REAR VISION WINDOW	1.0000	EA	572	- (1165)-warnur
19	NO LID ON UTILITY BODY (DEDUCT)		EA	(_600_)	(600 + Knopheide
20	AIR BAG, DUAL IF NOT STANDARD		EA	579	STD
21	CARPETED FLOOR	1.0000	EA	190	190
22	SECOND POWER OUTLET	1.0000	EA	379	STO
23	SHORT PICKUP BOX LENGTH (DEDUCT)	only 1.0000	EA	(700)	(<u>760</u>)
	SPECIFY WHEELBASE) 		
1	SPECIFY DIMENSIONS OF BOX BID (IN INC WIDTH BETWEEN WHEEL WELLS: 81, 9	HES): LENGTH, V <u>×66.9 ×</u> 50	VIDTH AND		
24,	SINGLE REAR WHEELS (DEDUCT)	1.0000	EA	(<u>589)</u>)	([58 5_)
-	GVWR (NOTE: FIVE WHEELS AND TIRES W	/ILL BE REQUIRE	D MEETING S		ENTS AS
	DEFINED IN THE SPECIFICATIONS)			6909	6909+Knopheido 10990-warner
25	SINGLE WHEEL CHASSIS	1.0000	EA	10,990	10990 .warner
	WITH EIGHT FOOT UTILITY BODY (SEE ATTACHMENT) COLOF	R OF UTILITY BOI	OY TO MATCH	I MANUFACTURE	RCOLOR
	CHARTS. Knophe.d	e - 696			
	SPECIFY MAKE AND MODEL: Warner -	W\$298m\$1	nU		_ 7860-knopheide
				7860 -	- 12267 - Warner
26	DUAL WHEEL CHASSIS WITH EIGHT FOOT	1.0000			-
	UTILITY BODY (SEE ATTACHMENT) COLOF CHARTS. Krapheid	1e - 696D59		H MANUFACTURE	R COLOR
	SPECIFY MAKE AND MODEL: Warner	— R\$98 MDU	/u		

Date	8/07/18		Page 6 of 7	
Solicitatio	n Number	5891 OF		
Opening Date and Time		09/04/18	2:00 pm	
Buyer		JULIE SCH	ILTZ (AS)	

Return to: State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: 402-471-6500 Fax: 402-471-2089

DESTINATION OF GOODS

MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION FOR DELIVERY ADDRESSES.

		INVITATION			
Line 27	Description SINGLE WHEEL CHASSIS CAB WITH NO UTILITY BOX 60" CA	Quantity 1.0000	Unit of Measure EA	Unit Price 43صار	Extended Price 437/0
28	DUAL WHEEL CHASSIS CAB WITH NO UTILITY BOX 60" CA	1.0000	EA	44698	44698
29	HD RUBBERIZED SPRAY IN BED LINER (LINEX, RHINO OR EQUIVALENT)		EA	475 - pic 600 - utility	kup - 475 Body - 600
	SPECIFY MANUFACTURER:				
30	TRAILER TOWING PACKAGE (DEDUCT)		EA	(MA)	(MA)
31	CARGO LIGHT	1.0000	EA	STD	<u>57D</u>
32	STANDARD PAINT ATTACH LIST AND IDENTIFY AS NO ADDITIONAL COST	PAINTS	EA	See_	attached
33	FOR DEPART OF TRANSPORTATION YELLOW COLOR OF DODGE #PL1, FORD #84S53, CHEVRC MINIMUM ORDER REQUIRED.	1.0000	4.4	868 W3) WITH NO	868
34	EXTRA COST PAINT ATTACH LIST AND IDENTIFY AS EXTRA COST PAINTS	1.0000	EA	see .	attached
35	ANTI - LOCK BRAKING SYSTEM (ABS)	1.0000	EA	STD	STD
36	ADDITIONAL REMOTE FOB FROM MANUFACTURER	1.0000	EA	(35	135
37	DELIVERY WITH ONLY TWO SETS OF KEYS PER VEHICLE (DEDUCT)	1.0000	EA	(27_)	(27)
38	ELECTRONIC COMPASS TEMP DISPLAY (DEDUCT)	1.0000	EA	(MA)	U81
39	REARVIEW CAMERA	1.0000	EA	<u>48)</u>	481

化本化基的分析 网络自己分别网络拉马尔日子运用

Date	8/07/18		Page	7 of 7
Solicitatio	n Number	5891 OF		1
Opening Date and Time		09/04/18	2:00 pr	η
Buyer JULIE S			ILTZ (AS)	

Return to: State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508 ٠

Telephone: 402-471-6500 Fax: 402-471-2089

DESTINATION OF GOODS MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION FOR DELIVERY ADDRESSES.

		INVITATION	Unit of		Extended
		Quantity	Measure	Unit Price	Price
Line		Quantity	MCaburc	Onici noo	
	DEALER OR FACTORY INSTALLED				
40	TAILGATE STEP	1.0000	EA	375	_375
	DEALER OR FACTORY INSTALLED				
44	DUAL ALTERNATORS	1.0000	EA	255	255
41	DEALER OR FACTORY INSTALLED				
	4	And a second sec		STD -	Dr: vers
42	SEAT LUMBAR SUPPORT	1.0000	EA	210-	Prives
	LUMBAR SUPPORT				
				260	350
43	PROTECTIVE VINYL	1.0000	EA	350	
	SIDE MOLDINGS DEALER INSTALLED IF NOT STANDARD EC				
	DEALER INSTALLED IF NOT GTANDARD				
44	SERVICE REPAIR MANUAL	1.0000	EA	395	_355
	EQUIPMENT AND ENGINE				
	SPECIFY TYPE OF SERVICE REPAIR MANU	JAL AVAILABLE: F	APER COPY	, CD ROM OR	
	ONLINE:		1		
45		1.0000	EA	NA	NA
45	PARTS MANUAL EQUIPMENT AND ENGINE	1.0000	i si		
					A
	SPECIFY TYPE OF PARTS MANUAL AVAIL	ABLE: PAPER COI	Y, CD ROM	, OR ONLINE:	7000
46	ADDITIONAL COSTS FOR	1.0000	EA	Call	for options
- TV	WARRANTIES FROM MANUFACTURER		lan na stilan de	je o ne s	Vice and the second
	SPECIFY YEARS AND MILES: C 94				
	SPECIFY YEARS AND MILES:			15	
47	DROP SHIPMENT CHARGES	1.0000	\$	700	400
	OUTSIDE THE LINCOLN AREA				
	ADDITIONAL COSTS OF CHARGES FOR VE	HICLE DROP SH	BY POLITIC	AL ENTITIES AND	OTHER
	DIVISIONS OF GOVERNMENT.			CG25	-0.75
	the Plan	ر		_ 5755	
48.	9' Buss straight Plou	-		6930	<u>6930</u>
	017" V- MOL	\sim			
49.	up J.	1		(2599)	(2559)
50.	down groube to 3/4 + with dieses engine.	ruok,	2	111200	
. س	with dieset encine.	, 5KW, 5W!	2	deduct	from time #1
		1		. [1435的2推动的时候就是加加了14312331

STATE OF NEBRASKA PURCHASING BUREAU SCHEDULE OF EVENTS

SCHEDULE OF EVENTS

The State expects to adhere to the tentative procurement schedule shown below. It should be noted, however, that some dates are approximate and subject to change.

<i>.</i>	ACTIVITY	DATE/TIME
1	Release Invitation to Bid	August, 07, 2018
2	Last Day to Submit Written Questions	August 14, 2018
3	State Responds to Written Questions Through an Addendum to be posted to the internet at: http://das.nebraska.gov/materiel/purchase_bureau/vendor/commodity-itb.html	August 15, 2018
4	Bid Opening Location: Nebraska State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, NE 68508	September 04, 2018 2:00 p.m. Central Time

WRITTEN QUESTIONS AND ANSWERS

Any explanation desired by a bidder regarding the meaning or interpretation of any Invitation to Bid provision must be submitted in writing to the State Purchasing Bureau and clearly marked "ITB Number 5891 OF ONE TON DIESEL CREW CAB 4x4 4 DOOR DUAL REAR WHEELS TRUCK Questions". It is preferred that questions be sent via e-mail to as.materielpurchasing@nebraska.gov. Questions may also be sent by facsimile to 402-471-2089, but must include a cover sheet clearly indicating that the transmission is to the attention of Julie Schiltz, showing the total number of pages transmitted, and clearly marked "ITB Number 5891 OF; ONE TON DIESEL CREW CAB 4x4 4 DOOR DUAL REAR WHEELS TRUCK Questions".

Written answers will be provided through an addendum to be posted on the internet at http://das.nebraska.gov/materiel/purchasing.html shown in the Schedule of Events.

The Master Agreement Terms and Conditions apply to this Invitation to Bid.

BIDDER INSTRUCTIONS

Bidder must respond to each of the following statements. Specifications listed are minimum conditions that must be met in order for a bidder to qualify for the award. A "YES" response means the bidder guarantees they can meet this condition. A "NO" response means the bidder cannot meet this condition and will not be considered. "NO & PROVIDE ALTERNATIVE" responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the bidder's ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State of Nebraska shall determine at its sole discretion whether or not the vendor's alternative is an acceptable alternative.

All items listed below are required. If there is a No, a detailed alternative explanation must be provided.

YES	NO	NO & PROVIDE ALTERNATIVE	1. CAB AND BODY
			A. Color: Cab, Body and fenders will be selected from manufacturer's standard colors. However, yellow color must be available to the Department of Transportation. (NOTE: attached color charts shall be considered manufacturer colors with no extra charge unless specified on color chart in the options). All paint will be base coat/clear coat acrylic, activator-hardened acrylic or polyurethane type.
			B. Cab and Body: Fully enclosed safety type cab. The truck box shall not be less than 96 inches long by 61 inches wide (inside dimensions) and be of double sidewall construction. Minimum 50 inches wide between wheel wells. "STYLESIDE," "FLEETSIDE," "SWEPTLINE" body will be required. STATE Dimensions of box bid: <u>6.</u> "length, <u>6.9</u> " width, <u>50.5</u> " width between wheel wells.
	1		C. Glass: Approved tinted safety glass shall be required in all doors, windows, and windshields.
	1		D. Headliner: Fully insulated headliner required, if available from manufacturer.
	-		E. Insulation: Standard production heat and sound insulation to be provided. Body and interior finished to exclude excessive noise and weather.
			F. Seats: The 40-20-40 or 60-40 style seat and fold down center console to be furnished. Back must be manufacturer's heavy duty, optional, maximum depth foam rubber, with heavy-duty covering. Head restraints or high backs for outboard seats required. <u>Minimum</u> rear seat leg room to be 38.5 inches.
			G. Arm Rests: Required on both left and right-hand sides of each front seat, Fold down center console and door armrests to be furnished.
	1		H. Automatic Speed Control: Required.
	1		I. Sun Visors: Dual, padded.
			J. Floor Covering: Rubber matting type, if factory available. Trucks shall be delivered with factory floor mats front and rear required. If unavailable manufacturer accessory floor mats (through dealer parts room) are acceptable.
			K. Rearview Mirror: Interior, adjustable, rear vision mirror of day and night selector type (non-glare). Two outside electric rear vision mirrors, right and left, adjustable, minimum 6 inches by 9 inches; swing away type preferred.

	L. Frame: Section modules rated at not less than 3.2, with 36,000 PSI yield strength steel or as recommended by manufacturer for trucks.
~	M. Air Conditioner: Best grade factory installed air-conditioning, manually controlled, to include all items normally included in the factory package.
	N. Fenders and Bumpers: Manufacturer's standard fenders front and rear. Manufacturer's front bumper and step-type, rear bumper required.
	O. Fuel Tank: Largest available size. Skid plates are required if available from manufacturer, and may be dealer installed. Please state size: Diesel: <u>48</u> Gasoline: <u>48</u>
	P. Seat Belts: Lap/Shoulder seat belts with automatic retractors for out board seating; middle seat belt, preferably with retractors.
	Q. Power Outlet: Required.
	R. Windshield Wipers: Electrically operated, multiple speeds, manually controlled with electric windshield washer with jets to each wiper blade and with intermittent or delay capability. All factory installed.
	S. Heater: A fresh air type heater with dual defroster tubes to windshield shall be installed.
	T. Lights: Halogen high beam headlights with low beam; parking, dome tail, backup, and stop lights; front and rear directional turn signals with self-canceling control on steering column. Daytime running lights.
	U. Controls and Instruments: Key locking ignition switch; head, parking and dome light switches, headlight beam control; speedometer; charge indicator; fuel gauge; oil pressure indicator; engine temperature indicator; high beam indicator light; traffic hazard switch; flashing turn indicator lights. In cab hood release. Integrated brake controller.
	V. Radio: Manufacturer's standard AM/FM Stereo radio with clock.
	W. Bluetooth: Hands free wireless network to make and receive phone call enabled by a push button or by voice command if available from manufacturer.
	X. Locks: Manufacturer's keyless remote entry power locking system two remote entry key fobs and three (3) sets of keys per truck, required from manufacturer.
	Y. Windows: Electric power windows required.
	Z. Airbag: Driver and passenger side required,
	AA. Floor Mats: Trucks shall be delivered with factory floor mats front an rear required. If unavailable manufacturer accessory floor mats (throug the dealer parts room) are acceptable.
	BB. Trailer Tow: Trailer tow package to include integrated brake controlle complete with all hardware including receiver hitch minimum class 5 wit 2-1/2" square receiver opening required, A 2 ½" to 2" reducer sleev required to be furnished. Please state towing capacity being furnished: <u>See</u> a Hached
	CC. Electronic compass/temp display required if available from manufacture

receptacle with cover that is sturdily mounted. C. Cold starting aid (Diesel Engine only). D. Transmission: Manufacturer's minimum four speed, auto transmission. Require auxiliary or heavy-duty oil cooler for the auto transmission. A two-speed transfer case is required. Skid plate(s) for transfer case shall be furnished if offered by the manufacturer. E. Air Cleaner: Dry type. F. Oil Filter: Full flow throwaway type, G. Thermostat: Required as recommended for permanent-type antifree H. Radiator: Coolant recovery system required,	YES	NO NO & PROVIDE	2. ENGINE AND DRIVE TRAIN
receptacle with cover that is sturdily mounted. C. Cold starting aid (Diesel Engine only). D. Transmission: Manufacturer's minimum four speed, auto transmission. Require auxiliary or heavy-duty oil cooler for the auto transmission. A two-speed transfer case is required. Skid plate(s) for transfer case shall be furnished if offered by the manufacturer. E. Air Cleaner: Dry type. F. Oil Filter: Full flow throwaway type, G. Thermostat: Required as recommended for permanent-type antifree H. Radiator: Coolant recovery system required,	\checkmark		A. Engine: Minimum standards as stated in the specifications.
D. Transmission: Manufacturer's minimum four speed, auto transmission. Require auxiliary or heavy-duty oil cooler for the auto transmission. A two-speed transfer case is required. Skid plate(s) for transfer case shall be furnished if offered by the manufacturer. E. Air Cleaner: Dry type. F. Oil Filter: Full flow throwaway type, G. Thermostat: Required as recommended for permanent-type antifree H. Radiator: Coolant recovery system required,		-	
D. Handmission. Require auxiliary or heavy-duty oil cooler for the auto transmission. A two-speed transfer case is required. Skid plate(s) for transfer case shall be furnished if offered by the manufacturer. E. Air Cleaner: Dry type. F. Oil Filter: Full flow throwaway type, G. Thermostat: Required as recommended for permanent-type antifree H. Radiator: Coolant recovery system required,			C. Cold starting aid (Diesel Engine only).
F. Oil Filter: Full flow throwaway type, G. Thermostat: Required as recommended for permanent-type antifree H. Radiator: Coolant recovery system required,	/		transmission. Require auxiliary or heavy-duty oil cooler for the automatic transmission. A two-speed transfer case is required. Skid plate(s) for the
G. Thermostat: Required as recommended for permanent-type antifree H. Radiator: Coolant recovery system required,	~		E. Air Cleaner: Dry type.
H. Radiator: Coolant recovery system required,	V		F. Oil Filter: Full flow throwaway type,
			G. Thermostat: Required as recommended for permanent-type antifreeze.
			H. Radiator: Coolant recovery system required,
I. Axle Ratio: Ratio to be recommended by manufacturer.	/		I. Axle Ratio: Ratio to be recommended by manufacturer,

YES	NO	NO & PROVIDE ALTERNATIVE	3. SUSPENSION AND RUNNING GEAR
~			A. Wheelbase: Minimum standards as stated in the specifications.
/			B. Steering: Manufacturer's recommended power steering.
			 Steering Wheel: Regular production model or approved deluxe wheel. Tilt steering wheel required.
			D. Shock Absorbers: Heavy-duty double action type front and rear.
			E. Axle and springs: Manufacturer's independent front suspension and single speed hypoid rear axle, all with spring sizes and axle sizes recommended to meet GVWR. The axle gear ratios shall be the same in the front and rear axles. Front stabilizer bar is required.
/			F. Brakes: Power service brakes; disc/drum or disc/disc shall have a minimum 11 inch rotor, drum shall be minimum 11 inch by 2 inch. Parking brakes on rear wheel or drive line. Brakes shall be anti-lock type on all four wheels.
/	1		G. Wheels: Five, minimum 16 inch (single); or seven minimum 16 inch (dual); spare carrier; four wheel covers/hub caps per unit, if standard.
			H. Suspension: Must be de⊌igned to handle passenger and cargo requirements.
V			I. Tires: To be equipped with five single or seven dual full-sized black wall, tubeless, all terrain steel-belted radial (i.e. Goodyear Wrangler MT/R or equivalent off road tire) tires on rims, factory installed and of regular production, minimum 16" (refer to page 1 of these specifications) as recommended by the manufacturer. Spare tire and wheel shall match service tires and wheels; spare can be steel. Tires to comply with

		manufacturer's GVWR. Tires to be manufactured and labeled by a major manufacturer and installed by factory.
-		J. Differential: Limited slip, anti-spin or electronic locking type required. Specify Type: Atmited Slip
	a	K. Tow hooks required.

YES	NO	NO & PROVIDE	4. ELECTRICAL SYSTEM
\checkmark			A. Ignition System: 12-volt, solid state. Must be equipped with high tension, radio frequency shielded, ignition wiring. The vehicle shall be compatible with use of installed mobile radio.
			B. Battery: Heavy duty, maintenance free, highest cold cranking amperage capacity available from factory for model bidding. State capacity: 750 -Dud - Direct
\checkmark			C. Alternator: Highest output available from factory, Please state output 220 amp
	,		D. Bonding and Grounding: All components of the vehicle necessary to prevent interference with reception of low band two-way radio installed in the vehicle shall be adequately bonded and grounded.
OTES/C	OMMENT	S:	

YES	NO	NO & PROVIDE ALTERNATIVE	5. RADIO FREQUENCY SHIELDING – Caution!!
			A. The chassis and/or installed components and equipment shall be compatible with use of NDOT mobile and/or two-way communication devices. Main communication radio operates in low band range of 47 MHz to 48 MHz, but all frequencies apply including low band, high band, UHF and VHF.
			B. The chassis and/or installed components and equipment shall be manufactured to meet all current SAE and/or ISO Standards applicable and/or relevant to Electromagnetic Compatibility.
/			C. NDOT will conduct testing of radio/two-way when installed in chassis. NDOT will notify vendor if normal operational parameters are not met due to degradation of signals caused by electromagnetic emissions from chassis or installed components and equipment. Vendor shall be required to work with NDOT personnel to reduce interference level to a point acceptable to NDOT normal radio operating parameters. Vendor shall have 30 days to resolve RFI issue.

D. Vendor and/or manufacturer will be responsible for any and all cost to replace and/or modify any parts found to cause radio frequency interference. If NDOT and vendor cannot resolve source of RFI the unit will be sent to an independent accredited lab for testing to ensure SAE and/or ISO Standards compliance. Testing shall be done to SAE and/or ISO Standards which were current at date of bid. Should the chassis and/or installed components and equipment fail testing at the accredited lab, the vendor shall be responsible for all cost incurred for testing.
E. If after testing by NDOT and or accredited lab, the vendor is unable or unwilling to incur the cost and correct the RFI issue to the satisfaction of NDOT, ALL ORDERS AND CORRESPONDING CONTRACT WILL BE CANCELLED.

YES	NO	NO & PROVIDE ALTERNATIVE	6. MISCELLANEOUS
~	-		A. All trucks shall be protected to 34 degrees below zero Fahrenheit by permanent type ethylene glycol base antifreeze of the brand normally furnished by the manufacturer. The radiator shall be tagged or marked to indicate the type, brand and degree of protection. Thermostat required as recommended for permanent-type antifreeze. Manufacturer's optional increased cooling capacity system, if available by manufacturer, must be furnished.
1		r f	B. Coolant recovery system required.
		:	C. Each unit shall be delivered to the purchaser with all wheels balanced and the front end aligned.
/			D. Manufacturer's standard equipment jack to comply with GVWR must be supplied. The standard complement of tools such as wheel lug wrench, and jack handle shall be provided, together with facilities for storage.
	А	•	E. Purchase orders issued from the resulting contract(s) may specify prospective delivery dates due to agency operational needs and budget; upon acceptance of purchase order Contractor agrees to abide by any such prospective delivery date.
			F. Non-Contract Items are items not listed on the contract, but may be needed by the ordering agency for their business needs to complete the purchase of the vehicle. Non-contract item pricing shall be requested by the ordering agency in written form. Pricing documentation will be attached to the purchase order and a line 'Non-Contract Item' line to the purchase order.
		<u>an an a</u>	G. Contractor can provide a link to price list for Non-Contract Items or catalog pricing for MSRP with corresponding discount from MSRP.
NOTES/C	Delay	s: Delivery a	proders will be placed as late as possible cler floor plan Charges

0

YES	NO NO & PROVIDE	
~		A. If any part or component of the vehicle bid contains recycled or bio- based material(s), please list and provide detailed information on the environmental attributes.

YES	NO	NO & PROVIDE	8. DELIVERY
			A. All trucks shall be delivered FOB destination in Lincoln, Nebraska and in accordance with the Delivery Schedule shown on the purchase order. Trucks are to be road ready, fully equipped, serviced, and washed with a minimum of ¼ tank of gasoline in the tank. Trucks showing lack of proper dealer pre-delivery service shall be subject to rejection until the vehicle is properly serviced. Factory pre-delivery service is not acceptable. Dealer nameplates, decals, etc. shall not be affixed. A signed copy of the completed manufacturer's "New Vehicle Preparation-Inspection and Road Test" form must accompany each vehicle at time of delivery.
			B. After the truck has been fully serviced, the dealer may deliver it by rail freight, truck transport or by driving to the destination. IMPORTANT Odometer mileage: Within a 200-mile radius of Lincoln – less than 200 miles on odometer; outside the 200-mile radius of Lincoln – less than 450 miles on odometer at the time the motor vehicle is officially accepted and signed for by the purchaser. Deliveries shall be made between the hours of 9:00 AM and 3:00 PM daily, except Saturday, Sunday, and holidays. All deliveries must be scheduled with the Agency Representative.
~			C. The original manufacturer's statement of origin, a service authorization card, and a properly executed service and warranty policy shall accompany each vehicle when delivered.
~			D. Each vehicle shall be completely checked by the vendor to ensure conformance with the manufacturer's specifications and the State of Nebraska requirements as stated herein.
~			E. Invoices shall describe the truck, including vehicle identification number (VIN), key number and State of Nebraska purchase order number.
			F. Contract supplier or suppliers may honor pricing and extend the contract to political subdivisions, cities and counties. Political subdivisions, cities, and counties must meet terms and conditions of the contract,
			G. Trucks that have been wrecked or sustained more than minor nicks and scratches will not be accepted. The vendor should not attempt to deliver a unit until minor nicks and scratches have been repaired. Failure to comply with the above may result in the dealer not being allowed to bid on future motor vehicles contracts.
			H. Vendor shall provide order number to the purchaser within 5 business days after Purchase Order has been received. Vendor shall email, fax, or mail this information to each buyer.

NOTES/COMMENTS:

Research Constant	NO & PROVIDE ALTERNATIVE	9. WARRANTY
		A. The manufacturer's standard warranty shall apply to each vehicle (refer to item B below). Mechanical or body repair required under manufacturer's warranty, prior to use of the vehicle by the State, shall be the responsibility of the selling dealer, including the transportation thereof. Warranty to be effective from date of issuance of first assignment and the mileage warranty will begin from the mileage on the odometer on the date of assignment. The selling dealer will provide warranty activation cards or delayed warranty forms with manufacturer mailing information in order to properly activate said warranty.
1		B. A minimum warranty of 3 years, 36,000 miles or the manufacturer's standard warranty, whichever is greater, is required. A minimum of 5 years, 100,000 miles rust warranty is required. Indicate standard manufacturer's warranties. The manufacturer's standard warranty shal be stated in the Exceptions/Comments section of the Bid if different and noted if different than requested.

YES	NO	NO & PROVIDE ALTERNATIVE	10.	SERVICE
\checkmark			Α.	Prior to the awarding of, or entering into any agreement or contract, whether verbal or in writing, it shall be the responsibility of the manufacturer and/or the successful bidder to ensure and satisfy the State of Nebraska that there are factory authorized dealers, geographically located within the United States of America and the State of Nebraska, who will service and repair the vehicles being submitted for consideration without undue delay.
				It is the responsibility of the vendor to see that the following agencies have received, or will receive in a timely fashion, Fleet Buyers Guides and Source Book for ordering purposes: AS/Transportation Services Bureau, AS/Materiel Division Purchasing Bureau, University of Nebraska-Lincoln Transportation Services, Game and Parks Commission, Department of Transportation, and the Nebraska State Patrol.
			C.	THE STATE OF NEBRASKA'S OBLIGATION TO PAY IS CONTINGENT UPON LEGISLATIVE APPROPRIATION OF FUNDS FOR THAT PURPOSE. SHOULD SAID FUNDS NOT BE APPROPRIATED, THE STATE OF NEBRASKA MAY TERMINATE THIS AGREEMENT. THE STATE OF NEBRASKA WILL GIVE THE VENDOR THIRTY DAYS WRITTEN NOTICE OF SUCH TERMINATION.

		D. Vendor must indicate to whom payment is to be made, stating full name of company or entity, complete address and telephone number. After contract is awarded, payment shall only be made as indicated unless written notification is made to the AS/Materiel/Purchasing Bureau requesting an addendum to the contract; must be done 30 days prior to the delivery of vehicle. THERE WILL BE NO EXCEPTIONS!
~		E. If vendor is interested in electronic fund transfer (EFT) payment, please contact purchasing agency after contract has been awarded.
	L.	F. The manufacturer and/or the successful bidder should allow the State of Nebraska to participate in the manufacturer's service training network. Service network includes dealer onsite training, schools and computer based training when applicable.

ATTACHMENT - Utility Body for Single Rear Wheel Chassis

The chassis-cab with Utility Body shall be the latest current model under standard production at the time order is written. The units are to be equipped as regularly advertised and manufactured, complete and ready for satisfactory operation after installation, and shall comply with the following MINIMUM requirements. Descriptive literature and warranty should be supplied with Invitation to Bid and must be supplied before award if asked for by Fleet Management.

YES	NO	NO & PROVIDE	1. UTILITY BODY DIMENSIONS
~			A. Approximate length of 96 to 98 inches.
			B. Width of about 78 inches.
~			C. Approximate height of 40 inches in front and rear.
~			D. Approximate floor width 48 inches.
V			E. Must match Cab to Axle dimension of truck bid (either 56 or 60 inches)

YES	NO NO & PROVIDE ALTERNATIVE	2. SCOPE
~		A. Latest current model under standard production at time order is written.
		B. Units equipped as regularly advertised and manufactured.

weldment and hole.

YES	NO	NO & PROVIDE	4.	SHELVES AND DIVIDERS
~			Α.	All shelves and dividers are to be removable.
~	i.		Β,	Front vertical compartments to have three shelves and minimum five dividers,
			C.	Horizontal compartments to have one shelf and minimum five dividers.

ATTACHMENT - Utility Body for Single Rear Wheel Chassis (continued)

YES	NO	NO & PROVIDE ALTERNATIVE	1. PAINT AND COATING
- /			A. Primer that is recommended for polyurethane final coat.
1		/	 B. Color will be from manufacturer's standard colors of safety yellow or white.
			C. All paint will be base coat/clear coat acrylic, activator-hardened acrylic or polyurethane type.
NOTES/C (1.8) 911	OMMENTS ONly other	white Colors	is a no Charge Color are an extra Charge = 2200 -

YES	NO	NO & PROVIDE ALTERNATIVE	2. LIGHTS
~		<u></u>	A. Dual tail, stop and direction with back-up lights that are mounted on upper part of body (not bumper area).
/			B. Clearance lights or reflectors required.
/			C. All lights shall meet Federal requirements.
- Ce			D, Holes in body for lights required,

YES	NO	NO & PROVIDE ALTERNATIVE	3. GENERAL
~			A. Fuel pipe adapter for fuel tank on chassis required.
/	-		 B. Compartment doors to be weather tight with automotive type rubber seals.
/			C. Unit to be equipped with lid,
~	-		D. Upper structure to be zinc-coated steel.
	-		E. Undercoating on underbody required.
			F. Vendor to have installed or to install to meet all specifications,
~	ſ		G. Dealer's decals, stickers or other signs shall not be on units manufacturer's nameplates, stampings and other similar signs are acceptable.
~	1		H. State warranty on Utility Body.
			II: Trailer Tow: Trailer tow package to include integrated brake controller complete with all hardware including receiver hitch, minimum class with 2-1/2" square receiver opening required. A 2 ½" to 2" reduce sleeve required to be furnished. If factory installation is not available dealer installation is acceptable. Please state towing capacity being furnished: See

ATTACHMENT - Utility Body for Dual Rear Wheel Chassis

The chassis-cab with Utility Body shall be the latest current model under standard production at the time order is written. The units are to be equipped as regularly advertised and manufactured, complete and ready for satisfactory operation after installation, and shall comply with the following MINIMUM requirements. Descriptive literature and warranty should be supplied with Invitation to Bid and must be supplied before award if asked for by Fleet Management.

YES	NO	NO & PROVIDE ALTERNATIVE	1. UTILITY BODY DIMENSIONS
1			A. Length of approximately 96 to 98 inches.
			B. Width of about 96 inches.
			C. Approximate height of 40 inches in front and rear.
/			D. Floor width of approximately 55 inches.
/	<u></u>		E. Must match the Cab to Axle dimension of truck bid (either 56 inches or 60 inches).
NOTES/C	OMMENT	S:	

YES	NO	NO & PROVIDE ALTERNATIVE	2. SCOPE
V	7		A. Latest current model under standard production at time order is written.
			B. Units equipped as regularly advertised and manufactured.
NOTES/C	OMMENT	S:	

YES	NO	NO & PROVIDE	3. BUMPER
1/			A. Steel step type with hitch weldment and hole.

YES		NO & PROVIDE ALTERNATIVE	4.	SHELVES AND DIVIDERS
~	:		Α.	All shelves and dividers are to be removable.
~			В.	Front vertical compartments to have three shelves and minimum five dividers.
1/			C.	Horizontal compartments to have one shelf and minimum five dividers.

ATTACHMENT - Utility Body for Dual Rear Wheel Chassis (continued)

YES	NO	NO & PRO	serves as the state of the serve		PAINT AND			
				Α.	Primer that	is recommende	d for polyurethane	final coat.
		and the second sec	-	В.	Color will b white,	e from manufa	cturer's standard o	colors of safety yellow or
					All paint wi or polyureth		clear coat acrylic, a	activator-hardened acrylic
	OMMENTS	s: whata	ĥs	a	no	Charge	Color	-
011	othe	r Cili	ors	Gre	an	extra	Charge	- ZZ00

YES	NO	NO & PROVIDE	2. LIGHTS
~			A. Dual tail, stop and direction with back-up lights that are mounted on upper part of body (not bumper area).
-			B. Clearance lights or reflectors required.
			C. All lights shall meet Federal requirements.
			D. Holes in body for lights required.

	A. Fuel pipe adapter for fuel tank on chassis required.B. Compartment doors to be weather tight with automotive type rubber
	seals.
	C. Unit to be equipped with lid,
	D. Upper structure to be zinc-coated steel,
	E. Undercoating on underbody required,
	F. Vendor to have installed or to install to meet all specifications.
	G. Dealer's decals, stickers or other signs shall not be on units manufacturer's nameplates, stampings and other similar signs ar acceptable.
•	H. State warranty on Utility Body,
	I. Trailer Tow: Trailer tow package, complete with all hardware includin receiver hitch, minimum class 5 with 2-1/2" square receiver openin required. A 2 ½" to 2" reducer sleeve required to be furnished. If factor installation is not available, dealer installation is acceptable. Pleas state towing capacity being furnished. See
	MMENTS:

YES	NO	NO & PROVIDE	8. Bid Compliance
~			A. Specifications have been read and fully understood. Any exceptions have been written on the bid or attached. Bid is signed and unit price is in compliance with the given unit of measure.
NOTES/	COMME	NTS:	L

YES	NO	NO & PROVIDE	9. Master Agreement Terms and Conditions
<u></u>			A. The Master Agreement Terms and Conditions have been read and fully understood. Any exceptions with the Master Terms and Conditions have been written on the document or attached. The Master Agreement is signed and has been returned to State Purchasing Bureau before or with the first bid submitted.
			The Master Agreement Terms and Conditions is located at: http://das.nebraska.gov/materiel/purchasing/Vehicles/Vehicle.html
			Please note that the Master Agreement Terms and Conditions are required to be signed and submitted to the State Purchasing Bureau on or before the bidder submits their first bid for the 2019 Production Model Year. Once submitted for the 2019 Production Year, the Master Agreement Terms and Conditions are valid for every bid submitted for any category of vehicle during this cycle.